'olvOne

### MATERIAL SAFETY DATA SHEET CLEAR PP GREEN LOREAL

Version Number 1.3 Revision Date 12/26/2012

Page 1 of 6 Print Date 12/26/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number		1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CLEAR PP GREEN LOREAL
Product code	:	CC10151515
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. Do not use this pigment in polymers at temperatures over 200°C (392°F). Decomposition of diarylide pigments in polymers at temperatures over 200°C (392°F) may produce trace amounts of monoazo dyes, which in turn can decompose to produce aromatic amines. The amount and type of degradation products formed depend on the dwell time, formulation and processing conditions as well as temperature. As conditions become more severe, as when temperatures move into the 240-300°C (464-572°F) range, trace quantities of 3,3'dichlorobenzidine can be generated. 3,3'-dichlorobenzidine is classified as a suspect carcinogen by NTP and IARC, is classified as Acute Toxicity category 4 and Carcinogen Category 1B according to 1272/2008EC (CLP), and is regulated by OSHA as a suspect carcinogen. In order to avoid the generation of and exposure to 3,3'-dichlorobenzidine, do not use diarylide pigments in polymers when temperatures exceed 200°C (392°F). Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

#### POTENTIAL HEALTH EFFECTS

#### Routes of Exposure:

: Inhalation, Ingestion, Skin contact

Acute exposure

PolyOne.

# MATERIAL SAFETY DATA SHEET CLEAR PP GREEN LOREAL

ion Number 1.3 sion Date 12/26/2012	Page 2 Print Date 12/26/2				
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.				
Ingestion	: May be harmful if swallowed.				
Eyes	: Resin particles, like other inert materials, are mechanically irritating to				
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				
	4. FIRST AID MEASURES				
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIREFIGHTING MEASURES				
Flash point	: not applicable				
Flammable Limits					
Upper explosion limit	: not applicable				
Lower explosion limit	: not applicable				
Auto-ignition temperature	: not applicable				
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.				
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive				
Procedures	pressure mode should be worn to prevent inhalation of airborne				
	contaminants.				
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen				
Hazards	(NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				

PolyOne.

# MATERIAL SAFETY DATA SHEET CLEAR PP GREEN LOREAL

ion Number 1.3 sion Date 12/26/2012			Page Print Date 12/26/		
	he allowed to ente	er drains, water courses or the	e soil		
	be anowed to ente	i drams, water courses of the	. 5011.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
	7. HANDLING A	ND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. EXI	POSURE CONTROLS/I	PERSONAL PROTECTIO	N		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clot	hing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations		nce with good industrial hyg ands before breaks and at the			
Engineering measures		with appropriate exhaust ve st ventilation at machinery.	ntilation. Provide		
Exposure limit(s)					
There are no known hazardou	is components above regu	latory thresholds in this prod	luct.		
9.	PHYSICAL AND CHE	MICAL PROPERTIES			
Form	: solid	Evaporation rate	: Not applicable		
Appearance	: pellets	Specific Gravity	: Not determined		
Colour	: GREEN	Bulk density	: Not established		
Odour	: very faint	Vapour pressure	: not applicable		
Melting point/range Boiling Point:	: Not determined : not applicable	Vapour density pH	: not applicable : not applicable		
Water solubility	: insoluble	P	. not applicable		
	10. STABILITY AN	D REACTIVITY			
Stability	: Stable				

PolyOne.

# MATERIAL SAFETY DATA SHEET CLEAR PP GREEN LOREAL

Version Number 1.3 Revision Date 12/26/2012

\_\_\_\_

\_\_\_\_

\_\_\_\_\_

Page 4 of 6 Print Date 12/26/2012

Hazardous Polymerization	:	Will not occur.		
Conditions to avoid		Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.		
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Do not use this pigment in polymers at temperatures over 200°C (392°F). Decomposition of diarylide pigments in polymers at temperatures over 200°C (392°F) may produce trace amounts of monoazo dyes, which in turn can decompose to produce aromatic amines. The amount and type of degradation products formed depend on the dwell time, formulation and processing conditions as well as temperature. As conditions become more severe, as when temperatures move into the 240-300°C (464-572°F) range, trace quantities of 3,3'-dichlorobenzidine can be generated. 3,3'-dichlorobenzidine is classified as a suspect carcinogen by NTP and IARC, is classified as Acute Toxicity category 4 and Carcinogen Category 1B according to 1272/2008EC (CLP), and is regulated by OSHA as a suspect carcinogen. In order to avoid the generation of and exposure to 3,3'-dichlorobenzidine, do not use diarylide pigments in polymers when temperatures exceed 200°C (392°F). Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.		
	11. 7	TOXICOLOGICAL INFORMATION		
There are no known hazardous	s com	ponents above regulatory thresholds in this product.		
	12	2. ECOLOGICAL INFORMATION		
Persistence and degradability	:	Not readily biodegradable.		
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	:	no data available		
	13	3. DISPOSAL CONSIDERATIONS		
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The		

PolyOne.

# MATERIAL SAFETY DATA SHEET CLEAR PP GREEN LOREAL

sion Number 1.3 vision Date 12/26/2012	Page 5 of Print Date 12/26/2012
	applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
-	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	tremely Hazardous Substance
Unless specific chemicals are i	dentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	xic Chemicals:
Unless specific chemicals are i	dentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	

PolyOne

## MATERIAL SAFETY DATA SHEET **CLEAR PP GREEN LOREAL**

Version Number 1.3 Revision Date 12/26/2012 Page 6 of 6 Print Date 12/26/2012

Chemical Name			CAS-No.	Weight	NPRI ID#
			1328-53-6	percent 1.00 - 5.00	
Phthalocyanine green			1528-55-0	1.00 - 5.00	
WHMIS Classification	:	Not controlled.			
DSL	:	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
Vational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16 OTHED I	NFORMATION	J	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.