### **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018 PolyOne.

Page 1 of 17 Print Date 04/22/2018

# SAFETY DATA SHEET

#### UV DK BLUE TPU

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	UV DK BLUE TPU Mixture Mixture CC10188785 solid
<u>Relevant identified uses of the subs</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

## UV DK BLUE TPU

Version Number 1.2 Revision Date 01/15/2018

Page 2 of 17 Print Date 04/22/2018

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10188785

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7
Chrome yellow (Lead chromate pigment)	3 - 5	1344-37-2
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-	1 - 3	25973-55-1
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018



### Page 3 of 17 Print Date 04/22/2018

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute healt	h effects
-----------------------	-----------

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
0		-

#### **Over-exposure signs/symptoms**

Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	No specific data.	

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

## UV DK BLUE TPU

Version Number 1.2 Revision Date 01/15/2018 Page 4 of 17 Print Date 04/22/2018

<u>vOne</u>

See toxicological information (Section 11)

## Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and

## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018

# PolyOne

Page 5 of 17 Print Date 04/22/2018

Large spill

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **Section 7. Handling and storage**

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Exposure limits
OSHA PEL 1989 (1989-03-01)
PEL: Permissible Exposure Level 3.5 mg/m3
OSHA PEL (1993-06-30)
PEL: Permissible Exposure Level 3.5 mg/m3
NIOSH REL (1994-06-01)
Time Weighted Average (TWA) 3.5 mg/m3
Time Weighted Average (TWA)
ACGIH TLV (2010-12-06)
TLV-TWA: Threshold Limit Value - Time weighted average PEL:

## UV DK BLUE TPU

Version Number 1.2 Revision Date 01/15/2018 <u>PolyOne</u>

	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Phenol, 2-(2H-benzotriazol-2-yl)-4,6- bis(1,1-dimethylpropyl)-	
Chrome yellow (Lead chromate pigment)	OSHA PEL (2006-11-27) as Cr PEL: Permissible Exposure Level 0.005 mg/m3 NIOSH REL (2010-09-01) as Cr Time Weighted Average (TWA) 0.0002 mg/m3 OSHA PEL 1989 (1989-03-01) as Pb PEL: Permissible Exposure Level 0.05 mg/m3 ACGIH TLV (1995-05-23) as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 ACGIH TLV (1994-09-01) as Cr TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 OSHA PEL (1993-06-30) as Pb PEL: Permissible Exposure Level 0.05 mg/m3 OSHA PEL (1993-06-30) as Pb PEL: Permissible Exposure Level 0.05 mg/m3 OSHA PEL 22 (2006-11-27) Ceiling-A concentration that should not be exceeded at any time during any part of the working day. 0.001 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as CrO3 Ceiling-A concentration that should not be exceeded at any time during any part of the working day. 0.1 mg/m3
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

## UV DK BLUE TPU

PolyOne

Version Number 1.2	Page 7 of 17
Revision Date 01/15/2018	Print Date 04/22/2018
	necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	<ul> <li>Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.</li> </ul>

## Section 9. Physical and chemical properties

### Appearance

Physical state	:	solid [Pellets.]
Color	:	BLUE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.

## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018

# <u>PolyOne</u>

Page 8 of 17 Print Date 04/22/2018

Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure



## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018

Page 9 of 17 Print Date 04/22/2018

1

#### Carbon black

Curbon bluck						
	LD50 Oral	Rat	15,400 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data				
<b>Remarks - Dermal:</b>	No applicable toxi	No applicable toxicity data				
Phenol, 2-(2H-benzotriazol-2-	yl)-4,6-bis(1,1-dimet	thylpropyl)-				
Remarks - Oral:	No applicable toxic	city data				
<b>Remarks - Inhalation:</b>	No applicable toxic	city data				
Remarks - Dermal:	No applicable toxic	city data				
Chrome yellow (Lead chromat	e pigment)					
Remarks - Oral:	No applicable toxic	No applicable toxicity data				
<b>Remarks - Inhalation:</b>	No applicable toxic	No applicable toxicity data				
<b>Remarks - Dermal:</b>	No applicable toxicity data					
Titanium dioxide						
Remarks - Oral:	No applicable toxicity data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Conclusion/Summary	: Mixture.Not fully tested.					

**Conclusion/Summary** 

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
<b>Conclusion/Summary</b>					
Skin	: M	ixture.Not fully	tested.		
Eyes	: M	ixture.Not fully	tested.		
Respiratory	: M	ixture.Not fully	tested.		
Sensitization					
<b>Conclusion/Summary</b>					
Skin	: M	ixture.Not fully	tested.		
Respiratory	: M	ixture.Not fully	v tested.		
Mutagenicity					
Conclusion/Summary	: M	ixture.Not fully	tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary <u>Classification</u>		ixture.Not fully			
Product/ingredient name	OSHA	IARC	NTP		



## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018 Page 10 of 17 Print Date 04/22/2018

Carbon black		2B	
Chrome yellow (Lead	+	12A	
chromate pigment)			
Titanium dioxide		2B	

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

:

**Teratogenicity** 

**Conclusion/Summary** 

Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Phenol, 2-(2H-benzotriazol-	Category 2	OralOral	kidneys
2-yl)-4,6-bis(1,1-			liver
dimethylpropyl)-			

#### Aspiration hazard

Not available.

Information on likely routes of exposure	:	Not available.	
Potential acute health effects			

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

## UV DK BLUE TPU

Version Number 1.2 Revision Date 01/15/2018

<u>PolyOne</u>.

Page 11 of 17 Print Date 04/22/2018

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
Remarks - Acute - Aquatic plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data		



## UV DK BLUE TPU

Version Number 1.2 Revision Date 01/15/2018 Page 12 of 17 Print Date 04/22/2018

	Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-				
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
<b>Remarks - Chronic -</b>	No applicable toxicity data				
Aquatic invertebrates.:					
Chrome yellow (Lead chromat					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.: Titanium dioxide					
	A outo L C50 > 1 000 Mg/l Moring	Fish - Fish	96 h		
	Acute LC50 > 1,000 Mg/l Marine water	F1811 - F1811	90 11		
Remarks - Acute - Fish:	Acute				
Kemarks - Acute - Fish.	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h		
		Crustaceans	TO II		
Remarks - Acute - Aquatic	Acute		1		
invertebrates.:					
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h		
		Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
UV DK BLUE TPU		·			
Remarks - Acute - Aquatic					
invertebrates.: Conclusion/Summary					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
	porymer maura.				
Persistence and degradability	V				
	=				
Conclusion/Summary	: Chemicals are not readil	y available as they are bound	nd within the		

## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018



Page 13 of 17 Print Date 04/22/2018

polymer matrix.

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
C.I. Pigment Yellow 34 This	-	3,600.00	high
substance is identified in the			
COLOUR INDEX by Colour Index			
Constitution Number, C.I. 77603.			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR

: Not regulated for transportation.



## UV DK BLUE TPU

Version Number 1.2 Revision Date 01/15/2018		Page 14 of 17 Print Date 04/22/2018
Ground/Air/Water		
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> </ul>
	United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed Chrome yellow (Lead chromate pigment)
	United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
	<b>United States - TSCA 8(d) - Health and safety studies:</b> Not listed <b>United States - TSCA 8(a) - Preliminary assessment report</b> ( <b>PAIR</b> ): Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue Chrome yellow (Lead chromate pigment)
	United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental

## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018 <u>PolyOne</u>

Page 15 of 17 Print Date 04/22/2018

**release prevention - Toxic substances:** Not listed **United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

#### **Composition/information on ingredients**

Name	%	Classification
Carbon black	0.3 - 1	СН
Phenol, 2-(2H-benzotriazol-2-yl)- 4,6-bis(1,1-dimethylpropyl)-	1 - 3	СН
Chrome yellow (Lead chromate pigment)	3 - 5	СН
Titanium dioxide	10 - 25	СН

#### SARA 313

	Product name	CAS number	%	
Form R - Reporting	Chrome yellow (Lead	1344-37-2	3 - 5	
requirements	chromate pigment)			
Supplier notification	Chrome yellow (Lead	1344-37-2	3 - 5	
	chromate pigment)			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018 PolyOne

Page 16 of 17 Print Date 04/22/2018

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Phthalocyanine Blue
		Titanium dioxide
		Chrome yellow (Lead chromate pigment)
		Carbon black
Pennsylvania	:	The following components are listed:
_ •		Phthalocyanine Blue
		Thanaoo yannio Diao
		Titanium dioxide
		Chrome yellow (Lead chromate pigment)
		en one jeno, (Leua en ontate pignent)
		Carbon black

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



## **UV DK BLUE TPU**

Version Number 1.2 Revision Date 01/15/2018 Page 17 of 17 Print Date 04/22/2018

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>1113t01 y</u>		
Date of printing	:	04/22/2018
Date of issue/Date of revision	:	01/15/2018
Date of previous issue	:	10/05/2015
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.