2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 1 of 17 Print Date 11/08/2016

SAFETY DATA SHEET

2T5A EXPRESSO LG9000

Section 1. Identification	on	
GHS product identifier	:	2T5A EXPRESSO LG9000
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10192239
Product type	:	solid
Delevent identified uses of the subs	tonoo	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 2 of 17 Print Date 11/08/2016

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10192239

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	9003-54-7
Titanium dioxide	5 - 10	13463-67-7
Carbon black	5 - 10	1333-86-4
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	1 - 3	3147-75-9
Styrene	0.1 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 3 of 17 Print Date 11/08/2016

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical	attentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under
Specific treatments	:	medical surveillance for 48 hours. No specific treatment.
		0/47

he

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 4 of 17 Print Date 11/08/2016

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

:

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 5 of 17 Print Date 11/08/2016

Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Carbon black	OSHA PEL 1989 (1989-03-01)	
	PEL: Permissible Exposure Level 3.5 mg/m3	
	OSHA PEL (1993-06-30)	
	PEL: Permissible Exposure Level 3.5 mg/m3	
	NIOSH REL (1994-06-01)	



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 6 of 17 Print Date 11/08/2016

	Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
2-Propenenitrile, polymer with Ethenylbenzene	
Styrene	OSHA PEL 1989 (1989-03-01)PEL: Permissible Exposure Level 215 mg/m3 50 ppmShort Term Exposure Limit value for a 15-minute referenceperiod expressed in parts per million or in mg/m3. 425 mg/m3 100ppmOSHA PEL Z2 (1993-06-30)PEL: Permissible Exposure Level 100 ppmCeiling,is a a limit indicating the maximum concentration of achemical substances in the breathing zone that should not beexceeded. 200 ppmAcceptable Maximum Peak (AMP) 600 ppmNIOSH REL (1994-06-01)Time Weighted Average (TWA) 215 mg/m3 50 ppmShort Term Exposure Limit value for a 15-minute referenceperiod expressed in parts per million or in mg/m3. 425 mg/m3 100ppmACGIH TLV (1997-05-21)TLV-TWA: Threshold Limit Value - Time weighted average PEL:Permissible Exposure Level 85 mg/m3 20 ppmTLV-STEL: Threshold Limit Value - Short Time Exposure Level170 mg/m3 40 ppm
Titanium dioxide	OSHA PEL 1989 (1989-03-01)PEL: Permissible Exposure Level 10 mg/m3 Form: Total dustOSHA PEL (1993-06-30)PEL: Permissible Exposure Level 15 mg/m3 Form: Total dustNIOSH REL (1994-06-01)ACGIH TLV (1996-05-18)TLV-TWA: Threshold Limit Value - Time weighted average PEL:Permissible Exposure Level 10 mg/m3
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	



2T5A EXPRESSO LG9000

Version Number 1.3	Page 7 of 17
Revision Date 10/20/2016	Print Date 11/08/2016

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

<u>PolyOne</u>

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 8 of 17 Print Date 11/08/2016

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

)ne

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 9 of 17 Print Date 11/08/2016

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure					
Styrene									
	LD50 Oral	Rat	2,650 mg/kg	-					
	LD50 Oral	Rat	5,000 mg/kg	-					
	LC50 Inhalation	Rat	2,770 ppm	4 h					
	LC50 Inhalation	Rat	11.8 mg/l	4 h					
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole									
	LD50 Oral	Rat	1,000 mg/kg	-					
Titanium dioxide									
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h					
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-					
Carbon black									
	LD50 Oral	Rat	15,400 mg/kg	-					
2-Propenenitrile, polymer with Ethenylbenzene									
	LD50 Oral	Rat	1,800 mg/kg	-					
Conclusion/Summary · Mixture Not fully tested									

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
-	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

Conclusion/Summary

Mixture.Not fully tested.

:

:

Skin Eyes

Mixture.Not fully tested.

<u>PolyOne</u>

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 10 of 17 Print Date 11/08/2016

Respiratory	: N	lixture.Not ful	ly tested.
Sensitization			
Conclusion/Summary Skin Respiratory		lixture.Not ful lixture.Not ful	
Mutagenicity			
Conclusion/Summary	: N	lixture.Not ful	ly tested.
<u>Carcinogenicity</u>			
Conclusion/Summary <u>Classification</u>	: N	lixture.Not ful	ly tested.
Product/ingredient	OSHA	IARC	NTP
name		20	Descensible anticipated to be a human consistence
Styrene Titanium dioxide		2B 2B	Reasonably anticipated to be a human carcinoger
Carbon black		2B	
2-Propenenitrile, polymer with Ethenylbenzene		3	
<u>Reproductive toxicity</u>			
Conclusion/Summary	: N	lixture.Not ful	ly tested.
Teratogenicity			
Conclusion/Summary	: N	lixture.Not ful	ly tested.
Specific target organ toxicity Not available.	/ (single exposu	<u>ıre)</u>	
Specific target organ toxicity Not available.	v (repeated exp	<u>osure)</u>	
Aspiration hazard Not available.			
Information on the likely rou exposure	tes of : N	ot available.	
Potential acute health effects			



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 11 of 17 Print Date 11/08/2016

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 12 of 17 Print Date 11/08/2016

Toxicity

Product/ingredient name	Result	Species	Exposure	
Styrene				
	Acute LC50 9,900 µg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 9.1 mg/l Marine water	Fish - Fish	96 h	
	Acute LC50 4,020 µg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 4.7 mg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 4,080 µg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 23,000 µg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
	Acute EC50 4,700 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
	Acute LC50 59,000 µg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia	40 11	
	Acute LC50 52,000 µg/l Marine	Aquatic invertebrates.	48 h	
	water	Crustaceans	.0	
	Acute EC50 33 mg/l Fresh water	Aquatic plants - Algae	96 h	
	Acute EC50 720 µg/l Fresh water	Aquatic plants - Algae	96 h	
	Acute EC50 1,400 µg/l Fresh water	Aquatic plants - Algae	72 h	
	Acute EC50 78,000 µg/l Marine	Aquatic plants - Algae	96 h	
	water			
	Acute NOEC 63 µg/l Fresh water	Aquatic plants - Algae	4 d	
Titanium dioxide				
	Acute LC50 > 1,000,000 µg/l	Fish - Fish	96 h	
	Marine water			
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h	
	field EC30 13 mg Tresh water	Daphnia	10 11	
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h	
	8	Crustaceans	-	
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h	
	Ũ	Crustaceans		
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h	
	_	Crustaceans		
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h	
	12/17			



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 13 of 17 Print Date 11/08/2016

		Daphnia	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Carbon black			
	Acute EC50 37.563 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
2T5A EXPRESSO LG9000			
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.		
Persistence and degradability	7		
Conclusion/Summary	: Chemicals are not rea polymer matrix.	: Chemicals are not readily available as they are bound within the polymer matrix.	
Conclusion/Summary	: Chemicals are not reapolymer matrix.	: Chemicals are not readily available as they are bound within the polymer matrix.	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Styrene	2.96	13.49	low
Titanium dioxide		352.00	low

Mobility in soil

L	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered
	13/17

Ine

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 14 of 17 Print Date 11/08/2016

when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Acrylonitrile

Ine

2T5A EXPRESSO LG9000

Version Number 1.3	Page 15 of 17
Revision Date 10/20/2016	Print Date 11/08/2016

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential		Not listed
Chemicals)	•	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Styrene	0.1 - 0.3	F, AH, CH
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	1 - 3	АН
Carbon black	5 - 10	СН
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	АН

SARA 313

Form R - Reporting Styrene 100-42-5 0.1 - 0.	.3
requirements	
Rutile, antimony chromium buff68186-90-35 - 10	



2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 16 of 17 Print Date 11/08/2016

Supplier notification	Rutile, antimony chromium buff	68186-90-3	5 - 10	
	Styrene	100-42-5	0.1 - 0.3	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

<u>State regulations</u> Massachusetts	:	The following components are listed:
		Iron oxide
		Titanium dioxide Carbon black
New York	:	The following components are listed:
		Styrene
New Jersey	:	The following components are listed:
		2-Propenenitrile, polymer with Ethenylbenzene
		Iron oxide Carbon black
		Titanium dioxide
		Styrene
Pennsylvania	:	The following components are listed:
·		Styrene
		Titanium dioxide
		Carbon black
		Iron oxide
California Prop. 65		
	hemi	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	Australia inventory (AICS): Not determined.
		Taiwan inventory (CSNN): Not determined.
		Malaysia Inventory (EHS Register): Not determined.
		EINECS: All components are listed or exempted.
		Japan inventory: Not determined.
		China inventory (IECSC): Not determined.
		16/17

2T5A EXPRESSO LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 17 of 17 Print Date 11/08/2016

Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention	:	Not listed
List Schedule I Chemicals		
Chemical Weapons Convention	:	Not listed
List Schedule II Chemicals		
Chemical Weapons Convention	:	Not listed
List Schedule III Chemicals		

Section 16. Other information

<u>History</u>		
Date of printing	:	11/08/2016
Date of issue/Date of revision	:	10/20/2016
Date of previous issue	:	08/26/2015
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

History

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.