# MATERIAL SAFETY DATA SHEET **DN1A LT. DUNE/CELCON M90UV**

Version Number 1.0 Revision Date 02/13/2014 Page 1 of 7 Print Date 2/14/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DN1A LT. DUNE/CELCON M90UV
Product code	:	CC10194666
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Rutile, antimony chromium buff	68186-90-3	1 - 5
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **DN1A LT. DUNE/CELCON M90UV**

Version Number 1.0 Revision Date 02/13/2014 Page 2 of 7 Print Date 2/14/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

<u>PolyOne</u>.

# MATERIAL SAFETY DATA SHEET **DN1A LT. DUNE/CELCON M90UV**

Version Number 1.0 Revision Date 02/13/2014 Page 3 of 7 Print Date 2/14/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	No personal respirate	bry protective equipment normally required.
Eye/Face Protection	Safety glasses with s	ide-shields
Hand protection	Protective gloves	
Skin and body protection	Long sleeved clothin	g
Additional Protective Measures	Safety shoes	
General Hygiene Considerations		e with good industrial hygiene and safety s before breaks and at the end of workday.
Engineering measures	•	th appropriate exhaust ventilation. Provide ventilation at machinery.

Exposure limit(s)

P<u>olyOne</u>

# MATERIAL SAFETY DATA SHEET DN1A LT. DUNE/CELCON M90UV

Version Number 1.0 Revision Date 02/13/2014 Page 4 of 7 Print Date 2/14/2014

Components	Value	Exposure time	Exposure type	List:
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	
Appearance	
Colour	
Odour	
Melting point/range	
Boiling Point:	
Water solubility	

#### : pellets : TAN : very faint : Not determined : not applicable : insoluble

: solid

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pН

- : Not applicable : Not determined
- : Not established
- : not applicable
  - not applicable
- : not applicable :

## **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## **11. TOXICOLOGICAL INFORMATION**

# MATERIAL SAFETY DATA SHEET **DN1A LT. DUNE/CELCON M90UV**

Version Number 1.0 Revision Date 02/13/2014 Page 5 of 7 Print Date 2/14/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin, Respiratory
	chromium buff		system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

## **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,

PolyOne

# MATERIAL SAFETY DATA SHEET **DN1A LT. DUNE/CELCON M90UV**

Version Number 1.0 Revision Date 02/13/2014 Page 6 of 7 Print Date 2/14/2014

	14. TRANS	SPORT INFO	RMATION	N			
U.S. DOT Classification	: Not regul	ated for transp	ortation.				
ICAO/IATA	: Refer to s	specific regulat	ion.				
IMO/IMDG (maritime)	: Refer to s	specific regulat	ion.				
	15. REGUL	ATORY INFO	ORMATIC	DN			
US Regulations:							
OSHA Status	: Classified	l as hazardous	based on c	omponents	5.		
TSCA Status	: All comp TSCA In	ponents of this ventory.	product are	e listed on	or exemp	ot from the	e
US. EPA CERCLA Hazardo	us Substances (40	CFR 302)					
not applicable							
California Proposition	n : Not appli	cable					
65	n : Not appli	cable					
SARA Title III Section 302 I	Extremely Hazard	ous Substance					
Unless specific chemicals are	e identified under	this section, th	is product	is Not App	olicable u	nder this	regula
SARA Title III Section 313	Foria Chamicals:						
Unless specific chemicals are Chemical Name	e identified under	this section, th	CAS-No		Weight p		regula
ZINC COMPOUNDS			68187-5		1.00 - 5.		
CHROMIUM III COMPO	UNDSCHROMI	JM III	68186-90		1.00 - 5		
		~					
COMPOUNDSANTIMON	IN A CONTROLINE	)S					
	JM COMPOUNL						
COMPOUNDSANTIMON	JM COMPOUNL						
COMPOUNDSANTIMON COMPOUNDSCHROMIU		JPRI)					

PolyOne

# MATERIAL SAFETY DATA SHEET **DN1A LT. DUNE/CELCON M90UV**

### Version Number 1.0 Revision Date 02/13/2014

Page 7 of 7 Print Date 2/14/2014

Zinc ferrite brown spinel (C.I. Pigment 1) 119)	Cellow 68187-51-9	1.00 - 5.00	
Rutile, antimony chromium buff	68186-90-3	1.00 - 5.00	
WHMIS Classification : D2A WHMIS Ingredient Disclosure List			
CAS-No. 68186-90-3			
	omponents of this product a ances List (DSL) or are exe		nestic
ational Inventories:			
Australia AICS : Listed	I		
China IECS : Listed	l		
Europe EINECS : Listed	l		
Japan ENCS : Not d	etermined		
Korea KECI : Listed	I		
Philippines PICCS : Lister	l		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.