PolyOne

MATERIAL SAFETY DATA SHEET **RED FADE**

Version Number 1.0 Revision Date 03/18/2014

Page 1 of 6 Print Date 3/18/2014

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED FADE
Product code	:	CC10196213
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Miscellaneous Zinc Compounds	0-05-5	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **RED FADE**

Version Number 1.0 Revision Date 03/18/2014 Page 2 of 6 Print Date 3/18/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **RED FADE**

Version Number 1.0 Revision Date 03/18/2014

Page 3 of 6 Print Date 3/18/2014

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXI	POSURE CONTROLS/P	ERSONAL PROTECTION	
Respiratory protection	: No personal respir	atory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	n side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hygiene and safety nds before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
9.	PHYSICAL AND CHE		
9. Form	PHYSICAL AND CHE	Evapouration rate : Not applicable	
9. Form Appearance	: solid	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not established	
Form Appearance Colour Odour	: solid : pellets : RED : very faint	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable	
9. Form Appearance Colour Odour Melting point/range	: solid : pellets : RED : very faint : Not determined	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable	
9. Form Appearance Colour Odour	: solid : pellets : RED : very faint	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets RED very faint Not determined not applicable 	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableDREACTIVITY	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. 	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY ble if stored and handled as prescribed. xidizing agents and open flame. To avoid thermal	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. Keep away from o decomposition, do 	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY ble if stored and handled as prescribed. xidizing agents and open flame. To avoid thermal	

PolyOne

MATERIAL SAFETY DATA SHEET **RED FADE**

Version Number 1.0

Revision Date 03/18/2014

Page 4 of 6 Print Date 3/18/2014

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
0-05-5	Miscellaneous Zinc	Systemic effects	Eyes, Skin, Respiratory
	Compounds		system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **RED FADE**

sion Number 1.0 ision Date 03/18/2014						Pr	Pag int Date 3/	ge 5 c 1 <i>8/</i> 20
OSHA Status	:	Classified as haz	zardous t	based on con	mponen	ts.		
TSCA Status	:	All components TSCA Inventory		product are 1	listed or	or exen	npt from the	
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 3	302)					
not applicable								
California Proposition 65	:	Not applicable						
SARA Title III Section 302 Ext	rem	ely Hazardous Su	bstance					
Unless specific chemicals are id		-		s product is	Not Ar	nlicable	under this re	oulat
Onless specific chemicals are re	ienti	fied under uns set	cuon, un	s product is	Not Ap	pileable	under uns re	guia
Unless specific chemicals are id Chemical Name	lenti	fied under this see	ction, thi	CAS-No.		Weight	percent	gulat
ZINC COMPOUNDS				0-05-5		1.00 - 1	5.00	
Canadian Regulations:								
National Pollutant Relea	se Ir	ventory (NPRI)						
Chemical Name	50 H		CAS-N	lo.	Weigh		NPRI ID#	
Miscellaneous Zinc Compour	nds		0-05-5		percent 1.00 - 1		241	_
								J
WHMIS Classification	:	Not controlled.						
DSL	:	DSL status has restricted by reg		determined	l. Quan	tity use i	n Canada ma	ıy be
National Inventories:								
Australia AICS	:	Not determined						
China IECS	:	Not determined						
Europe EINECS	:	Not determined						
Japan ENCS	:	Not determined						

POL VONE	CORPORATION
	COMUNATION



MATERIAL SAFETY DATA SHEET **RED FADE**

Version Number 1.0 Revision Date 03/18/2014 Page 6 of 6 Print Date 3/18/2014

Korea KECI

: Not determined

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.