ROJO 186C

Version Number 1.1 Revision Date 05/02/2017

ne

Page 1 of 15 Print Date 04/12/2018

SAFETY DATA SHEET

ROJO 186C

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification	:	ROJO 186C Mixture Mixture CC10197812
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	tance:	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017

Page 2 of 15 Print Date 04/12/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10197812

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 30	13463-67-7
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-one	5 - 10	6829-22-7
14H-Anthra[2,1,9-mna]thioxanthen-14-one	1 - 5	16294-75-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

ROJO 186C



Version Number 1.1	Page 3 of 15
Revision Date 05/02/2017	Print Date 04/12/2018

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017



Page 4 of 15 Print Date 04/12/2018

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and	<u>l materials</u>	for	containment	and	<u>cleaning up</u>

Small spill :	Move containers from spill area. Vacuum or sweep up material and
	place in a designated, labeled waste container. Dispose of via a

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017



Page 5 of 15 Print Date 04/12/2018

Large spill

licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
14H-Anthra[2,1,9-mna]thioxanthen-14-	
one	
14H-Benz[4,5]isoquino[2,1-a]perimidin-	
14-one	

ROJO 186C

<u>PolyOne</u>

Version Number 1.1 Revision Date 05/02/2017 Page 6 of 15 Print Date 04/12/2018

TLV-TWA: Threshold Limit Value - Time weighted aver Permissible Exposure Level 10 mg/m3	rage PEL:
Appropriate engineering controls : Good general ventilation should be sufficient to control v exposure to airborne contaminants.	vorker
 Environmental exposure controls Emissions from ventilation or work process equipment sh checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fund filters or engineering modifications to the process equipment exposure to an obtain a statistical exposure of the information of the statistical exposure of the information of the statistical exposure controls 	e scrubbers,
Individual protection measures	
 Hygiene measures Wash hands, forearms and face thoroughly after handling products, before eating, smoking and using the lavatory a of the working period. Appropriate techniques should be remove potentially contaminated clothing. Wash contamic clothing before reusing. Ensure that eyewash stations and showers are close to the workstation location. Eye/face protection Safety eyewear complying with an approved standard showhen a risk assessment indicates this is necessary to avoil liquid splashes, mists, gases or dusts. If contact is possible following protection should be worn, unless the assessment higher degree of protection: safety glasses with side-shield 	and at the end used to inated d safety ould be used id exposure to le, the ent indicates a
Skin protection	
Hand protection:Chemical-resistant, impervious gloves complying with an standard should be worn at all times when handling chem if a risk assessment indicates this is necessary.	
Body protection : Personal protective equipment for the body should be sel on the task being performed and the risks involved and sl approved by a specialist before handling this product.	
Other skin protection : Appropriate footwear and any additional skin protection is should be selected based on the task being performed and involved and should be approved by a specialist before he product.	d the risks andling this
Respiratory protection Based on the hazard and potential for exposure, select a r 6/15	espirator that

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017

olyOne

Page 7 of 15 Print Date 04/12/2018

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	RED
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or
Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.



ROJO 186C

Version Number 1.1	Page 8 of 15
Revision Date 05/02/2017	Print Date 04/12/2018

Conditions to avoid Incompatible materials	:	Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
14H-Benz[4,5]isoquino[2,1-	Eyes -				-
a]perimidin-14-one	Moderate				
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not ful	lly tested.		
Eyes	: N	lixture.Not ful	lly tested.		
Respiratory	: N	lixture.Not ful	lly tested.		
<u>Sensitization</u> Conclusion/Summary					
Skin	: N	lixture.Not ful	lly tested.		
Respiratory	: N	lixture.Not ful	lly tested.		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not ful	lly tested.		

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017 Page 9 of 15 Print Date 04/12/2018

Carcinogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Teratogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (sin Not available.	gle exp	<u>oosure)</u>
Specific target organ toxicity (rep Not available.	peated (exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical,	, chemi	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	: : : : : : : : : : : : : : : : : : : :	No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects as	well as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		

PolyOne.

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017



Page 10 of 15 Print Date 04/12/2018

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure				
Titanium dioxide							
	Acute LC50 > 1,000,000 µg/l	Fish - Fish	96 h				
	Marine water						
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h				
	water						
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h				
		Daphnia					
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h				
		Daphnia					
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
10/15							



ROJO 186C

Version Number 1.1 Revision Date 05/02/2017

Page 11 of 15 Print Date 04/12/2018

	A	10.1
Acute LC50 13.4 mg/l Fresh water	1	48 h
	Crustaceans	
Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
	Daphnia	
Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
	Daphnia	
Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
water	Daphnia	
Chemicals are not readily available a	as they are bound within the	e polymer matrix.
		1 2
: Chemicals are not readi	ly available as they are bou	nd within the
: Chemicals are not reading polymer matrix.	ly available as they are bou	nd within the
	ly available as they are bou	nd within the
	ly available as they are bou	nd within the
polymer matrix. <u>v</u>		
polymer matrix. <u>v</u> : Chemicals are not readi	ly available as they are bou ly available as they are bou	
polymer matrix. <u>v</u>		
polymer matrix. : Chemicals are not reading polymer matrix.	ly available as they are bou	nd within the
polymer matrix. : Chemicals are not reading polymer matrix.		nd within the
	Acute EC50 19.3 mg/l Fresh water Acute EC50 35.306 mg/l Fresh water	Crustaceans Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Daphnia Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh Aquatic invertebrates.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
14H-Anthra[2,1,9-	3.6	-	low
mna]thioxanthen-14-one			
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging
	11/15

<u>PolyOne</u>

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017 Page 12 of 15 Print Date 04/12/2018

should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed

ROJO 186C



Version Number 1.1	Page 13 of 15
Revision Date 05/02/2017	Print Date 04/12/2018

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
United States - TSCA 8(d) - Health and safety studies: Not listed
United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed
United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
United States - Department of commerce - Precursor chemical: Not listed
: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
14H-Anthra[2,1,9-	1 - 5	AH
mna]thioxanthen-14-one		
14H-Benz[4,5]isoquino[2,1-	5 - 10	AH
a]perimidin-14-one		
Titanium dioxide	10 - 30	СН

<u>SARA 313</u>

Not applicable.

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017



Page 14 of 15 Print Date 04/12/2018

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	: :	None of the components are listed. None of the components are listed. The following components are listed: Silica, amorphous, precipitated and gel Titanium dioxide The following components are listed: Silica, amorphous, precipitated and gel
		Titanium dioxide
California Prop. 65 WARNING: This product contains a cl	hemi	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		

Inventory list

Australia Canada China	 All components are listed or exempted. All components are listed or exempted.
China Europe inventory	All components are listed or exempted.All components are listed or exempted.
Japan	Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully

ROJO 186C

Version Number 1.1 Revision Date 05/02/2017

Page 15 of 15 Print Date 04/12/2018

implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

History

History		
Date of printing	:	04/12/2018
Date of issue/Date of revision	:	05/02/2017
Date of previous issue	:	04/22/2014
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.