

### 018RD2002 KA RED

Version Number 1.0 Page 1 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

# SAFETY DATA SHEET

#### 018RD2002 KA RED

# **Section 1. Identification**

**GHS product identifier** : 018RD2002 KA RED

Chemical name: MixtureCAS number: MixtureOther means of identification: CC10199450

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** (with hours of operation)

: CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,

exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Classification of the substance or

mixture

Not classified.

**Hazard statements** : No known significant effects or critical hazards.



## 018RD2002 KA RED

Version Number 1.0 Page 2 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

### **Precautionary statements**

General:Not applicable.Prevention:Not applicable.Response:Not applicable.Storage:Not applicable.Disposal:Not applicable.Supplemental label elements:None known.Hazards not otherwise classified:None known.

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC10199450

### **CAS** number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	5 - 10	13463-67-7
Xylenes (o-, m-, p- isomers)	5 - 10	1330-20-7
Ethyl benzene	0.1 - 1	100-41-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures



### 018RD2002 KA RED

Version Number 1.0 Page 3 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact**: No known significant effects or critical hazards.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training.

#### See toxicological information (Section 11)



### 018RD2002 KA RED

Version Number 1.0 Page 4 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

None known.

Specific hazards arising from the chemical

No specific fire or explosion hazard.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

halogenated compounds metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

of the incident if there is a fire. No action shall be taken involving ar

personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a



### 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 5 of 17 Print Date 05/23/2014

Large spill

licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Protective measures Advice on general occupational hygiene : Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

### Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3



### 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 6 of 17 Print Date 05/23/2014

Xylenes (o-, m-, p- isomers)	NIOSH REL (2005-09-30)			
	OSHA PEL (1993-06-30)			
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm			
	OSHA PEL 1989 (1989-03-01)			
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm			
	Short Term Exposure Limit 655 mg/m3 150 ppm			
	ACGIH TLV (1996-05-18)			
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:			
	Permissible Exposure Level 434 mg/m3 100 ppm			
	TLV-STEL: Threshold Limit Value - Short Time Exposure Level			
	651 mg/m3 150 ppm			
Ethyl honzona	OCITA DEL 1000 (1000 02 01)			
Ethyl benzene	OSHA PEL 1989 (1989-03-01)			
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm <b>Short Term Exposure Limit</b> 545 mg/m3 125 ppm			
	OSHA PEL (1993-06-30)			
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm			
	NIOSH REL (1994-06-01)			
	Time Weighted Average (TWA) 435 mg/m3 100 ppm			
	Short Term Exposure Limit 545 mg/m3 125 ppm			
	ACGIH TLV (2010-12-06)			
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:			
	Permissible Exposure Level 20 ppm			
	1 11			

**Appropriate engineering controls** 

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

**Individual protection measures** 

**Hygiene measures**: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to

liquid splashes, mists, gases or dusts. If contact is possible, the



### 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 7 of 17 Print Date 05/23/2014

following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

**Skin protection** 

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

**Body protection**: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

**Respiratory protection**: Use a properly fitted, particulate filter respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Pellets.]

Color **RED** Odor Faint odor. **Odor threshold** Not available. Not available. **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.
Solubility : Not available.
Solubility : insoluble in water.



### 018RD2002 KA RED

Version Number 1.0 Page 8 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or

its ingredients.

**Chemical stability** : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage

and use, hazardous decomposition products should not be produced.

# **Section 11. Toxicological information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Information on toxicological effects**

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure	
Xylenes (o-, m-, p- isomers)					
	LD50 Oral	Rat	4,300 mg/kg	-	
	LD50 Oral	Rat	4,300 mg/kg	-	
	LC50 Inhalation	Rat	6670 ppm	4 h	
	LC50 Inhalation	Rat	5000 ppm	4 h	
	LC50 Inhalation	Rat	6700 ppm	4 h	
Ethyl benzene	Ethyl benzene				
	LD50 Oral	Rat	3,500 mg/kg	-	
	LD50 Oral	Rat	3,500 mg/kg	-	
	LC50 Inhalation	Rat	55 mg/l	2 h	



## 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 9 of 17 Print Date 05/23/2014

LD50 Dermal Rabbit 5,000 mg/kg -

**Conclusion/Summary** : Mixture.Not fully tested.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Xylenes (o-, m-, p- isomers)	Skin - Mild irritant	Rat		8 hrs	-
	Skin - Moderate irritant	Rabbit			-
	Skin - Moderate irritant	Rabbit		24 hrs	-
	Eyes - Mild irritant	Rabbit			-
	Eyes - Severe irritant	Rabbit		24 hrs	-
Ethyl benzene	Skin - Mild irritant	Rabbit		24 hrs	-
	Eyes - Severe irritant	Rabbit			-

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Sensitization** 

Conclusion/Summary

Skin : Mixture.Not fully tested.
Respiratory : Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary**: Mixture.Not fully tested.

**Carcinogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium dioxide		2B	
Xylenes (o-, m-, p- isomers)		3	
Ethyl benzene		2B	



### 018RD2002 KA RED

Version Number 1.0 Page 10 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

**Reproductive toxicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)** 

Not available.

**Specific target organ toxicity (repeated exposure)** 

Not available.

**Aspiration hazard** 

Not available.

**Information on the likely routes of** : Not available.

exposure

**Potential acute health effects** 

**Eye contact**: No known significant effects or critical hazards.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact
Ingestion
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure



## 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 11 of 17 Print Date 05/23/2014

Potential immediate effects : Not available.

Potential delayed effects : Not available.

### Potential chronic health effects

**Conclusion/Summary**: Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Not available.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Xylenes (o-, m-, p- isomers)			
	Acute LC50 13,400 μg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 19,000 μg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 20,870 μg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 15,700 μg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 16,940 µg/l Fresh water	Fish - Goldfish	96 h
Ethyl benzene			
	Acute LC50 9,090 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 5,100 μg/l Marine	Fish - Atlantic	96 h
	water	silverside	
	Acute LC50 4,200 μg/l Fresh water	Fish - Rainbow trout,donaldson trout	96 h



## 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 12 of 17 Print Date 05/23/2014

	Acute LC50 9,100 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 4.3 mg/l Marine water	Fish - Striped bass	96 h
	Acute LC50 75,000 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
	Acute LC50 13,900 µg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
	Acute LC50 18,400 μg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 2,930 μg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 2,970 μg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 5,400 μg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 7,700 μg/l Marine water	Aquatic plants - Diatom	96 h
	Acute EC50 4,900 μg/l Marine water	Aquatic plants - Diatom	72 h
	Acute EC50 4,600 μg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 3,600 μg/l Fresh water	Aquatic plants - Green algae	96 h
018RD2002 KA RED	,		
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as	s they are bound within the	polymer matrix.

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

polymer matrix.

### Persistence and degradability

**Conclusion/Summary**: Chemicals are not readily available as they are bound within the

polymer matrix.

**Conclusion/Summary**: Chemicals are not readily available as they are bound within the

polymer matrix.

**Bioaccumulative potential** 

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	high
Xylenes (o-, m-, p- isomers)	3.23.153.12	8.10	high
Ethyl benzene	3.6	-	high

### **Mobility in soil**



### 018RD2002 KA RED

Version Number 1.0 Page 13 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### United States - RCRA Acute hazardous waste "P" List: Not listed

### United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS#	Status	Reference number
Xylenes (o-, m-, p- isomers)	1330-20-7	Listed	

# **Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules

IMO/IMDG (maritime) : Consult mode specific transport rules

Special precautions for user : Transport within user's premises: always transport in closed

containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident

or spillage.'

# Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None



### 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 14 of 17 Print Date 05/23/2014

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed
United States - TSCA 4(a) - ITC Priority list: Not listed
United States - TSCA 4(a) - Proposed test rules: Not listed
United States - TSCA 4(f) - Priority risk review: Not listed
United States - TSCA 5(a)2 - Final significant new use rules: Not listed

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Ethyl benzene

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

**Hazardous Air Pollutants (HAPs)** 

**Clean Air Act Section 602 Class I** 

**Substances** 

Clean Air Act Section 602 Class II

Substances

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

Chemicals)

Listed

Not listed

Not listed

Not listed

Not listed



### 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Page 15 of 17 Print Date 05/23/2014

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Xylenes (o-, m-, p- isomers)	1330-20-7	100 lb(s)
		45.4 kg
		1,000 lb(s)
		454 kg

### SARA 311/312

**Classification** : Not applicable.

### **Composition/information on ingredients**

Name	9/0	Classification
Titanium dioxide	5 - 10	СН
Xylenes (o-, m-, p- isomers)	5 - 10	F, AH
Ethyl benzene	0.1 - 1	F, AH, CH

### **SARA 313**

	Product name	CAS number	%
Form R - Reporting	Xylenes (o-, m-, p- isomers)	1330-20-7	5 - 7
requirements			
	Ethyl benzene	100-41-4	0.1 - 0.25
Supplier notification	Xylenes (o-, m-, p- isomers)	1330-20-7	5 - 7
	Ethyl benzene	100-41-4	0.1 - 0.25

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts : The following components are listed:

Calcium carbonate
Titanium dioxide

Xylenes (o-, m-, p- isomers)

**New York** : The following components are listed:

Xylenes (o-, m-, p- isomers)



Page 16 of 17

### SAFETY DATA SHEET

## 018RD2002 KA RED

Version Number 1.0 Revision Date 05/21/2014 Print Date 05/23/2014

Ethyl benzene

The following components are listed: **New Jersey** 

> Calcium carbonate Titanium dioxide

Xylenes (o-, m-, p- isomers)

Ethyl benzene

Pennsylvania The following components are listed:

Calcium carbonate

Titanium dioxide

Xylenes (o-, m-, p- isomers)

Ethyl benzene

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

**United States inventory (TSCA 8b)**: All components are listed or exempted.

Canada inventory At least one component is not listed in DSL but all such components

are listed in NDSL.

**International regulations** 

**International lists** Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined.

**EINECS:** Not determined.

Japan inventory: Not determined.

China inventory (IECSC): Not determined.

**Korea inventory:** Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

**Chemical Weapons Convention** 

**List Schedule II Chemicals** 

**Chemical Weapons Convention** 

**List Schedule III Chemicals** 

Not listed

Not listed

Not listed

## Section 16. Other information

#### History



## 018RD2002 KA RED

Version Number 1.0 Page 17 of 17 Revision Date 05/21/2014 Print Date 05/23/2014

Date of printing: 05/23/2014Date of issue/Date of revision: 05/21/2014Date of previous issue: 00/00/0000

Version : 1.0

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.