

RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014

Page 1 of 17 Print Date 08/29/2014

SAFETY DATA SHEET

RUST FR/UV PP

Section 1. Identification

RUST FR/UV PP **GHS** product identifier

Chemical name Mixture CAS number Mixture CC10203687 Other means of identification

Product type solid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

Supplier's details POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,

exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Classification of the substance or

mixture

Not classified.

Not applicable.



RUST FR/UV PP

Version Number 1.0 Page 2 of 17 Print Date 08/29/2014 Revision Date 08/27/2014

Supplemental label elements None known. Hazards not otherwise classified None known.

Section 3. Composition/information on ingredients

Mixture **Substance/mixture** Chemical name Mixture Other means of identification CC10203687

CAS number/other identifiers

Ingredient name	%	CAS number
Antimony trioxide	10 - 30	1309-64-4
Xylenes (o-, m-, p- isomers)	1 - 5	1330-20-7
Titanium dioxide	0.1 - 1	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated



RUST FR/UV PP

Version Number 1.0 Page 3 of 17 Revision Date 08/27/2014 Print Date 08/29/2014

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media : None known.

Specific hazards arising from the : No specific fire or explosion hazard.



RUST FR/UV PP

Version Number 1.0 Page 4 of 17 Revision Date 08/27/2014 Print Date 08/29/2014

chemical

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides halogenated comr

halogenated compounds metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders spilled material. Put on appropriate personal protective equipment.

If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

Section 7. Handling and storage



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014 Page 5 of 17 Print Date 08/29/2014

Precautions for safe handling

Protective measures Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Antimony trioxide	ACGIH TLV (1994-09-01)
	OSHA PEL (1993-06-30) Calculated as Sb
	PEL: Permissible Exposure Level 0.5 mg/m3
	NIOSH REL (1994-06-01) Calculated as Sb
	Time Weighted Average (TWA) 0.5 mg/m3
	OSHA PEL 1989 (1989-03-01) Calculated as Sb
	PEL: Permissible Exposure Level 0.5 mg/m3
Xylenes (o-, m-, p- isomers)	NIOSH REL (2005-09-30)
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm
	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm
	Short Term Exposure Limit 655 mg/m3 150 ppm
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 434 mg/m3 100 ppm
	5/17



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014 Page 6 of 17 Print Date 08/29/2014

		TLV-STEL: Threshold Limit Value - Short Time Exposure Level 651 mg/m3 150 ppm
Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

necessary to reduce emissions to acceptable levels.

Skin protection

Body protection

Eye/face protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



RUST FR/UV PP

Version Number 1.0 Page 7 of 17 Revision Date 08/27/2014 Print Date 08/29/2014

Other skin protection Appropriate footwear and any additional skin protection measures

> should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Use a properly fitted, particulate filter respirator complying with an Respiratory protection

> approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state solid [Pellets.] Color **BROWN** Odor Faint odor. **Odor threshold** Not available. рH Not available. **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning** rate Not available. Not available. **Evaporation rate** Not available. Flammability (solid, gas)

Lower: Not available. Lower and upper explosive **Upper:** Not available. (flammable) limits

Vapor pressure Not available. Not available. Vapor density Relative density Not available. Not available. **Solubility** Solubility in water insoluble in water.

Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **SADT** Not available.

Viscosity **Dynamic:** Not available.

Kinematic: Not available.

Section 10. Stability and reactivity



RUST FR/UV PP

Version Number 1.0 Page 8 of 17 Revision Date 08/27/2014 Print Date 08/29/2014

Reactivity: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Keep away from strong acids.

Oxidizer.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

products

Product/ingredient name	Result	Species	Dose	Exposure	
Antimony trioxide					
	LD50 Oral	Rat	34,000 mg/kg	-	
Xylenes (o-, m-, p- isomers)	Xylenes (o-, m-, p- isomers)				
	LD50 Oral	Rat	4,300 mg/kg	-	
	LD50 Oral	Rat	4,300 mg/kg	-	
	LC50 Inhalation	Rat	6670 ppm	4 h	
	LC50 Inhalation	Rat	5000 ppm	4 h	
	LC50 Inhalation	Rat	6700 ppm	4 h	
Titanium dioxide					

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Antimony trioxide	Eyes - Mild irritant	Rabbit			-
Xylenes (o-, m-, p- isomers)	Skin - Mild irritant	Rat		8 hrs	-
	Skin - Moderate irritant	Rabbit			-
	Skin -	Rabbit		24 hrs	-



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014 Page 9 of 17 Print Date 08/29/2014

Moderate irritant			
Eyes - Mild irritant	Rabbit		1
Eyes - Severe irritant	Rabbit	24 hrs	-

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Classification			
Product/ingredient name	OSHA	IARC	NTP
Antimony trioxide		2B	
Xylenes (o-, m-, p- isomers)		3	
Titanium dioxide		2B	

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard



RUST FR/UV PP

Version Number 1.0 Page 10 of 17 Revision Date 08/27/2014 Print Date 08/29/2014

Not available.

Information on the likely routes of

exposure

Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture. Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014 Page 11 of 17 Print Date 08/29/2014

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure			
Antimony trioxide	Antimony trioxide					
	Acute LC50 80,000 µg/l Fresh	Fish - Fathead minnow	96 h			
	water					
	Acute LC50 530 mg/l Fresh water	Fish - Bluegill	96 h			
	Acute LC50 1,000,000 μg/l Marine water	Fish - Mummichog	96 h			
	Acute EC50 423,450 μg/l Fresh	Aquatic invertebrates.	48 h			
	water	Water flea				
	Acute EC50 730 μg/l Fresh water	Aquatic plants - Green algae	72 h			
	Acute EC50 4.15 mg/l Marine water	Aquatic plants - Diatom	96 h			
Xylenes (o-, m-, p- isomers)						
	Acute LC50 13,400 µg/l Fresh water	Fish - Fathead minnow	96 h			
	Acute LC50 19,000 μg/l Fresh water	Fish - Bluegill	96 h			
	Acute LC50 20,870 μg/l Fresh water	Fish - Bluegill	96 h			
	Acute LC50 15,700 μg/l Fresh water	Fish - Bluegill	96 h			
	Acute LC50 16,940 μg/l Fresh water	Fish - Goldfish	96 h			
Titanium dioxide						
	Acute LC50 1,000,000 μg/l Marine water	Fish - Mummichog	96 h			
	Acute LC50 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h			
	Acute LC50 1,000,000 μg/l Marine water	Fish - Mummichog	96 h			
	Acute LC50 5.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h			
	Acute LC50 10 mg/l Fresh water	Aquatic invertebrates.	48 h			



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014 Page 12 of 17 Print Date 08/29/2014

		Water flea		
	Acute EC50 100 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Water flea		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Water flea		
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Water flea		
	Acute EC50 35.9 mg/l Fresh water	Aquatic plants - Green	72 h	
		algae		
	Acute EC50 5.83 mg/l Fresh water	Aquatic plants - Green	72 h	
		algae		
RUST FR/UV PP	·			
Remarks - Acute - Aquatic	c Chemicals are not readily available as they are bound within the polymer matrix.			
invertebrates.:				

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

polymer matrix.

Persistence and degradability

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

polymer matrix.

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Xylenes (o-, m-, p- isomers)	3.23.153.12	8.10	low
Titanium dioxide		352.00	low

Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014 Page 13 of 17 Print Date 08/29/2014

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS#	Status	Reference number
Xylenes (o-, m-, p- isomers)	1330-20-7	Listed	

Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules

IMO/IMDG (maritime) : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Listed Tetrabromobisphenol A - bis-2,3-dibromopropyl ether

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Listed

Lead

United States - TSCA 8(a) - Chemical risk rules: Not listed



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014

Page 14 of 17 Print Date 08/29/2014

United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Antimony trioxide

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

Ethyl benzene

Arsenic

Lead

Nickel

Chromium

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed **United States - Department of commerce - Precursor chemical:**

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Listed

Not listed

Not listed

Not listed

Not listed

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Antimony trioxide	1309-64-4	1,000 lb(s)
		454 kg



RUST FR/UV PP

 Version Number 1.0
 Page 15 of 17

 Revision Date 08/27/2014
 Print Date 08/29/2014

Arsenic	7440-38-2	1 lb(s)	
		0.454 kg	

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Classification	
Antimony trioxide	10 - 30	AH, CH	
Xylenes (o-, m-, p- isomers)	1 - 5	F, AH	
Titanium dioxide	0.1 - 1	СН	

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Antimony trioxide	1309-64-4	0
	Xylenes (o-, m-, p- isomers)	1330-20-7	0
	Zinc ferrite brown spinel (C.I. Pigment Yellow 119)	68187-51-9	0
Supplier notification	Antimony trioxide	1309-64-4	0
	Xylenes (o-, m-, p- isomers)	1330-20-7	0
	Zinc ferrite brown spinel (C.I. Pigment Yellow 119)	68187-51-9	0

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed:

Antimony trioxide

Xylenes (o-, m-, p- isomers)

New York : The following components are listed:

Antimony trioxide

Xylenes (o-, m-, p- isomers)

New Jersey: The following components are listed:

Antimony trioxide

Xylenes (o-, m-, p- isomers)

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)



RUST FR/UV PP

Version Number 1.0 Revision Date 08/27/2014

Page 16 of 17 Print Date 08/29/2014

Titanium dioxide

Pennsylvania The following components are listed:

Antimony trioxide

Xylenes (o-, m-, p- isomers)

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

Titanium dioxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b): All components are listed or exempted.

At least one component is not listed in DSL but all such components Canada inventory

are listed in NDSL.

International regulations

International lists Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined. **EINECS:** Please contact your supplier for information on the

inventory status of this material. Japan inventory: Not determined.

China inventory (IECSC): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): All components are listed or

exempted.

Chemical Weapons Convention

List Schedule I Chemicals

Not listed

Chemical Weapons Convention

Not listed

List Schedule II Chemicals

Chemical Weapons Convention

List Schedule III Chemicals

Not listed

Section 16. Other information

History

Date of printing 08/29/2014 Date of issue/Date of revision 08/27/2014 00/00/0000 Date of previous issue



RUST FR/UV PP

Version Number 1.0 Page 17 of 17 Revision Date 08/27/2014 Print Date 08/29/2014

Version : 1.0

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.