Ine

Version Number 1.0 Revision Date 02/18/2015 Page 1 of 15 Print Date 02/21/2015

SAFETY DATA SHEET

ACY LINDAR RED

Section 1. Identification			
GHS product identifier	:	ACY LINDAR RED	
Chemical name	:	Mixture	
CAS number	:	Mixture	
Other means of identification	:	CC10210767	
Product type	:	solid	
Relevant identified uses of the substance or mixture and uses advised against			
Product use	:	Industrial applications. Plastics.	
Supplier's details	:	POLYONE CORPORATION	
		33587 Walker Road, Avon Lake, OH 44012	
		1 (440) 930-1000 or 1 (866) POLYONE	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
Supplemental label elements	:	None known.



Version Number 1.0 Revision Date 02/18/2015 Page 2 of 15 Print Date 02/21/2015

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10210767

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	1 - 5	13463-67-7
2-Propenoic acid, 2-methyl-, methyl ester	0.1 - 1	80-62-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities

<u>One</u>

Version Number 1.0 Revision Date 02/18/2015 Page 3 of 15 Print Date 02/21/2015

of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential	acute	health	<u>effects</u>

Eye contact Inhalation Skin contact	:	No known significant effects or critical hazards. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	<u>tentio</u>	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Revision Date 02/18/2015 Page 4 of 15 Print Date 02/21/2015

		metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

nitrogen oxides

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containmer	nt ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Page 5 of 15 Revision Date 02/18/2015 Print Date 02/21/2015 hygiene material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Conditions for safe storage, Store in accordance with local regulations. Store in original container including any incompatibilities protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
2-Propenoic acid, 2-methyl-, methyl ester	OSHA PEL 1989 (1989-03-01)PEL: Permissible Exposure Level 410 mg/m3 100 ppmOSHA PEL (1993-06-30)PEL: Permissible Exposure Level 410 mg/m3 100 ppmNIOSH REL (1994-06-01)Time Weighted Average (TWA) 410 mg/m3 100 ppmACGIH TLV (2000-03-01)TLV-TWA: Threshold Limit Value - Time weighted average PEL:Permissible Exposure Level 50 ppmTLV-STEL: Threshold Limit Value - Short Time Exposure Level100 ppm
Appropriate engineering controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Revision Date 02/18/2015	Page 6 of 15 Print Date 02/21/2015
	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection :	
Other skin protection :	
Respiratory protection :	

Section 9. Physical and chemical properties

Appearance

Physical state	solid [Pellets.]
Color	: RED
Odor	: Faint odor.
Odor threshold	: Not available.

6/15

selected respirator.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Revision Date 02/18/2015

Page 7 of 15 Print Date 02/21/2015

рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects



Version Number 1.0 Revision Date 02/18/2015

Page 8 of 15 Print Date 02/21/2015

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
2-Propenoic acid, 2-methyl-,	methyl ester			
.	LD50 Oral	Rat	7,872 mg/kg	-
	LC50 Inhalation	Rat	78 mg/l	4 h
	LD50 Dermal	Rabbit	5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully teste		
Irritation/Corrosion				
Conclusion/Summary				
Skin	: Mixtu	re.Not fully teste	d.	
Eyes		re.Not fully teste		
Respiratory		re.Not fully teste		
Sensitization				
Conclusion/Summary				
Skin	: Mixtu	re.Not fully teste	h	
Respiratory				
Mutagenicity				
Conclusion/Summary	: Mixture.Not fully tested.			
Carcinogenicity				
Conclusion/Summary	: Mixtu	re.Not fully teste	d.	
Classification Desclust/ingradiant	OSHA LA	ARC NT	מי	
Product/ingredient		ARC NT	r	
name Titanium dioxide	21	2		
2-Propenoic acid, 2-	3			
	5			
methyl-, methyl ester				
<u>Reproductive toxicity</u>				
Conclusion/Summary	: Mixtu	re.Not fully teste	d.	
Teratogenicity				



Version Number 1.0 Revision Date 02/18/2015

Page 9 of 15 Print Date 02/21/2015

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Specific target organ toxicity				
Product/ingredient name	Category	Route of exposure	Target organs	
2-Propenoic acid, 2-methyl-,	Category 3		Respiratory tract irritation	
methyl ester				
Specific target organ toxicity (repeated exposure) Not available.				
Aspiration hazard Not available.				
Information on the likely rou exposure	ites of : Not availa	ble.		
Potential acute health effects				
Eye contact	: No known	significant effects or crit	ical hazards.	
Inhalation			s may cause a health hazard.	
		ects may be delayed follo		
Skin contact		significant effects or crit		
Ingestion	: No known	significant effects or crit	ical hazards.	
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	: No specifi	e data.		
Inhalation	: No specifi	e data.		
Skin contact	: No specifi	e data.		
Ingestion	: No specifi	c data.		
Delayed and immediate effects and also chronic effects from short and long term exposure				
Short term exposure				
Potential immediate effects	: Not availa	ble.		
Potential delayed effects	: Not availa	ble.		
Long term exposure				
Potential immediate effects	: Not availa	hle.		
Potential delayed effects	Not availa			
- stellin using ou oncells	· · · · · · · · · · · · · · · · · · · ·			
Potential chronic health effe	<u>cts</u>			



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Revision Date 02/18/2015 Page 10 of 15 Print Date 02/21/2015

Conclusion/Summary

General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 5.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 10 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 35.9 mg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 5.83 mg/l Fresh water	Aquatic plants - Green algae	72 h
2-Propenoic acid, 2-methyl-,	methyl ester		
· · · ·	Acute LC50 159,100 µg/l Fresh	Fish - Fathead minnow	96 h

Mixture.Not fully tested.

No known significant effects or critical hazards.

:

:

:

:

:

:

:



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Revision Date 02/18/2015

Page 11 of 15 Print Date 02/21/2015

		1	1
	water		
	Acute LC50 191,000 µg/l Fresh	Fish - Bluegill	96 h
	water	_	
	Acute LC50 130,000 µg/l Fresh	Fish - Fathead minnow	96 h
	water		
	Acute LC50 150,000 µg/l Fresh	Fish - Fathead minnow	96 h
	water		
	Acute LC50 160,200 µg/l Fresh	Fish - Fathead minnow	96 h
	water		
ACY LINDAR RED		-	
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	polymer matrix.
invertebrates.:		-	
Conclusion/Summary	: Chemicals are not readil	y available as they are bound	nd within the
-	polymer matrix.		
Persistence and degradability	<u>/</u>		
Conclusion/Summary	: Chemicals are not readil	y available as they are bour	nd within the

	polymer matrix.
Conclusion/Summary :	Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low
2-Propenoic acid, 2-methyl-,	1.38	-	low
methyl ester			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be



Version Number 1.0 Revision Date 02/18/2015 Page 12 of 15 Print Date 02/21/2015

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed

ne

SAFETY DATA SHEET ACY LINDAR RED

 Version Number 1.0
 Page 13 of 15

 Revision Date 02/18/2015
 Print Date 02/21/2015

United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Benzene, methyl-

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	1 - 5	СН
2-Propenoic acid, 2-methyl-,	0.1 - 1	F, AH
methyl ester		

SARA 313

Not applicable.

State regulations		
Massachusetts	:	The following components are listed:
		Titanium dioxide
New York	:	None of the components are listed.

13/15



Version Number 1.0 Revision Date 02/18/2015 Page 14 of 15 Print Date 02/21/2015

New Jersey	:	The following components are listed: Titanium dioxide
Pennsylvania	:	The following components are listed: Titanium dioxide
		cal known to the State of California to cause cancer., WARNING: This known to the State of California to cause birth defects or other
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

___.

<u>History</u>		
Date of printing	:	02/21/2015
Date of issue/Date of revision	:	02/18/2015
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association



SAFETY DATA SHEET ACY LINDAR RED

Version Number 1.0 Revision Date 02/18/2015

Page 15 of 15 Print Date 02/21/2015

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

: