

## **DARK GRAY 120472**

Version Number 1.0 Page 1 of 17 Print Date 11/22/2015 Revision Date 07/16/2015

# SAFETY DATA SHEET

#### **DARK GRAY 120472**

## **Section 1. Identification**

**GHS** product identifier **DARK GRAY 120472** 

Chemical name Mixture **CAS** number Mixture Other means of identification CC10212303

**Product type** solid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

Supplier's details POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** 

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,

exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

**OSHA/HCS** status While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

#### **GHS** label elements



## **DARK GRAY 120472**

Version Number 1.0 Page 2 of 17 Revision Date 07/16/2015 Print Date 11/22/2015

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

#### **Precautionary statements**

General : Not applicable.
Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : None known.
Hazards not otherwise classified : None known.

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC10212303

#### **CAS** number/other identifiers

| Ingredient name                          | %       | CAS number |
|--|---------|------------|
| Titanium dioxide                         | 10 - 30 | 13463-67-7 |
| Chrome yellow (Lead chromate pigment)    | 5 - 10  | 1344-37-2  |
| Carbon black                             | 1 - 5   | 1333-86-4  |
| Molybdate orange (Lead chromate pigment) | 1 - 5   | 12656-85-8 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



## **DARK GRAY 120472**

Version Number 1.0 Page 3 of 17 Revision Date 07/16/2015 Print Date 11/22/2015

## Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

## Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact**: No known significant effects or critical hazards.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015 Page 4 of 17 Print Date 11/22/2015

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or  $CO_2$ .

: None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015

Page 5 of 17 Print Date 11/22/2015

or air).

#### Methods and materials for containment and cleaning up

Small spill Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

Advice on general occupational

hygiene

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

| Ingredient name  | Exposure limits   |  |
|------------------|---|--|
| Titanium dioxide | OSHA PEL 1989 (1989-03-01)                                |  |
|                  | PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust |  |
|                  | OSHA PEL (1993-06-30)                                     |  |
|                  | PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust |  |
| 5/17             |   |  |



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015 Page 6 of 17 Print Date 11/22/2015

|  | ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3  |
|--|---|
| Chrome yellow (Lead chromate pigment)    | OSHA PEL (2006-11-27) Calculated as Cr PEL: Permissible Exposure Level 0.005 mg/m3 NIOSH REL (2010-09-01) Calculated as Cr Time Weighted Average (TWA) 0.0002 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as Pb PEL: Permissible Exposure Level 0.075 mg/m3 ACGIH TLV (1995-05-23) Calculated as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 ACGIH TLV (1994-09-01) Calculated as Cr TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3   |
| Carbon black                             | OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction  |
| Molybdate orange (Lead chromate pigment) | OSHA PEL (1993-06-30) Calculated as Mo PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust OSHA PEL (2006-11-27) Calculated as Cr PEL: Permissible Exposure Level 0.005 mg/m3 OSHA PEL Z2 (2006-11-27) Ceiling 0.001 mg/m3 NIOSH REL (2010-09-01) Calculated as Cr Time Weighted Average (TWA) 0.0002 mg/m3 Time Weighted Average (TWA) 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as CrO3 Ceiling 0.1 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as Pb PEL: Permissible Exposure Level 0.075 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as Mo PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL 1989 (1989-03-01) Calculated as Cr PEL: Permissible Exposure Level 0.5 mg/m3 |



## **DARK GRAY 120472**

 Version Number 1.0
 Page 7 of 17

 Revision Date 07/16/2015
 Print Date 11/22/2015

| Permissible Exposure Level 3 mg/m3 Form: Respirable fraction |
|--|
|--|

**Appropriate engineering controls** 

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

#### **Skin protection**

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

**Body protection**: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks

involved and should be approved by a specialist before handling this

produ

**Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015 Page 8 of 17 Print Date 11/22/2015

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Pellets.]

Color **GREY** Odor Faint odor. Not available. **Odor threshold** Not available. pН Not available. **Melting point Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: insoluble in water.

**Partition coefficient: n-** Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will



## **DARK GRAY 120472**

 Version Number 1.0
 Page 9 of 17

 Revision Date 07/16/2015
 Print Date 11/22/2015

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

**Hazardous decomposition**: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### **Acute toxicity**

products

| Product/ingredient name                  | Result          | Species    | Dose          | Exposure |
|--|-----------------|------------|---------------|----------|
| Titanium dioxide                         |                 |            |               |          |
|  | LC50 Inhalation | Rat - Male | 6.82 Mg/l     | 4 h      |
|  | LD50 Dermal     | Rabbit     | > 5,000 mg/kg | -        |
| Chrome yellow (Lead chromate pigment)    |                 |            |               |          |
| Carbon black                             |                 |            |               |          |
|  | LD50 Oral       | Rat        | 15,400 mg/kg  | -        |
| Molybdate orange (Lead chromate pigment) |                 |            |               |          |

**Conclusion/Summary** : Mixture. Not fully tested.

#### Irritation/Corrosion

Conclusion/Summary

SkinMixture.Not fully tested.EyesMixture.Not fully tested.RespiratoryMixture.Not fully tested.

## **Sensitization**

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

### Carcinogenicity



## **DARK GRAY 120472**

 Version Number 1.0
 Page 10 of 17

 Revision Date 07/16/2015
 Print Date 11/22/2015

**Conclusion/Summary**: Mixture.Not fully tested.

Classification

| Classification         |      |      |     |  |
|------------------------|------|------|-----|--|
| Product/ingredient     | OSHA | IARC | NTP |  |
| name                   |      |      |     |  |
| Titanium dioxide       |      | 2B   |     |  |
| Chrome yellow (Lead    | +    | 1    |     |  |
| chromate pigment)      |      |      |     |  |
| Carbon black           |      | 2B   |     |  |
| Molybdate orange (Lead | +    | 1    |     |  |
| chromate pigment)      |      |      |     |  |

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

## Specific target organ toxicity (single exposure)

Not available.

#### **Specific target organ toxicity (repeated exposure)**

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of

Not available.

exposure

#### Potential acute health effects

**Eye contact**: No known significant effects or critical hazards.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015 Page 11 of 17 Print Date 11/22/2015

**Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

#### Potential chronic health effects

**Conclusion/Summary**: Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

# Section 12. Ecological information

#### **Toxicity**

| Product/ingredient name | Result                           | Species                | Exposure |
|-------------------------|----------------------------------|------------------------|----------|
| Titanium dioxide        |                                  |                        |          |
|                         | Acute LC50 > 1,000,000 $\mu$ g/l | Fish - Mummichog       | 96 h     |
|                         | Marine water                     |                        |          |
|                         | Acute LC50 > 1,000 mg/l Fresh    | Fish - Fathead minnow  | 96 h     |
|                         | water                            |                        |          |
|                         | Acute LC50 13 mg/l Fresh water   | Aquatic invertebrates. | 48 h     |



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015 Page 12 of 17 Print Date 11/22/2015

|                           |  | Water flea             |      |
|---------------------------|--|------------------------|------|
|                           | Acute EC50 19.3 mg/l Fresh water   | Aquatic invertebrates. | 48 h |
|                           |  | Water flea             |      |
|                           | Acute EC50 27.8 mg/l Fresh water   | Aquatic invertebrates. | 48 h |
|                           |  | Water flea             |      |
|                           | Acute EC50 35.306 mg/l Fresh   | Aquatic invertebrates. | 48 h |
|                           | water  | Water flea             |      |
| Carbon black              |  |                        |      |
|                           | Acute EC50 37.563 mg/l Fresh   | Aquatic invertebrates. | 48 h |
|                           | water  | Water flea             |      |
|                           | Acute LC50 61.547 mg/l Fresh   | Aquatic invertebrates. | 48 h |
|                           | water  | Water flea             |      |
| DARK GRAY 120472          |  |                        |      |
| Remarks - Acute - Aquatic | Chemicals are not readily available as they are bound within the polymer matrix. |                        |      |
| invertebrates.:           | · · · · · · · · · · · · · · · · · · ·  |                        |      |

**Conclusion/Summary** 

Chemicals are not readily available as they are bound within the

polymer matrix.

#### Persistence and degradability

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the

polymer matrix.

**Conclusion/Summary**: Chemicals are not readily available as they are bound within the

polymer matrix.

**Bioaccumulative potential** 

| Product/ingredient name | LogPow | BCF      | Potential |
|-------------------------|--------|----------|-----------|
| Titanium dioxide        |        | 352.00   | low       |
| Chrome yellow (Lead     |        | 3,600.00 | high      |
| chromate pigment)       |        |          |           |
| Molybdate orange (Lead  |        | 3,600.00 | high      |
| chromate pigment)       |        |          |           |

### **Mobility in soil**

**Soil/water partition coefficient** 

Not available.

(KOC)

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods**: The generation of waste should be avoided or minimized wherever



## **DARK GRAY 120472**

Version Number 1.0 Page 13 of 17 Revision Date 07/16/2015 Print Date 11/22/2015

> possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA Not classified as dangerous good under transport regulations.

IMO/IMDG (maritime) : Not classified as dangerous good under transport regulations.

# Section 15. Regulatory information

United States - TSCA 12(b) - Chemical export notification: The **U.S. Federal regulations** 

following components are listed: Chrome yellow (Lead chromate

pigment)

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

United States - TSCA 5(a)2 - Proposed significant new use rules:

Listed Molybdate orange (Lead chromate pigment)

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed Chrome

yellow (Lead chromate pigment)

Molybdate orange (Lead chromate pigment)



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015

Page 14 of 17 Print Date 11/22/2015

United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Chrome yellow (Lead chromate pigment) Molybdate orange (Lead chromate pigment)

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

**Hazardous Air Pollutants (HAPs)** 

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

Substances

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

Chemicals)

Listed

Not listed

Not listed

Not listed

Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification Not applicable.

Composition/information on ingredients

| Name % | Classification |
|--------|----------------|
|--------|----------------|



## **DARK GRAY 120472**

Version Number 1.0 Page 15 of 17 Revision Date 07/16/2015 Print Date 11/22/2015

| Titanium dioxide                         | 10 - 30 | СН |
|--|---------|----|
| Chrome yellow (Lead chromate pigment)    | 5 - 10  | СН |
| Carbon black                             | 1 - 5   | СН |
| Molybdate orange (Lead chromate pigment) | 1 - 5   | СН |

#### **SARA 313**

|                       | Product name           | CAS number | %      |
|-----------------------|------------------------|------------|--------|
| Form R - Reporting    | Chrome yellow (Lead    | 1344-37-2  | 5 - 10 |
| requirements          | chromate pigment)      |            |        |
|                       | Molybdate orange (Lead | 12656-85-8 | 1 - 5  |
|                       | chromate pigment)      |            |        |
| Supplier notification | Chrome yellow (Lead    | 1344-37-2  | 5 - 10 |
|                       | chromate pigment)      |            |        |
|                       | Molybdate orange (Lead | 12656-85-8 | 1 - 5  |
|                       | chromate pigment)      |            |        |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts : The following components are listed:

Titanium dioxide Carbon black

New York : None of the components are listed.

New Jersey : The following components are listed:

2-Propenenitrile, polymer with Ethenylbenzene

Titanium dioxide

Chrome yellow (Lead chromate pigment)

Carbon black

Molybdate orange (Lead chromate pigment)

**Pennsylvania** : The following components are listed:

Titanium dioxide

Chrome yellow (Lead chromate pigment)

Carbon black

Molybdate orange (Lead chromate pigment)

#### California Prop. 65



## **DARK GRAY 120472**

Version Number 1.0 Page 16 of 17 Revision Date 07/16/2015 Print Date 11/22/2015

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**United States inventory (TSCA 8b)**: All components are listed or exempted.

**Canada** inventory All components are listed or exempted.

**International regulations** 

**International lists Australia inventory (AICS):** All components are listed or exempted.

**Taiwan inventory (CSNN):** All components are listed or exempted.

Malaysia Inventory (EHS Register): Not determined. **EINECS:** All components are listed or exempted.

Japan inventory: Not determined.

**China inventory (IECSC):** All components are listed or exempted.

**Korea inventory:** All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components

are listed or exempted.

Philippines inventory (PICCS): All components are listed or

exempted.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

**Chemical Weapons Convention** 

**List Schedule II Chemicals** 

**Chemical Weapons Convention** 

**List Schedule III Chemicals** 

Not listed

Not listed

Not listed

## **Section 16. Other information**

**History** 

**Date of printing** 11/22/2015 Date of issue/Date of revision 07/16/2015 Date of previous issue 00/00/0000 Version 1.0

**Key to abbreviations** ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)



## **DARK GRAY 120472**

Version Number 1.0 Revision Date 07/16/2015 Page 17 of 17 Print Date 11/22/2015

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.