

FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 1 of 18 Print Date 01/21/2023

# SAFETY DATA SHEET

**FA-37** 

## **Section 1. Identification**

GHS product identifier : FA-37
Chemical name : Mixture
CAS number : Mixture
Other means of identification : CC10212522
Product type : liquid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial applications. Plastics.

Supplier's details : AVIENT CORPORATION

ColorMatrix Group Inc.

680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA

+1 216 622 0100

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

EYE IRRITATION - Category 2A

**RESPIRATORY SENSITIZATION - Category 1** 

SKIN SENSITIZATION - Category 1

GERM CELL MUTAGENICITY - Category 2

#### **GHS** label elements



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 2 of 18 Print Date 01/21/2023

Hazard pictograms

Signal word : Danger

**Hazard statements** : May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Suspected of causing genetic defects.

**Precautionary statements** 

Not applicable.

**Prevention**: Obtain special instructions before use. Wear protective gloves. Wear

protective clothing. Wear eye or face protection. Wear respiratory

protection. Avoid breathing vapor.

**Response**: IF exposed or concerned: Get medical advice or attention. IF

INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice

or attention.

**Storage** : Not applicable.

**Disposal** : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements Hazards not otherwise classified None known.
None known.

Not available.

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC10212522

CAS number/other identifiers

| Ingredient name | <b>%</b> | CAS number |
|-----------------|----------|------------|
|-----------------|----------|------------|



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 3 of 18 Print Date 01/21/2023

| Azodicarbonamide                    | >= 25 - <= 50 | 123-77-3  |
|-------------------------------------|---------------|-----------|
| Sodium bicarbonate                  | >= 10 - <= 23 | 144-55-8  |
| Diphenyloxide-4,4'-disulfohydrazide | >= 3 - <= 5   | 80-51-3   |
| Calcium oxide                       | >= 1 - <= 2   | 1305-78-8 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eve contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower evelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure. Skin contact Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. **Ingestion** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

material has been swallowed and the exposed person is conscious,



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 4 of 18 Print Date 01/21/2023

give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

**Skin contact** : May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

wheezing and breathing difficulties

asthma

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion** : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.



FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 5 of 18 Print Date 01/21/2023

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 6 of 18 Print Date 01/21/2023

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 7 of 18 Print Date 01/21/2023

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

| Ingredient name                     | Exposure limits   |
|-------------------------------------|---|
| Azodicarbonamide                    | None.   |
| Sodium bicarbonate                  | None.   |
| Diphenyloxide-4,4'-disulfohydrazide | ACGIH TLV (2000-03-01) TWA 0.1 mg/m3 Form: Inhalable fraction   |
| Calcium oxide                       | ACGIH TLV (1994-09-01)<br>TWA 2 mg/m3<br>NIOSH REL (1994-06-01)<br>TWA 2 mg/m3<br>OSHA PEL 1989 (1989-03-01)<br>TWA 5 mg/m3<br>OSHA PEL (1993-06-30)<br>TWA 5 mg/m3 |

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 8 of 18 Print Date 01/21/2023

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### **Skin protection**

Hand protection

chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : liquid [liquid]
Color : NOT APPLICABLE

Odor Faint odor. Not available. **Odor threshold** Not available. **Melting point** Not available. **Boiling point** Not available. Not available. Flash point **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available.



#### FA-37

Version Number 1.8 Page 9 of 18 Revision Date 01/20/2023 Print Date 01/21/2023

(flammable) limits Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: insoluble in water.

**Partition coefficient: n-** Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Aerosol product

**Heat of combustion** : Not available.

**Ignition distance** : Not available. **Enclosed space ignition - Time** : Not available.

equivalent

Enclosed space ignition -

**Deflagration density** 

Flame height : Not available.
Flame duration : Not available.

Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Not available.

**Chemical stability** : Stable under recommended storage and handling conditions (see

Section 7).

**Possibility of hazardous reactions**: Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

#### **Information on toxicological effects**



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 10 of 18 Print Date 01/21/2023

**Acute toxicity** 

| Product/ingredient name                              | Result                          | Species | Dose        | Exposure |  |
|--|---------------------------------|---------|-------------|----------|--|
| 1,2-Diazenedicarboxamide                             |                                 |         |             |          |  |
|  | LD50 Oral                       | Rat     | 6,400 mg/kg | -        |  |
| Carbonic acid sodium salt (1:1)                      | Carbonic acid sodium salt (1:1) |         |             |          |  |
|  | LD50 Oral                       | Rat     | 4,220 mg/kg | -        |  |
| Benzenesulfonic acid, 4,4'-oxybis-, 1,1'-dihydrazide |                                 |         |             |          |  |
|  | LD50 Oral                       | Rat     | 2,300 mg/kg | -        |  |

Conclusion/Summary : Mixture.Not fully tested.

#### **Irritation/Corrosion**

| Product/ingred   | ient name  | Result               | Species | Score | Exposure  | Observation |
|------------------|------------|----------------------|---------|-------|-----------|-------------|
| Carbonic acid so | odium salt | Eyes - Mild irritant | Rabbit  | -     | 0.008 hrs | -           |
| (1:1)            |            |                      |         |       |           |             |
|                  |            | Skin - Mild irritant | Human   | -     | 72 hrs    | -           |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Sensitization** 

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary** : Mixture. Not fully tested.

Carcinogenicity

**Conclusion/Summary**: Mixture.Not fully tested.

**Reproductive toxicity** 

Conclusion/Summary : Mixture.Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.



#### FA-37

Version Number 1.8 Page 11 of 18
Revision Date 01/20/2023 Print Date 01/21/2023

#### **Specific target organ toxicity (single exposure)**

| Name          | Category   | Route of exposure | Target organs                |
|---------------|------------|-------------------|------------------------------|
| Calcium oxide | Category 3 | -                 | Respiratory tract irritation |

#### **Specific target organ toxicity (repeated exposure)**

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of

Not available.

exposure

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

**Skin contact** : May cause an allergic skin reaction.

**Ingestion**: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain or irritation,

watering, redness

**Inhalation** : Adverse symptoms may include the following: wheezing and

breathing difficulties, asthma

**Skin contact** : Adverse symptoms may include the following: irritation, redness

**Ingestion** : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

**Potential chronic health effects** 

**Conclusion/Summary** : Mixture.Not fully tested.



#### FA-37

Version Number 1.8 Revision Date 01/20/2023

Page 12 of 18 Print Date 01/21/2023

General : Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

**Carcinogenicity**: No known significant effects or critical hazards.

**Mutagenicity** : Suspected of causing genetic defects.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### **Acute toxicity estimates**

| Product/ingredient name                              | Oral          | Dermal | Inhalation<br>(gases) | Inhalation<br>(vapors) | Inhalation<br>(dusts and<br>mists) |
|--|---------------|--------|-----------------------|------------------------|------------------------------------|
| FA-37  | 8,513.5 mg/kg | N/A    | N/A                   | N/A                    | N/A                                |
| 1,2-Diazenedicarboxamide                             | 6,400 mg/kg   | N/A    | N/A                   | N/A                    | N/A                                |
| Carbonic acid sodium salt (1:1)                      | 4,220 mg/kg   | N/A    | N/A                   | N/A                    | N/A                                |
| Benzenesulfonic acid, 4,4'-oxybis-, 1,1'-dihydrazide | 500 mg/kg     | N/A    | N/A                   | N/A                    | N/A                                |

**Other information**: This mixture has not been evaluated as a whole for health effects.

Exposure effects listed are based on existing health data for the

individual components which comprise the mixture.

# Section 12. Ecological information

#### **Toxicity**

| Product/ingredient name         | Result                        | Species                    | Exposure |
|---------------------------------|-------------------------------|----------------------------|----------|
| Carbonic acid sodium salt (1:1) |                               |                            |          |
|                                 | Acute LC50 7,550 Mg/l Fresh   | Fish - Gambusia affinis    | 96 h     |
|                                 | water                         |                            |          |
|                                 | Acute LC50 767.87 Mg/l Marine | Crustaceans - Americamysis | 48 h     |
|                                 | water                         | bahia                      |          |
|                                 | Acute EC50 650 Mg/l Fresh     | Algae - Navicula seminulum | 96 h     |
|                                 | water                         |                            |          |
|                                 | Chronic NOEC 576 Mg/l Fresh   | Daphnia - Daphnia magna    | 21 d     |
|                                 | water                         |                            |          |



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 13 of 18 Print Date 01/21/2023

| Calcium oxide             |   |                              |      |
|---------------------------|---|------------------------------|------|
|                           | Chronic NOEC 100 Mg/l Fresh   | Fish - Oreochromis niloticus | 46 d |
|                           | water   |                              |      |
| FA-37                     |   |                              |      |
| Remarks - Acute - Aquatic | Dangerous for the environment: May cause long term adverse effects in the aquatic |                              |      |
| invertebrates.:           | environment.  |                              |      |

**Conclusion/Summary** 

Dangerous for the environment: May cause long term adverse effects in

the aquatic environment.

Persistence and degradability

**Conclusion/Summary** : Not available.

Conclusion/Summary : Dangerous for the environment: May cause long term adverse effects

in the aquatic environment.

#### **Bioaccumulative potential**

| Product/ingredient name             | LogPow | BCF  | Potential |
|-------------------------------------|--------|------|-----------|
| 1,2-Diazenedicarboxamide            | 1      | -    | low       |
| Benzenesulfonic acid, 4,4'-oxybis-, | -      | 3.00 | low       |
| 1,1'-dihydrazide                    |        |      |           |
| Calcium oxide                       | -      | 2.34 | low       |

#### **Mobility in soil**

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 14 of 18 Print Date 01/21/2023

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyloxide-4,4'-disulphonylhydrazide), 9,

PGIII, Marine Pollutant

International Water

IMO/IMDG

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyloxide-4,4'-disulphonylhydrazide), 9,

PGIII, Marine Pollutant

# Section 15. Regulatory information

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide



#### FA-37

Version Number 1.8 Revision Date 01/20/2023

Page 15 of 18 Print Date 01/21/2023

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Zinc oxide

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

Substances

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

Chemicals)

Not listed

Not listed

Not listed

Not listed

Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification EYE IRRITATION - Category 2A

**RESPIRATORY SENSITIZATION - Category 1** 

SKIN SENSITIZATION - Category 1

GERM CELL MUTAGENICITY - Category 2

#### Composition/information on ingredients

| Name   | %             | Classification  |
|--|---------------|---|
| 1,2-Diazenedicarboxamide                             | >= 25 - <= 50 | RESPIRATORY SENSITIZATION - Category 1  |
| Carbonic acid sodium salt (1:1)                      | >= 10 - <= 23 | EYE IRRITATION - Category 2B  |
| Benzenesulfonic acid, 4,4'-oxybis-, 1,1'-dihydrazide | >= 3 - <= 5   | COMBUSTIBLE DUSTS ACUTE TOXICITY - oral - Category 4 SKIN IRRITATION - Category 2 |



#### FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 16 of 18 Print Date 01/21/2023

|               |             | EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2  |
|---------------|-------------|---|
| Calcium oxide | >= 1 - <= 2 | SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Respiratory tract irritation - Category 3 |

Not applicable.

**State regulations** 

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: The following components are listed:

Distillates, petroleum, hydrotreated middle

Calcium carbonate

Diphenyloxide-4,4'-disulfohydrazide

Calcium oxide

**Pennsylvania** : The following components are listed:

Calcium carbonate

Calcium oxide

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65. **United States inventory (TSCA 8b)** : All components are active or exempted.

Canada inventory : At least one component is not listed in DSL but all such components

are listed in NDSL.

#### **International regulations**

#### **Inventory list**

Australia : All components are listed or exempted.

Canada : At least one component is not listed in DSL but all such components

are listed in NDSL.

China : All components are listed or exempted.

Europe inventory : All components are listed or exempted.

Japan : All components are listed or exempted.

New Zealand : Not determined.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.



#### FA-37

Version Number 1.8 Page 17 of 18 Revision Date 01/20/2023 Print Date 01/21/2023

Taiwan : Not determined.
Turkey : Not determined.

United States : All components are active or exempted.

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

| Health           | * | 2 |
|------------------|---|---|
| Flammability     |   | 0 |
| Physical hazards |   | 0 |
|                  |   |   |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### **History**

Date of printing: 01/21/2023Date of issue/Date of revision: 01/20/2023Date of previous issue: 09/08/2022

Version : 1.8

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that



FA-37

Version Number 1.8 Revision Date 01/20/2023 Page 18 of 18 Print Date 01/21/2023

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.