

## **CAMEL DR101 CAP**

Version Number 1.0 Revision Date 04/02/2015

Page 1 of 15 Print Date 10/29/2015

# SAFETY DATA SHEET

#### **CAMEL DR101 CAP**

# **Section 1. Identification**

CAMEL DR101 CAP **GHS** product identifier

Chemical name Mixture CAS number Mixture Other means of identification CC10214550

**Product type** solid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

POLYONE CORPORATION Supplier's details

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** 

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

**OSHA/HCS status** While this material is not considered hazardous by the OSHA Hazard

> Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

**Supplemental label elements** None known. Hazards not otherwise classified None known.



## **CAMEL DR101 CAP**

Version Number 1.0 Page 2 of 15 Revision Date 04/02/2015 Print Date 10/29/2015

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC10214550

### CAS number/other identifiers

| Ingredient name                               | <b>%</b> | CAS number |
|-----------------------------------------------|----------|------------|
| Titanium dioxide                              | 10 - 30  | 13463-67-7 |
| 2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole | 5 - 10   | 3147-75-9  |
| 2-Propenoic acid, 2-methyl-, methyl ester     | 0.1 - 1  | 80-62-6    |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

| Eye contact  | upp                 | nediately flush eyes with plenty of water, occasionally lifting the er and lower eyelids. Check for and remove any contact lenses. medical attention if irritation occurs.                                                                                                         |
|--------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation   | for<br>inha<br>dela | nove victim to fresh air and keep at rest in a position comfortable breathing. Get medical attention if symptoms occur. In case of alation of decomposition products in a fire, symptoms may be ayed. The exposed person may need to be kept under medical veillance for 48 hours. |
| Skin contact |                     | sh contaminated skin with plenty of water. Remove contaminated hing and shoes. Get medical attention if symptoms occur.                                                                                                                                                            |
| Ingestion    | : Wa                | sh out mouth with water. Remove victim to fresh air and keep at                                                                                                                                                                                                                    |



## **CAMEL DR101 CAP**

Version Number 1.0 Page 3 of 15 Revision Date 04/02/2015 Print Date 10/29/2015

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eve contact**: No known significant effects or critical hazards.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

## Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

nedia : None known.

Specific hazards arising from the

chemical

No specific fire or explosion hazard.

**Hazardous thermal**: Decomposition products may include the following materials:



### **CAMEL DR101 CAP**

Version Number 1.0 Page 4 of 15 Revision Date 04/02/2015 Print Date 10/29/2015

decomposition products carbon dioxide

carbon monoxide nitrogen oxides metal oxide/oxides

Special protective actions for fire-

fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling



# **CAMEL DR101 CAP**

Version Number 1.0 Revision Date 04/02/2015 Page 5 of 15 Print Date 10/29/2015

Protective measures Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

| Ingredient name                           | Exposure limits                                             |  |
|-------------------------------------------|-------------------------------------------------------------|--|
| Titanium dioxide                          | OSHA PEL 1989 (1989-03-01)                                  |  |
|                                           | PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust   |  |
|                                           | OSHA PEL (1993-06-30)                                       |  |
|                                           | PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust   |  |
|                                           | ACGIH TLV (1996-05-18)                                      |  |
|                                           | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |  |
|                                           | Permissible Exposure Level 10 mg/m3                         |  |
|                                           |                                                             |  |
| 2-Propenoic acid, 2-methyl-, methyl ester | OSHA PEL 1989 (1989-03-01)                                  |  |
|                                           | PEL: Permissible Exposure Level 410 mg/m3 100 ppm           |  |
|                                           | OSHA PEL (1993-06-30)                                       |  |
|                                           | PEL: Permissible Exposure Level 410 mg/m3 100 ppm           |  |
|                                           | NIOSH REL (1994-06-01)                                      |  |
|                                           | Time Weighted Average (TWA) 410 mg/m3 100 ppm               |  |
|                                           | ACGIH TLV (2000-03-01)                                      |  |
|                                           | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |  |
|                                           | Permissible Exposure Level 50 ppm                           |  |
|                                           | TLV-STEL: Threshold Limit Value - Short Time Exposure Level |  |
|                                           | 100 ppm                                                     |  |
|                                           |                                                             |  |

Appropriate engineering controls : Good general ventilation should be sufficient to control worker



## **CAMEL DR101 CAP**

 Version Number 1.0
 Page 6 of 15

 Revision Date 04/02/2015
 Print Date 10/29/2015

exposure to airborne contaminants.

**Environmental exposure controls**: Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

**Individual protection measures** 

**Hygiene measures**: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

**Skin protection** 

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

**Body protection**: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

**Respiratory protection**: Use a properly fitted, particulate filter respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Pellets.]

Color : TAN

6/15



# **CAMEL DR101 CAP**

Version Number 1.0 Page 7 of 15 Revision Date 04/02/2015 Print Date 10/29/2015

Odor Faint odor. **Odor threshold** Not available. Hq Not available. **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: insoluble in water.

Partition coefficient: n-

octanol/water

products

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

SADT : Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Not available.

**Chemical stability** : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

**Hazardous decomposition**: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information



## **CAMEL DR101 CAP**

 Version Number 1.0
 Page 8 of 15

 Revision Date 04/02/2015
 Print Date 10/29/2015

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### **Acute toxicity**

| Product/ingredient name        | Result           | Species    | Dose          | Exposure |  |  |
|--------------------------------|------------------|------------|---------------|----------|--|--|
| Titanium dioxide               | Titanium dioxide |            |               |          |  |  |
|                                | LC50 Inhalation  | Rat - Male | 6.82 Mg/l     | 4 h      |  |  |
|                                | LD50 Dermal      | Rabbit     | > 5,000 mg/kg | -        |  |  |
| 2-(2-Hydroxy-5-tert-octylphen  | yl)benzotriazole |            |               |          |  |  |
|                                | LD50 Oral        | Rat        | 1,000 mg/kg   | -        |  |  |
| 2-Propenoic acid, 2-methyl-, n | nethyl ester     |            |               |          |  |  |
|                                | LD50 Oral        | Rat        | 7,872 mg/kg   | -        |  |  |
|                                | LC50 Inhalation  | Rat        | 78 mg/l       | 4 h      |  |  |
|                                | LD50 Dermal      | Rabbit     | 5,000 mg/kg   | -        |  |  |

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Irritation/Corrosion**

Conclusion/Summary

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

#### **Sensitization**

Conclusion/Summary

Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

**Mutagenicity** 

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

Classification

| Classification        |      |      |     |
|-----------------------|------|------|-----|
| Product/ingredient    | OSHA | IARC | NTP |
| name                  |      |      |     |
| Titanium dioxide      |      | 2B   |     |
| 2-Propenoic acid, 2-  |      | 3    |     |
| methyl-, methyl ester |      |      |     |



## **CAMEL DR101 CAP**

 Version Number 1.0
 Page 9 of 15

 Revision Date 04/02/2015
 Print Date 10/29/2015

**Reproductive toxicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture. Not fully tested.

Specific target organ toxicity (single exposure)

| Product/ingredient name      | Category   | Route of exposure | Target organs                |
|------------------------------|------------|-------------------|------------------------------|
| 2-Propenoic acid, 2-methyl-, | Category 3 |                   | Respiratory tract irritation |
| methyl ester                 |            |                   |                              |

#### **Specific target organ toxicity (repeated exposure)**

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of

exposure

Not available.

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.



## **CAMEL DR101 CAP**

Version Number 1.0 Revision Date 04/02/2015 Page 10 of 15 Print Date 10/29/2015

#### Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Potential chronic health effects

**Conclusion/Summary**: Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

### Numerical measures of toxicity

#### **Acute toxicity estimates**

Not available.

# Section 12. Ecological information

#### **Toxicity**

| Product/ingredient name | Result                                      | Species                              | Exposure |
|-------------------------|---------------------------------------------|--------------------------------------|----------|
| Titanium dioxide        |                                             |                                      |          |
|                         | Acute LC50 > 1,000,000 μg/l<br>Marine water | Fish - Mummichog                     | 96 h     |
|                         | Acute LC50 > 1,000 mg/l Fresh water         | Fish - Fathead minnow                | 96 h     |
|                         | Acute LC50 13 mg/l Fresh water              | Aquatic invertebrates. Water flea    | 48 h     |
|                         | Acute LC50 6.5 mg/l Fresh water             | Aquatic invertebrates. Water flea    | 48 h     |
|                         | Acute EC50 19.3 mg/l Fresh water            | Aquatic invertebrates. Water flea    | 48 h     |
|                         | Acute EC50 27.8 mg/l Fresh water            | Aquatic invertebrates.<br>Water flea | 48 h     |
|                         | Acute EC50 35.306 mg/l Fresh water          | Aquatic invertebrates.<br>Water flea | 48 h     |



## **CAMEL DR101 CAP**

Version Number 1.0 Revision Date 04/02/2015 Page 11 of 15 Print Date 10/29/2015

| 2-Propenoic acid, 2-methyl-, methyl ester |                                                                                  |                       |      |  |
|-------------------------------------------|----------------------------------------------------------------------------------|-----------------------|------|--|
|                                           | Acute LC50 159,100 μg/l Fresh                                                    | Fish - Fathead minnow | 96 h |  |
|                                           | water                                                                            |                       |      |  |
|                                           | Acute LC50 191,000 μg/l Fresh                                                    | Fish - Bluegill       | 96 h |  |
|                                           | water                                                                            |                       |      |  |
|                                           | Acute LC50 130,000 µg/l Fresh                                                    | Fish - Fathead minnow | 96 h |  |
|                                           | water                                                                            |                       |      |  |
|                                           | Acute LC50 150,000 µg/l Fresh                                                    | Fish - Fathead minnow | 96 h |  |
|                                           | water                                                                            |                       |      |  |
|                                           | Acute LC50 160,200 µg/l Fresh                                                    | Fish - Fathead minnow | 96 h |  |
|                                           | water                                                                            |                       |      |  |
| CAMEL DR101 CAP                           |                                                                                  |                       |      |  |
| Remarks - Acute - Aquatic                 | Chemicals are not readily available as they are bound within the polymer matrix. |                       |      |  |
| invertebrates.:                           |                                                                                  |                       |      |  |

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

polymer matrix.

#### Persistence and degradability

**Conclusion/Summary** 

: Chemicals are not readily available as they are bound within the

polymer matrix.

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

polymer matrix.

**Bioaccumulative potential** 

| Product/ingredient name      | LogPow | BCF    | Potential |
|------------------------------|--------|--------|-----------|
| Titanium dioxide             |        | 352.00 | low       |
| 2-Propenoic acid, 2-methyl-, | 1.38   | -      | low       |
| methyl ester                 |        |        |           |

#### **Mobility in soil**

Soil/water partition coefficient

(KOC)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local



### **CAMEL DR101 CAP**

Version Number 1.0 Revision Date 04/02/2015 Page 12 of 15 Print Date 10/29/2015

authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Not classified as dangerous good under transport regulations.

IMO/IMDG (maritime) : Not classified as dangerous good under transport regulations.

# **Section 15. Regulatory information**

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)? - Final significant new use rules:

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

**United States - TSCA 8(c) - Significant adverse reaction (SAR):** 



### **CAMEL DR101 CAP**

Version Number 1.0 Revision Date 04/02/2015 Page 13 of 15 Print Date 10/29/2015

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Benzene, methyl-

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

**Substances** 

**DEA List I Chemicals (Precursor** 

**Chemicals**)

**DEA List II Chemicals (Essential** 

Chemicals)

Not listed

Not listed

Not listed

Not listed

Not listed

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### **SARA 311/312**

**Classification** : Not applicable.

#### **Composition/information on ingredients**

| Name                         | %       | Classification |
|------------------------------|---------|----------------|
| Titanium dioxide             | 10 - 30 | СН             |
|                              |         |                |
| 2-(2-Hydroxy-5-tert-         | 5 - 10  | AH             |
| octylphenyl)benzotriazole    |         |                |
| 2-Propenoic acid, 2-methyl-, | 0.1 - 1 | F, AH          |
| methyl ester                 |         |                |

#### **SARA 313**

|                    | Product name              | CAS number | %     |
|--------------------|---------------------------|------------|-------|
| Form R - Reporting | Rutile, antimony chromium | 68186-90-3 | 1 - 5 |



# **CAMEL DR101 CAP**

Version Number 1.0 Page 14 of 15
Revision Date 04/02/2015 Print Date 10/29/2015

| requirements          | buff                      |            |       |
|-----------------------|---------------------------|------------|-------|
| Supplier notification | Rutile, antimony chromium | 68186-90-3 | 1 - 5 |
|                       | buff                      |            |       |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

**Massachusetts** : The following components are listed:

Titanium dioxide

New York : None of the components are listed.
New Jersey : The following components are listed:

Titanium dioxide

**Pennsylvania** : The following components are listed:

Titanium dioxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : Not determined.

**International regulations** 

International lists : Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted.

**Japan inventory:** Not determined.

China inventory (IECSC): Not determined.

Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

Not listed

Chemical Weapons Convention

: Not listed

List Schedule II Chemicals

: Not listed

**Chemical Weapons Convention** 

**List Schedule III Chemicals** 

## **Section 16. Other information**



## **CAMEL DR101 CAP**

Version Number 1.0 Page 15 of 15 Revision Date 04/02/2015 Print Date 10/29/2015

**History** 

Date of printing: 10/29/2015Date of issue/Date of revision: 04/02/2015Date of previous issue: 00/00/0000

Version : 1.0

**Key to abbreviations**: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.