

Version Number 1.0 Revision Date 06/25/2015 Page 1 of 16 Print Date 10/29/2015

# SAFETY DATA SHEET

### **TRICORBRAUN - EUFORA METALLIC BLUE**

Section 1. Identification		
GHS product identifier	:	TRICORBRAUN - EUFORA METALLIC BLUE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10219485
Product type	:	liquid
Relevant identified uses of the subs Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	<b>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).</b> CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN CORROSION/IRRITATION - Category 2
GHS label elements		



:

•

Version Number 1.0 Revision Date 06/25/2015 Page 2 of 16 Print Date 10/29/2015

Hazard pictograms

Signal word Hazard statements Warning Causes skin irritation.

**Precautionary statements** 

General Prevention Response	:	Not applicable. Wear protective gloves. Wash hands thoroughly after handling. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.
Storage Disposal Supplemental label elements Hazards not otherwise classified	::	Not applicable. Not applicable. None known. None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10219485

CAS number/other identifiers

Ingredient name	%	CAS number
Miscellaneous Compounds Distillates, petroleum, hydrotreated	10 - 30	Not available.
middle		
Titanium dioxide	10 - 30	13463-67-7
Carbon black	1 - 5	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



Version Number 1.0 Revision Date 06/25/2015 Page 3 of 16 Print Date 10/29/2015

Occupational exposure limits, if available, are listed in Section 8.

## **Section 4. First aid measures**

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Eye contact	:	Causes serious eye irritation.
Inhalation	:	No known significant effects or critical hazards
Skin contact	:	Causes skin irritation.
Ingestion	:	Irritating to mouth, throat and stomach.

#### **Over-exposure signs/symptoms**

**Potential acute health effects** 



aid to

# SAFETY DATA SHEET TRICORBRAUN - EUFORA METALLIC BLUE

Version Number 1.0	Page 4 of 16
Revision Date 06/25/2015	Print Date 10/29/2015

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
	l attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



Version Number 1.0 Revision Date 06/25/2015 Page 5 of 16 Print Date 10/29/2015

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	nent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved
	5/16



Version Number 1.0	Page 6 of 16
Revision Date 06/25/2015	Print Date 10/29/2015

Advice on general occupational hygiene	:	alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### Control parameters

### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction



Version Number 1.0	Page 7 of 16
Revision Date 06/25/2015	Print Date 10/29/2015

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety
Eye/face protection	:	showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.



Version Number 1.0 Revision Date 06/25/2015 Page 8 of 16 Print Date 10/29/2015

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [liquid]
Color	:	BLUE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure	:	<b>Upper:</b> Not available. Not available.
	:	
Vapor pressure	:	Not available.
Vapor pressure Vapor density	:	Not available. Not available.
Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.



:

## Version Number 1.0 Revision Date 06/25/2015

### Page 9 of 16 Print Date 10/29/2015

# Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose		Exposure
Titanium dioxide					
	LC50 Inhalation	Rat - Male	6.82 1		4 h
	LD50 Dermal	Rabbit	> 5,00	00 mg/kg	-
Carbon black		-	·		
	LD50 Oral	Rat	15,40	0 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully t	ested.		
Irritation/Corrosion					
Conclusion/Summary					
Skin		re.Not fully t			
Eyes		re.Not fully t			
Respiratory	: Mixtu	re.Not fully t	ested.		
Sensitization					
Conclusion/Summary					
Skin		re.Not fully t			
Respiratory	: Mixture.Not fully tested.				
<b>Mutagenicity</b>					
Conclusion/Summary	: Mixtu	re.Not fully t	ested.		
<b>Carcinogenicity</b>					
Conclusion/Summary <u>Classification</u>	: Mixtu	re.Not fully t	ested.		
Product/ingredient name	OSHA LA	ARC	NTP		
Titanium dioxide	21	В			



## Version Number 1.0

Revision Date 06/25/2015

Page 10 of 16 Print Date 10/29/2015

Reproductive toxicity       Kiture.Not fully tested.         Conclusion/Summary       in Mixture.Not fully tested.         Teratogenicity       Kiture.Not fully tested.         Conclusion/Summary       in Mixture.Not fully tested.         Specific target organ toxicity (single exposure) Not available.       Specific target organ toxicity (repeated exposure) Not available.         Specific target organ toxicity (repeated exposure) Not available.       Kesult         Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, Mydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       in Not available.         Eye contact       in Causes serious eye irritation.         Inhalation       in No known significant effects or critical hazards.         Skin contact       in Causes skin irritation.         Ingestion       in Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       in Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       in No specific data.         Skin contact       in No specific data.         Skin contact       in Adverse symptoms may include the following: pain or irritation redness         Inhalation       in No specific	Carbon black		2B	
Teratogenicity         Conclusion/Summary       :       Mixture.Not fully tested.         Specific target organ toxicity (single exposure) Not available.       Specific target organ toxicity (repeated exposure) Not available.         Spiration hazard       Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       :       Not available.         Potential acute health effects       :       Not available.         Eye contact       :       :       Causes serious eye irritation.         Inlastion       :       :       No known significant effects or critical hazards.         Skin contact       :       :       Causes serious eye irritation.         Ingestion       :       :       Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics:       :       :         Eye contact       :       :       Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       :       No specific data.       :       :         Skin contact       :       :       :       :         Indeess       :       :       :       <	<b>Reproductive toxicity</b>			
Conclusion/Summary       : Mixture.Not fully tested.         Specific target organ toxicity (single exposure) Not available.       Specific target organ toxicity (repeated exposure) Not available.         Specific target organ toxicity (repeated exposure) Not available.       Specific target organ toxicity (repeated exposure) Not available.         Aspiration hazard       Evelt         Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       : Not available.         Potential acute health effects          Eye contact       : Causes serious eye irritation.         Information       : No known significant effects or critical hazards.         Skin contact       : Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       : Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       : No specific data.         Skin contact       : Adverse symptoms may include the following: irritation irritation redness	Conclusion/Summary	: ]	Mixture.Not full	y tested.
Specific target organ toxicity (single exposure) Not available.         Specific target organ toxicity (repeated exposure) Not available.         Aspiration hazard         Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       :       Not available.         Potential acute health effects       :       No known significant effects or critical hazards.         Skin contact       :       Causes serious eye irritation.         Ingestion       :       Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       :       Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       :       No specific data.         Skin contact       :       Adverse symptoms may include the following: pain or irritation watering redness	<u>Teratogenicity</u>			
Not available.         Specific target organ toxicity (repeated exposure) Not available.         Aspiration hazard         Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       :       Not available.         Potential acute health effects       :       Not available.         Eye contact       :       Causes serious eye irritation.         Inhalation       :       No known significant effects or critical hazards.         Skin contact       :       Causes skin irritation.         Ingestion       :       Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       :       Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       :       No specific data.         Skin contact       :       Adverse symptoms may include the following: irritation watering redness	Conclusion/Summary	: 1	Mixture.Not full	y tested.
Not available.         Aspiration hazard         Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       : Not available.         Potential acute health effects       : Not available.         Eye contact       : Causes serious eye irritation.         Inhalation       : No known significant effects or critical hazards.         Skin contact       : Causes skin irritation.         Ingestion       : Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       : Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       : No specific data.         Skin contact       : Adverse symptoms may include the following: irritation redness		<u>(single expos</u>	<u>ure)</u>	
Product/ingredient name       Result         Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       : Not available.         Potential acute health effects       : Not available.         Eye contact       : Causes serious eye irritation.         Inhalation       : No known significant effects or critical hazards.         Skin contact       : Causes skin irritation.         Ingestion       : Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicogical characteristics         Eye contact       : Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       : No specific data.         Skin contact       : No specific data.         Skin contact       : Adverse symptoms may include the following: pain or irritation watering redness	Specific target organ toxicity Not available.	(repeated ex	posure)	
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle       ASPIRATION HAZARD - Category 1         Information on the likely routes of exposure       : Not available.         Potential acute health effects       : Causes serious eye irritation.         Inhalation       : No known significant effects or critical hazards.         Skin contact       : Causes skin irritation.         Ingestion       : Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       : Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       : No specific data.         Skin contact       : No specific data.			P	acult
exposurePotential acute health effectsEye contact:Causes serious eye irritation.Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation.Ingestion:Irritating to mouth, throat and stomach.Symptoms related to the physical, chemical and toxicological characteristicsEye contact:Adverse symptoms may include the following: pain or irritation watering rednessInhalation:No specific data.Skin contact:Adverse symptoms may include the following: redness	Miscellaneous Compounds Dis	tillates, petrole		
Eye contact:Causes serious eye irritation.Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation.Ingestion:Irritating to mouth, throat and stomach.Symptoms related to the physical, chemical and toxicological characteristicsEye contact:Adverse symptoms may include the following: pain or irritation watering rednessInhalation:No specific data.Skin contact:Adverse symptoms may include the following: redness		tes of : ]	Not available.	
Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation.Ingestion:Irritating to mouth, throat and stomach.Symptoms related to the physical, chemical and toxicological characteristicsEye contact:Adverse symptoms may include the following: pain or irritation watering rednessInhalation:No specific data.Skin contact:Adverse symptoms may include the following: redness	Potential acute health effects			
Ingestion       : Irritating to mouth, throat and stomach.         Symptoms related to the physical, chemical and toxicological characteristics         Eye contact       : Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       : No specific data.         Skin contact       : Adverse symptoms may include the following: redness	Inhalation	: 1	No known signif	icant effects or critical hazards.
Eye contact: Adverse symptoms may include the following: pain or irritation watering rednessInhalation: No specific data.Skin contact: Adverse symptoms may include the following: irritation redness				
pain or irritation watering rednessInhalation:Skin contact:Adverse symptoms may include the following: irritation redness	Symptoms related to the phys	sical, chemica	l and toxicologi	cal characteristics
Skin contact : Adverse symptoms may include the following: irritation redness	Eye contact	I	bain or irritation watering	ns may include the following:
irritation redness	Inhalation		1	
	Skin contact	i	rritation	ns may include the following:
	Ingestion			

## Delayed and immediate effects and also chronic effects from short and long term exposure



Version Number 1.0 Revision Date 06/25/2015

Short term exposure

Page 11 of 16 Print Date 10/29/2015

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	: : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	9.277 mg/l

# Section 12. Ecological information

## **Toxicity**

Result	Species	Exposure
Acute LC50 > 1,000,000 µg/l	Fish - Mummichog	96 h
Marine water		
Acute LC50 > 1,000 mg/l Fresh	Fish - Fathead minnow	96 h
water		
Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
	Water flea	
Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
	Water flea	
	Acute LC50 > 1,000,000 µg/l Marine water Acute LC50 > 1,000 mg/l Fresh water Acute LC50 13 mg/l Fresh water	Acute LC50 > 1,000,000 µg/l       Fish - Mummichog         Marine water       Fish - Fathead minnow         Acute LC50 > 1,000 mg/l Fresh       Fish - Fathead minnow         Acute LC50 13 mg/l Fresh water       Aquatic invertebrates.         Water flea       Acute EC50 19.3 mg/l Fresh water



Version Number 1.0 Revision Date 06/25/2015

Page 12 of 16 Print Date 10/29/2015

	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
Carbon black			
	Acute EC50 37.563 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
	Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
Conclusion/Summary	: Not available		

**Conclusion/Summary** 

Not available.

#### Persistence and degradability

**Conclusion/Summary** 

Not available.

•

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

<u>Mobility in soil</u>
-------------------------

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Version Number 1.0 Revision Date 06/25/2015 Page 13 of 16 Print Date 10/29/2015

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	<b>United States - TSCA 8(a) - Chemical Data Reporting (CDR):</b> Not determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Phthalocyanine green
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed



Version Number 1.0 Revision Date 06/25/2015 Page 14 of 16 Print Date 10/29/2015

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances	•	
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	Classification
Miscellaneous Compounds	10 - 30	AH
Distillates, petroleum,		
hydrotreated middle		
Titanium dioxide	10 - 30	СН
Carbon black	1 - 5	СН

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Aluminum	7429-90-5	1 - 5
requirements			
Supplier notification	Aluminum	7429-90-5	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.



## Version Number 1.0 Revision Date 06/25/2015

## Page 15 of 16 Print Date 10/29/2015

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide Mica Iron oxide Carbon black Aluminum
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Titanium dioxide Mica Iron oxide Carbon black Aluminum
Pennsylvania	:	The following components are listed: Titanium dioxide
		Iron oxide
		Carbon black
		Aluminum
<u>California Prop. 65</u> WARNING: This product contains a c	hem	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	<ul> <li>Australia inventory (AICS): All components are listed or exempted.</li> <li>Taiwan inventory (CSNN): Not determined.</li> <li>Malaysia Inventory (EHS Register): Not determined.</li> <li>EINECS: All components are listed or exempted.</li> <li>Japan inventory: Not determined.</li> <li>China inventory (IECSC): All components are listed or exempted.</li> <li>Korea inventory: All components are listed or exempted.</li> <li>New Zealand Inventory of Chemicals (NZIoC): Not determined.</li> <li>Philippines inventory (PICCS): All components are listed or exempted.</li> </ul>
Chemical Weapons Convention	:	Not listed

List Schedule I Chemicals



Version Number 1.0 Revision Date 06/25/2015 Page 16 of 16 Print Date 10/29/2015

:	Not listed
:	Not listed
	:

## Section 16. Other information

<u>History</u>		
Date of printing	:	10/29/2015
Date of issue/Date of revision	:	06/25/2015
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References		Not available.
Nelel elices	•	

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.