## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 1 of 15 Print Date 04/14/2022

# SAFETY DATA SHEET

#### ZYLAR SOLANA GRAY 427C

Section 1. Identification	on	
GHS product identifier	:	ZYLAR SOLANA GRAY 427C
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10219774
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

## **ZYLAR SOLANA GRAY 427C**

Version Number 1.3 Revision Date 04/13/2022



Page 2 of 15 Print Date 04/14/2022

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10219774

CAS number/other identifiers

Ingredient name	%	CAS number
Styrene-Butadiene polymer	>= 25 - <= 50	9003-55-8
Titanium dioxide	>= 1 - <= 3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact		Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation		Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 3 of 15

Print Date 04/14/2022

Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/offsats	anto a	
Most important symptoms/effects, a	icute a	ind delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation		No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide

suitable training.

## ZYLAR SOLANA GRAY 427C



Version Number 1.3 Revision Date 04/13/2022 Page 4 of 15 Print Date 04/14/2022

		carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



#### Page 5 of 15 Print Date 04/14/2022

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
Styrene-Butadiene polymer	None.	
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3	

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 6 of 1	5
Print Date 04/14/202	2

Hygiene measures Eye/face protection	product of the w remove clothin shower : Safety when a liquid followi	ands, forearms and face thoroughly after handling chemical ts, before eating, smoking and using the lavatory and at the end working period. Appropriate techniques should be used to e potentially contaminated clothing. Wash contaminated g before reusing. Ensure that eyewash stations and safety s are close to the workstation location. eyewear complying with an approved standard should be used risk assessment indicates this is necessary to avoid exposure to splashes, mists, gases or dusts. If contact is possible, the ng protection should be worn, unless the assessment indicates a degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	standar	cal-resistant, impervious gloves complying with an approved d should be worn at all times when handling chemical products assessment indicates this is necessary.
Body protection	: Person on the	al protective equipment for the body should be selected based task being performed and the risks involved and should be ed by a specialist before handling this product.
Other skin protection	: Approp should	briate footwear and any additional skin protection measures be selected based on the task being performed and the risks and should be approved by a specialist before handling this
Respiratory protection	: Based meets t used ac	on the hazard and potential for exposure, select a respirator that he appropriate standard or certification. Respirators must be coording to a respiratory protection program to ensure proper training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	: solid	[liquid]
Color	: GRE	Y
Odor	: Fain	t odor.
Odor threshold	: Not a	available.
pH	: Not a	available.
Melting point	: Not a	available.
Boiling point	: Not a	available.
Flash point	: Not a	available.
Burning time	: Not a	available.
Burning rate	: Not a	available.
Evaporation rate	: Not a	available.
Flammability (solid, gas)	: Not a	available.

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 7 of 15 Print Date 04/14/2022

Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
VISCOSILY	•	Dynamic. 1 (of available.
VISCUSILY	•	<b>Kinematic:</b> Not available.
Aerosol product	•	-
	:	-
<u>Aerosol product</u>	·	Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion	:	<b>Kinematic:</b> Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

Information on toxicological effects

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022 Page 8 of 15 Print Date 04/14/2022

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

**Conclusion/Summary** 

: Mixture.Not fully tested.

#### **Irritation/Corrosion**

Conclusion/Summany

Product/ingredient name Re	esult	Species	Score	Exposure	Observation
Benzene, ethenyl-, polymer Ey with 1,3-butadiene	yes - Mild irritant	Rabbit	-	24 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

**Sensitization** 

Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<b>Mutagenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Carcinogenicity</u>		

:

Conclusion/Summary

**Classification** 

Product/ingredient name	OSHA	IARC	NTP
Benzene, ethenyl-,	-	3	-
polymer with 1,3-			
butadiene			
Titanium oxide (TiO2)	-	2B	-

Mixture.Not fully tested.

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

8/15



## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 9 of 15 Print Date 04/14/2022

<u>Teratogenicity</u>				
Conclusion/Summary	:	Mixture.Not fully tested.		
Specific target organ toxicity (single Not available.	expo	<u>osure)</u>		
<u>Specific target organ toxicity (repea</u> Not available.	ted e	xposure)		
<u>Aspiration hazard</u> Not available.				
Information on the likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.		
Symptoms related to the physical, cl	hemio	cal and toxicological characteristics		
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.		
Delayed and immediate effects and also chronic effects from short and long term exposure				
Short term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Long term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Potential chronic health effects				
Conclusion/Summary	:	Mixture.Not fully tested.		

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 10 of 15 Print Date 04/14/2022

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
ZYLAR SOLANA GRAY 427C	N/A	N/A	N/A	N/A	6.82 Mg/l
Titanium oxide (TiO2)	N/A	N/A	N/A	N/A	6.82 Mg/l

#### **Other information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

:

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fundulus heteroclitus	96 h
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h
	Acute LC50 6.5 Mg/l Fresh water	Daphnia - Daphnia pulex	48 h
ZYLAR SOLANA GRAY 427	C		
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.		
Conclusion/Summary	: Chemicals are not read polymer matrix.	ly available as they are bound wi	thin the

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



#### Page 11 of 15 Print Date 04/14/2022

Persistence and degradability		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
<b><u>Bioaccumulative potential</u></b> Not available.		
Mobility in soil		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and
		contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

## **ZYLAR SOLANA GRAY 427C**

Version Number 1.3 Revision Date 04/13/2022

# AVIENT

Page 12 of 15 Print Date 04/14/2022

International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc stearate Ethyl benzene
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		<b>United States - Department of commerce - Precursor chemical:</b> Not listed
Clean Air Act Section 112(b)	:	Listed

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 13 of 15 Print Date 04/14/2022

Clean Air Act Section 602 Class I:Not listedSubstances:Not listedClean Air Act Section 602 Class II:Not listedSubstances:Not listedDEA List I Chemicals (Precursor:Not listedDEA List II Chemicals (Essential:Not listedChemicals):Not listed	Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class II:Not listedSubstancesDEA List I Chemicals (Precursor:Not listedDEA List II Chemicals (Essential):Not listed	Clean Air Act Section 602 Class I	:	Not listed
SubstancesNot listedDEA List I Chemicals (Precursor Chemicals)Not listedDEA List II Chemicals (Essential EssentialNot listed	Substances		
DEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential:Not listed	Clean Air Act Section 602 Class II	:	Not listed
Chemicals) DEA List II Chemicals (Essential : Not listed	Substances		
<b>DEA List II Chemicals (Essential</b> : Not listed	<b>DEA List I Chemicals (Precursor</b>	:	Not listed
	Chemicals)		
Chemicals)	<b>DEA List II Chemicals (Essential</b>	:	Not listed
,	Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Benzene, ethenyl-, polymer with 1,3-butadiene	>= 25 - <= 50	EYE IRRITATION - Category 2B
Titanium oxide (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	: None of the components are listed.	
New York	: None of the components are listed.	
New Jersey	: The following components are listed: Titanium dioxide	
Pennsylvania	: The following components are listed: Titanium dioxide	

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 14 of 15 Print Date 04/14/2022

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>Instory</b>		
Date of printing	:	04/14/2022
Date of issue/Date of revision	:	04/13/2022
Date of previous issue	:	07/31/2020
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

## ZYLAR SOLANA GRAY 427C

Version Number 1.3 Revision Date 04/13/2022



Page 15 of 15 Print Date 04/14/2022

GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.