ne

Version Number 1.0 Revision Date 07/28/2015 Page 1 of 17 Print Date 07/29/2015

SAFETY DATA SHEET

BEIGE 104661 3

Section 1. Identification		
GHS product identifier	:	BEIGE 104661 3
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10222901
Product type	:	solid
Relevant identified uses of the subst	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Compliants datails		POLYONE CORPORATION
Supplier's details	•	
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

GHS label elements



Version Number 1.0 Revision Date 07/28/2015 Page 2 of 17 Print Date 07/29/2015

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General		Not applicable.
Prevention	-	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10222901

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	30 - 60	13463-67-7
Chrome yellow (Lead chromate pigment)	1 - 5	1344-37-2
Molybdate orange (Lead chromate pigment)	1 - 5	12656-85-8
Carbon black	0.1 - 1	1333-86-4
		1000 00 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



Version Number 1.0 Revision Date 07/28/2015 Page 3 of 17 Print Date 07/29/2015

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
	:

Over-exposure signs/symptoms

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



Version Number 1.0 Revision Date 07/28/2015

Page 4 of 17 Print Date 07/29/2015

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

Ine

Version Number 1.0 Revision Date 07/28/2015 Page 5 of 17 Print Date 07/29/2015

Large spill

licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3

POLYONE CORPORATION



SAFETY DATA SHEET **BEIGE 104661 3**

Version Number 1.0 Revision Date 07/28/2015

Chrome yellow (Lead chromate pigment)	OSHA PEL (2006-11-27) expressed as Cr PEL: Permissible Exposure Level 0.005 mg/m3 NIOSH REL (2010-09-01) expressed as Cr Time Weighted Average (TWA) 0.0002 mg/m3 OSHA PEL 1989 (1989-03-01) measured as Pb PEL: Permissible Exposure Level 0.075 mg/m3 ACGIH TLV (1995-05-23) measured as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 ACGIH TLV (1994-09-01) expressed as Cr TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3
Molybdate orange (Lead chromate pigment)	OSHA PEL (1993-06-30) expressed as Mo PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust OSHA PEL (2006-11-27) expressed as Cr PEL: Permissible Exposure Level 0.005 mg/m3 OSHA PEL Z2 (2006-11-27) Exposure limit value-ceiling concentration 0.001 mg/m3 NIOSH REL (2010-09-01) expressed as Cr Time Weighted Average (TWA) 0.0002 mg/m3 Time Weighted Average (TWA) 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as CrO3 Exposure limit value-ceiling concentration 0.1 mg/m3 OSHA PEL 1989 (1989-03-01) measured as Pb PEL: Permissible Exposure Level 0.075 mg/m3 OSHA PEL 1989 (1989-03-01) expressed as Mo PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL 1989 (1989-03-01) expressed as Cr PEL: Permissible Exposure Level 0.5 mg/m3 ACGIH TLV (1995-05-23) measured as Pb TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.05 mg/m3 ACGIH TLV (2001-02-22) expressed as Mo TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3 Form: Inhalable fraction TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3 Form: Inhalable fraction
Carbon black	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3



Version Number 1.0 Revision Date 07/28/2015 Page 7 of 17 Print Date 07/29/2015

Appropriate engineering controls Environmental exposure controls	:	Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of
		environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used
		when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

PolyOne

Version Number 1.0 Revision Date 07/28/2015 Page 8 of 17 Print Date 07/29/2015

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	TAN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density		NT / 111
	:	Not available.
Solubility	:	Not available. Not available.
•	:	
Solubility Solubility in water Partition coefficient: n-	:	Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. insoluble in water. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. insoluble in water. Not available. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. insoluble in water. Not available. Not available. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT	:	Not available. insoluble in water. Not available. Not available. Not available. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. insoluble in water. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials	:	Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer.



Version Number 1.0 Revision Date 07/28/2015 Page 9 of 17 Print Date 07/29/2015

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

:

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

		pecies	Dose	Exposure
LC50 Inhala	tion R	at - Male	6.82 Mg/l	4 h
LD50 Derma	al R	abbit	> 5,000 mg/kg	-
ate pigment)			· · · ·	•
mate pigment)				
LD50 Oral	R	at	15,400 mg/kg	-
: 1	Mixture.	Not fully teste	ed.	
: 1	Mixture.	Not fully teste	ed.	
: 1	Mixture.	Not fully teste	ed.	
: 1	Mixture.	Not fully teste	ed.	
: 1	Mixture.	Not fully teste	ed.	
: 1	Mixture.	Not fully teste	ed.	
OSHA	IAR	C N'	ТР	
	LD50 Dermate pigment) mate pigment) LD50 Oral	LD50 Dermal R ate pigment) mate pigment) LD50 Oral R : Mixture. : Mixture.	LD50 Dermal Rabbit ate pigment) mate pigment) LD50 Oral Rat : Mixture.Not fully tested : Mixture.Not fully tested	LD50 Dermal Rabbit > 5,000 mg/kg ate pigment) mate pigment) LD50 Oral Rat 15,400 mg/kg : Mixture.Not fully tested. : Mixture.Not fully tested.



Version Number 1.0 Revision Date 07/28/2015

Page 10 of 17 Print Date 07/29/2015

name		
Titanium dioxide		2B
Chrome yellow (Lead	+	1
chromate pigment)		
Molybdate orange (Lead	+	1
chromate pigment)		
Carbon black		2B
Reproductive toxicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Teratogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity Not available.	<u> (single ex</u>	posure)
Specific target organ toxicity Not available.	<u> (repeated</u>	l exposure)
Aspiration hazard Not available.		
Information on the likely rou exposure	tes of :	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation		No known significant effects or critical hazards.
Skin contact		No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical sector of the sector of t	sical, chem	nical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation		No specific data.
Skin contact		No specific data.
Ingestion		No specific data.
	•	The specific data.
Delayed and immediate effec	ts and also	chronic effects from short and long term exposure

Short term exposure

POLYONE CORPORATION



SAFETY DATA SHEET **BEIGE 104661 3**

Version Number 1.0 Revision Date 07/28/2015

Page 11 of 17 Print Date 07/29/2015

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Mummichog	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fathead minnow	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	



Version Number 1.0 Revision Date 07/28/2015 Page 12 of 17 Print Date 07/29/2015

	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
Carbon black		·	
	Acute EC50 37.563 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 61.547 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
BEIGE 104661 3			
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.		
Conclusion/Summary	: Chemicals are not reapplymer matrix.	dily available as they are bou	nd within the
Persistence and degradability	<u>y</u>		
Conclusion/Summary	: Chemicals are not reapolymer matrix.	dily available as they are bou	nd within the
Conclusion/Summary	: Chemicals are not reapolymer matrix.	dily available as they are bou	nd within the

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential	
Titanium dioxide		352.00	low	
Chrome yellow (Lead chromate pigment)		3,600.00	high	
Molybdate orange (Lead chromate pigment)		3,600.00	high	

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be



Version Number 1.0 Revision Date 07/28/2015 Page 13 of 17 Print Date 07/29/2015

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: The following components are listed: Chrome yellow (Lead chromate pigment)
	United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Listed Molybdate orange (Lead chromate pigment)
	United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed Chrome yellow (Lead chromate pigment) Molybdate orange (Lead chromate pigment)
	United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report

Version Number 1.0	Page 14 of 17
Revision Date 07/28/2015	Print Date 07/29/2015

(PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Chrome yellow (Lead chromate pigment) Molybdate orange (Lead chromate pigment) United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	30 - 60	СН
Chrome yellow (Lead chromate	1 - 5	СН
pigment)		
Molybdate orange (Lead	1 - 5	СН
Molybdate orange (Lead	1 - 5	СН



Version Number 1.0 Revision Date 07/28/2015

Page 15 of 17 Print Date 07/29/2015

chromate pigment)		
Carbon black	0.1 - 1	СН

SARA 313

	Product name	CAS number	%	
Form R - Reporting	Chrome yellow (Lead	1344-37-2	1 - 5	
requirements	chromate pigment)			
	Molybdate orange (Lead	12656-85-8	1 - 5	
	chromate pigment)			
Supplier notification	Chrome yellow (Lead	1344-37-2	1 - 5	
	chromate pigment)			
	Molybdate orange (Lead	12656-85-8	1 - 5	
	chromate pigment)			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide Calcium carbonate
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Titanium dioxide 2-Propenenitrile, polymer with Ethenylbenzene Chrome yellow (Lead chromate pigment) Molybdate orange (Lead chromate pigment) Calcium carbonate Carbon black
Pennsylvania	:	The following components are listed: Titanium dioxide
		Chrome yellow (Lead chromate pigment)
		Molybdate orange (Lead chromate pigment)
		Calcium carbonate
		Carbon black

California Prop. 65



Version Number 1.0 Revision Date 07/28/2015 Page 16 of 17 Print Date 07/29/2015

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

History		
Date of printing	:	07/29/2015
Date of issue/Date of revision	:	07/28/2015
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)



Version Number 1.0 Revision Date 07/28/2015 Page 17 of 17 Print Date 07/29/2015

References

UN = United Nations Not available.

:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.