JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 1 of 15 Print Date 07/19/2019

SAFETY DATA SHEET

JXW BLACK ADX5353

Section 1. Identification			
GHS product identifier	:	JXW BLACK ADX5353	
Chemical name	:	Mixture	
CAS number	:	Mixture	
Other means of identification	:	CC10225418	
Product type	:	solid	
Relevant identified uses of the subs	stance	e or mixture and uses advised against	
Product use	:	Industrial applications. Plastics.	
Supplier's details	:	POLYONE CORPORATION	
		33587 Walker Road, Avon Lake, OH 44012	
		1 (440) 930-1000 or 1 (866) POLYONE	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or	
(with hours of operation)		accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

<u>PolyOn</u>

JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 2 of 15 Print Date 07/19/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10225418

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	5 - 10	1333-86-4
Talc	1 - 3	14807-96-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



JXW BLACK ADX5353

Version Number 1.2	Page 3 of 15
Revision Date 07/17/2019	Print Date 07/19/2019

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

yOne

JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 5 of 15 Print Date 07/19/2019

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction	
Talc	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01)	



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019

		 TWA 0.1 fibrers/cm3 Form: respiratble fibre OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb STEL 1 fibrers/cm3 Form: not/asb STEL 1 fibrers/cm3 Form: con/asb STEL 1 fibrers/cm3 Form: con/asb
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection Other skin protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

ne

JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 7 of 15 Print Date 07/19/2019

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color	-	BLACK
Odor	-	Faint odor.
Odor threshold	-	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will
		7/4 5

7/15



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019

Page 8 of 15 Print Date 07/19/2019

		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids.
		Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable tox	icity data				
Remarks - Inhalation:	No applicable tox	No applicable toxicity data				
Remarks - Dermal:	No applicable tox	No applicable toxicity data				
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Remarks - Inhalation:	No applicable tox	icity data				
Remarks - Dermal:	No applicable tox	No applicable toxicity data				
Conclusion/Summary	: Mixt	ure.Not fully tested.				

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not ful	ly tested.		
Eyes	: M	ixture.Not ful	ly tested.		
Respiratory	: M	ixture.Not ful	ly tested.		
Considiration					
Sensitization					
<u>Sensitization</u> Conclusion/Summary					
	: M	lixture.Not ful	ly tested.		



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 9 of 15 Print Date 07/19/2019

Conclusion/Summary	:	Mixture.Not f	fully tested.	
Carcinogenicity				
Conclusion/Summary <u>Classification</u>	:	Mixture.Not f	ully tested.	
Product/ingredient	OSHA	IARC	NTP	٦
name				
Talc		312B		
Carbon black		2B		
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	Mixture.Not f	fully tested.	
Teratogenicity				
Conclusion/Summary	:	Mixture.Not f	fully tested.	
Specific target organ toxicity Not available.	(single exp	<u>osure)</u>		
Specific target organ toxicity Not available.	(repeated e	exposure)		
Aspiration hazard Not available.				
Information on likely routes of exposure	of :	Not available.		
Potential acute health effects				
Eye contact	:	No known sig	nificant effects or critical hazards.	
Inhalation			nificant effects or critical hazards.	
Skin contact	:		nificant effects or critical hazards.	
Ingestion	:		nificant effects or critical hazards.	
Symptoms related to the phys	ical, chemi	cal and toxicol	ogical characteristics	
Eye contact	:	No specific da	ita.	
Inhalation	:	No specific da	ita.	
Skin contact	:	No specific da		
Ingestion	:	No specific da	ita.	

JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 <u>PolyOne</u>

Page 10 of 15 Print Date 07/19/2019

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Talc			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 11 of 15 Print Date 07/19/2019

Aquatic invertebrates.:				
Carbon black				
Remarks - Acute - Fish:	No applica	ble toxicity data		
	Acute EC5	0 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
	water		Daphnia	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applica	ble toxicity data		
plants:				
Remarks - Chronic - Fish:	<u> </u>	ble toxicity data		
Remarks - Chronic -	No applica	ble toxicity data		
Aquatic invertebrates.: JXW BLACK ADX5353				
	Chaminala			
Remarks - Acute - Aquatic invertebrates.:	Chemicals	are not readily available	as they are bound within the	e polymer matrix.
Conclusion/Summary	:	Chemicals are not read	lily available as they are bou	nd within the
Conorad, cond. C annual y		polymer matrix.		
Persistence and degradability	<u>v</u>			
Conclusion/Summary	:		lily available as they are bou	nd within the
		polymer matrix.		
Bioaccumulative potential				
Not available.				
Mobility in soil				
Soil/water partition coefficient	ent :	Not available.		
(KOC)				
Other adverse effects	:	No known significant	effects or critical hazards.	

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the

Ine

JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 12 of 15 Print Date 07/19/2019

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report

JXW BLACK ADX5353

PolyOne.

JAW BLACK ADX5353		
Version Number 1.2 Revision Date 07/17/2019		Page 13 of 15 Print Date 07/19/2019
		 (PAIR): Listed Quinacridone (C.I. Pigment Violet 19) United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Talc	>= 1 - <= 3	CARCINOGENICITY - Category 2
Carbon black	>= 5 - <= 10	CARCINOGENICITY - Category 2

<u>SARA 313</u>



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019

Page 14 of 15 Print Date 07/19/2019

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Carbon black Talc White mineral oil (petroleum)
Pennsylvania	: The following components are listed: Talc

Carbon black

California Prop. 65

WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information



JXW BLACK ADX5353

Version Number 1.2 Revision Date 07/17/2019 Page 15 of 15 Print Date 07/19/2019

Hazardous Material Information System (U.S.A.)

/ 0	Health
0	Flammability
ds 0	Physical hazards
ds	Physical hazards

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	07/19/2019
Date of issue/Date of revision	:	07/17/2019
Date of previous issue	:	10/20/2016
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{\mathbf{U}}\mathbf{N} = \mathbf{U}\mathbf{n}\mathbf{i}\mathbf{t}\mathbf{e}\mathbf{d}$ Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.