UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018

ne

Page 1 of 17 Print Date 11/19/2018

SAFETY DATA SHEET

UV GRAY PVC

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	UV GRAY PVC Mixture Mixture CC10225975 solid
<u>Relevant identified uses of the subs</u> Product use	tance:	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018

Page 2 of 17 Print Date 11/19/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10225975

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	5 - 10	13463-67-7
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-	5 - 10	25973-55-1
Poly[[6-[(1,1,3,3-tetramethylbutyl)amino]-1,3,5-triazine-2,4- diyl][(2,2,6,6-tetramethyl-4-piperidinyl)imino]-1,6- hexanediyl[(2,2,6,6-tetramethyl-4-piperidinyl)imino]]	3 - 5	Not available.
Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)-	1 - 3	57583-34-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018



Page 3 of 17 Print Date 11/19/2018

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential	acute	health	effects
------------------	-------	--------	---------

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
0		

Over-exposure signs/symptoms

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 PolyOne.

Page 4 of 17 Print Date 11/19/2018

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018

PolyOne

Page 5 of 17 Print Date 11/19/2018

Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 Page 6 of 17 Print Date 11/19/2018

	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Phenol, 2-(2H-benzotriazol-2-yl)-4,6- bis(1,1-dimethylpropyl)-	
Poly[[6-[(1,1,3,3- tetramethylbutyl)amino]-1,3,5-triazine- 2,4-diyl][(2,2,6,6-tetramethyl-4- piperidinyl)imino]-1,6- hexanediyl[(2,2,6,6-tetramethyl-4- piperidinyl)imino]]	
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-	OSHA PEL 1989 (1989-03-01) as Sn PEL: Permissible Exposure Level 0.1 mg/m3 Form: Organic. ACGIH TLV (1996-05-18) as Sn TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.1 mg/m3 ACGIH TLV (1994-09-01) as Sn TLV-STEL: Threshold Limit Value - Short Time Exposure Level 0.2 mg/m3 NIOSH REL (1994-06-01) as Sn Time Weighted Average (TWA) 0.1 mg/m3 OSHA PEL (1993-06-30) as Sn PEL: Permissible Exposure Level 0.1 mg/m3
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to
	6/17



UV GRAY PVC

Skin protection



Version Number 1.1	Page 7 of 17
Revision Date 04/23/2018	Print Date 11/19/2018

liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Chemical-resistant, impervious gloves complying with an approved

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical product if a risk assessment indicates this is necessary.	
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 <u>PolyOne</u>

Page 8 of 17 Print Date 11/19/2018

Partition coefficient: n- octanol/water	:	Not available.
octanoi/ watci		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
·		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)-						
	LD50 Oral	Rat	920 mg/kg	-		
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	city data				
Titanium dioxide						
Remarks - Oral:	No applicable toxic	No applicable toxicity data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-						
Remarks - Oral:	No applicable toxicity data					
Remarks - Inhalation:	No applicable toxicity data					



UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 Page 9 of 17 Print Date 11/19/2018

Remarks - Dermal:	No applicable	toxicity data			
Poly[[6-[(1,1,3,3-tetramethylbutyl)amino]-1,3,5-triazine-2,4-diyl][(2,2,6,6-tetramethyl-4-piperidinyl)imino]-1,6-					
hexanediyl[(2,2,6,6-tetramethy	l-4-piperidinyl)i	mino]]	• ·		· • · –
	LD50 Oral	Rat		9,910 mg/kg	-
	LC50 Inhalati	on Rat		0.112 Mg/l	4 h
Remarks - Dermal:					
Conclusion/Summary	: M	ixture.Not full	y tested.		
Irritation/Corrosion					
	-		~		
Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Poly[[6-[(1,1,3,3-	Skin - Mild	Rabbit			-
tetramethylbutyl)amino]-	irritant				
1,3,5-triazine-2,4-					
diyl][(2,2,6,6-tetramethyl-4-					
piperidinyl)imino]-1,6-					
hexanediyl[(2,2,6,6-					
tetramethyl-4-					
piperidinyl)imino]]					
Conclusion/Summary					
Skin		ixture.Not full			
Eyes		ixture.Not full			
Respiratory	: M	ixture.Not full	y tested.		
Sensitization					
Sensiuzation					
Conclusion/Summary					
Skin	: M	ixture.Not full	v tested		
Respiratory		ixture.Not full			
nespiratory	• • • •		j testea.		
Mutagenicity					
<u></u>					
Conclusion/Summary	: M	ixture.Not full	y tested.		
·			•		
<u>Carcinogenicity</u>					
Conclusion/Summary	: M	ixture.Not full	y tested.		
<u>Classification</u>		1			
Product/ingredient	OSHA	IARC	NTP		
name					
Titanium dioxide		2B			

Reproductive toxicity

PolyOne

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 Page 10 of 17 Print Date 11/19/2018

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category		Route of exposure	Target organs
Phenol, 2-(2H-benzotriazol-	Category 2		OralOral	kidneys
2-yl)-4,6-bis(1,1-				liver
dimethylpropyl)-				
Aspiration hazard Not available.				
Information on likely routes of exposure	of :	Not available	2.	
Potential acute health effects				
Eye contact	:		gnificant effects or criti	
Inhalation	:		gnificant effects or criti	
Skin contact	:		gnificant effects or criti	
Ingestion	:	No known si	gnificant effects or criti	cal hazards.
Symptoms related to the phys	sical, chemio	cal and toxico	logical characteristics	
Eye contact	:	No specific d	ata.	
Inhalation	:	No specific d	ata.	
Skin contact	:	No specific d	ata.	
Ingestion	:	No specific d	ata.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Short term exposure				
Potential immediate effects	:	Not available	2.	
Potential delayed effects	:	Not available		
Long term exposure				
			N/47	

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 <u>PolyOne</u>.

Page 11 of 17

Print Date 11/19/2018

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure			
Stannane, methyltris(2-ethylhe	thyltris(2-ethylhexyloxycarbonylmethylthio)-					
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Titanium dioxide						
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h			
	water					
Remarks - Acute - Fish:	Acute					
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h			
		Crustaceans				
Remarks - Acute - Aquatic	Acute					
invertebrates.:						



UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 Page 12 of 17 Print Date 11/19/2018

	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
Remarks - Acute - Aquatic invertebrates.:	Acute			
Remarks - Acute - Aquatic plants:	No applicable toxicity data			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Phenol, 2-(2H-benzotriazol-2-	yl)-4,6-bis(1,1-dimethylpropyl)-			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
	utyl)amino]-1,3,5-triazine-2,4-diyl][(2,	2,6,6-tetramethyl-4-piperio	dinyl)imino]-1,6-	
hexanediyl[(2,2,6,6-tetramethy				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data	No applicable toxicity data		
Aquatic invertebrates.:				
UV GRAY PVC				
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	e polymer matrix.	
invertebrates.: Conclusion/Summary	Chamicals are not readil	y available as they are bou	nd within the	
Conclusion/Summary	: Chemicals are not readil polymer matrix.	ly available as uley are bou	na wiunn the	
	porymer maurx.			
Persistence and degradability	<u>v</u>			
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the	
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the	
Bioaccumulative potential				

12/17

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 Da na 10 af 1

Page 13 of 17 Print Date 11/19/2018

Not available.

<u>Mobility in soil</u>

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

UV GRAY PVC

Pol	vOne.

Version Numbe	er 1.1
Revision Date	04/23/2018

Page 14 of 17 Print Date 11/19/2018

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Cyclohexene, 4-ethenyl-Tert-Butanol
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Chromium iron oxide Rutile, antimony chromium buff Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed

UV GRAY PVC

Version Number 1.1 Revision Date 04/23/2018 Page 15 of 17 Print Date 11/19/2018

Ine

DEA List II Chemicals (Essential : Not listed **Chemicals**)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio) -	1 - 3	АН
Titanium dioxide	5 - 10	СН
Phenol, 2-(2H-benzotriazol-2-yl)- 4,6-bis(1,1-dimethylpropyl)-	5 - 10	СН
Poly[[6-[(1,1,3,3- tetramethylbutyl)amino]-1,3,5- triazine-2,4-diyl][(2,2,6,6- tetramethyl-4-piperidinyl)imino]- 1,6-hexanediyl[(2,2,6,6- tetramethyl-4-piperidinyl)imino]]	3 - 5	АН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Chromium iron oxide	12737-27-8	3 - 5
requirements			
	Rutile, antimony chromium	68186-90-3	1 - 3
	buff		
Supplier notification	Chromium iron oxide	12737-27-8	3 - 5
	Rutile, antimony chromium buff	68186-90-3	1 - 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.

15/17

UV GRAY PVC



Version Number 1.1 Revision Date 04/23/2018			Page 16 of 17 Print Date 11/19/2018
New Jersey	:	The following components are listed: Rutile, antimony chromium buff Chromium iron oxide Titanium dioxide	
Pennsylvania	:	Ethene, chloro-, homopolymer The following components are listed: Rutile, antimony chromium buff	
		Chromium iron oxide	
		Titanium dioxide	
<u>California Prop. 65</u> WARNING: This product contains a cl	hemi	ical known to the State of California to caus	e cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.	
Canada inventory	:	Not determined.	
International regulations			
Inventory list			
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan Turkey		Not determined. Not determined. All components are listed or exempted. All components are listed or exempted. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.	
United States	:	All components are listed or exempted.	

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

UV GRAY PVC

Version Number 1.1	Page 17 of 17
Revision Date 04/23/2018	Print Date 11/19/2018

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	11/19/2018
Date of issue/Date of revision	:	04/23/2018
Date of previous issue	:	09/24/2015
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Defenences		
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.