CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022



Page 1 of 16 Print Date 02/11/2022

SAFETY DATA SHEET

CMPD GRAY Q716-2-4

Section 1. Identificatio	n	
GHS product identifier	:	CMPD GRAY Q716-2-4
Chemical name CAS number	:	Mixture Mixture
Other means of identification Product type	:	CC10226847 solid
	ance	or mixture and uses advised against
Product use	:	Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÄVIENT

Page 2 of 16 Print Date 02/11/2022

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10226847

CAS number/other identifiers

Ingredient name	%	CAS number
White mineral oil (low viscosity)	>= 25 - <= 50	8042-47-5
Titanium dioxide	>= 1 - <= 3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated

2/16

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÀVIENT

Page 3 of 16

Print Date 02/11/2022

Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, ac	ute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022



Page 4 of 16 Print Date 02/11/2022

		carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this
hygiene		material is handled, stored and processed. Workers should wash hands

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022



Page 5 of 16
Print Date 02/11/2022

and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities
 Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
White mineral oil (low viscosity)	OSHA PEL (1993-06-30) TWA 5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 5 mg/m3 Form: Mist
	STEL 10 mg/m3 Form: Mist
	ACGIH TLV (2009-11-30)
	TWA 5 mg/m3 Form: Inhalable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	TWA 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	TWA 15 mg/m3 Form: Total dust
	ACGIH TLV (1996-05-18)
	TWA 10 mg/m3
	ACGIH TLV (1996-05-18)

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

Individual protection measures

ÀVIENT

Page 6 of 16
Print Date 02/11/2022

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: solid [Granular solid	1.]
Color	: GREY	
Odor	: Faint odor.	
Odor threshold	: Not available.	
рН	: Not available.	
Melting point	: Not available.	
Boiling point	: Not available.	
Flash point	: Not available.	
Burning time	: Not available.	
Burning rate	: Not available.	
Evaporation rate	: Not available.	

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÀVIENT

Page 7 of 16 Print Date 02/11/2022

Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
Viscosity	:	Dynamic: Not available. Kinematic: Not available.
Viscosity <u>Aerosol product</u>	:	•
·	:	•
Aerosol product	·	Kinematic: Not available.
Aerosol product Heat of combustion Ignition distance Enclosed space ignition - Time	·	Kinematic: Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Kinematic: Not available. Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Kinematic: Not available. Not available. Not available.
Aerosol product Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density	:	Kinematic: Not available. Not available. Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Kinematic: Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

Page 8 of 16 Print Date 02/11/2022

ÀVIENT

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum) A hydrocarbons obtained from the hydrogenation, or by a combina may be included in the processi predominantly in the range of C	intensive treatme tion of hydrogena ng operation. It c	nt of a petroleution and acid the	Im fraction with sulfuric ac reatment. Additional washi	id and oleum, or by ing and treating steps
	LD50 Oral	Rat	5,000 mg/kg	-
	LD50 Dermal	Rat	2,000 mg/kg	-
Titanium oxide (TiO2)	•	•	· · · · · ·	
	LC50 Inhalation Dusts and mists		6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary <u>Irritation/Corrosion</u>	: Mixt	ure.Not fully te	sted.	
Conclusion/Summary Skin Eyes Respiratory Sensitization	: Mixt	ure.Not fully to ure.Not fully to ure.Not fully to	ested.	
Conclusion/Summary Skin Respiratory <u>Mutagenicity</u>		ure.Not fully to ure.Not fully to		
Conclusion/Summary	: Mixt	ure.Not fully to	ested.	
<u>Carcinogenicity</u> Conclusion/Summary <u>Classification</u>	: Mixt	ure.Not fully to	ested.	
Product/ingredient name	OSHA I	ARC	NTP	
r i ouuco mgi culent name			11 A A	

Reproductive	toxicity
neproductive	comercy

Titanium oxide (TiO2)

Conclusion/Summary

Mixture.Not fully tested.

2**B**

-

:

-

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

AVIENT

Page 9 of 16 Print Date 02/11/2022

Teratogenicity

Conclusion/Summary

: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
White mineral oil (petroleum) A highly refined	ASPIRATION HAZARD - Category 1
petroleum mineral oil consisting of a complex	
combination of hydrocarbons obtained from the	
intensive treatment of a petroleum fraction with sulfuric	
acid and oleum, or by hydrogenation, or by a	
combination of hydrogenation and acid treatment.	
Additional washing and treating steps may be included	
in the processing operation. It consists of saturated	
hydrocarbons having carbon numbers predominantly in	
the range of C15 through C50.	

Information on the likely routes of : Not available. **exposure**

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÀVIENT

Page 10 of 16 Print Date 02/11/2022

Potential immediate effects Potential delayed effects	Not available.Not available.
Long term exposure	
Potential immediate effects Potential delayed effects	Not available.Not available.
Potential chronic health effects	
Conclusion/Summary	: Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u>	 No known significant effects or critical hazards.
N/A	
Other information	: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Titanium oxide (TiO2)					
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h		
	Marine water				
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h		
		dubia			
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h		
	water				
CMPD GRAY Q716-2-4					
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.				

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÀVIENT

Page 11 of 16 Print Date 02/11/2022

invertebrates.:		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
White mineral oil (petroleum) A	6	-	high
highly refined petroleum mineral oil			
consisting of a complex combination			
of hydrocarbons obtained from the			
intensive treatment of a petroleum			
fraction with sulfuric acid and oleum,			
or by hydrogenation, or by a			
combination of hydrogenation and			
acid treatment. Additional washing			
and treating steps may be included in			
the processing operation. It consists			
of saturated hydrocarbons having			
carbon numbers predominantly in the			
range of C15 through C50.			

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not availab	le.	

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods :	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental
--------------------	---

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022



Page 12 of 16 Print Date 02/11/2022

protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	12/16

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÀVIENT

Page 13 of 16 Print Date 02/11/2022

		determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
White mineral oil (petroleum) A highly refined petroleum mineral oil consisting of a complex combination of hydrocarbons obtained from	>= 25 - <= 50	ASPIRATION HAZARD - Category 1

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022



Page 14 of 16 Print Date 02/11/2022

the intensive treatment of a		
petroleum fraction with		
sulfuric acid and oleum, or		
by hydrogenation, or by a		
combination of		
hydrogenation and acid		
treatment. Additional		
washing and treating steps		
may be included in the		
processing operation. It		
consists of saturated		
hydrocarbons having carbon		
numbers predominantly in		
the range of C15 through		
C50.		
Titanium oxide (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		White mineral oil (low viscosity)
		Titanium dioxide
Pennsylvania	:	The following components are listed:
-		Titanium dioxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.

International regulations

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022



Page 15 of 16 Print Date 02/11/2022

Inventory list

: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: All components are listed or	exempted.
: Not determined.	
: All components are active o	r exempted.
	 All components are listed or

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	02/11/2022
Date of issue/Date of revision	:	02/09/2022
Date of previous issue	:	04/03/2020
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)

CMPD GRAY Q716-2-4

Version Number 1.3 Revision Date 02/09/2022

ÀVIENT

Page 16 of 16 Print Date 02/11/2022

References

UN = United Nations Not available.

:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.