## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016

ne

Page 1 of 17 Print Date 04/06/2016

# SAFETY DATA SHEET

### CD10169 BLUE

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification	:	CD10169 BLUE Mixture Mixture CC10236724
Product type	:	liquid
	tance	e or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN CORROSION/IRRITATION - Category 2
GHS label elements		

## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016

Page 2 of 17 Print Date 04/06/2016

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes skin irritation.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Wash hands thoroughly after handling.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

Substance/mixture Mixture : **Chemical name** Mixture : Other means of identification CC10236724 :

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	50 - 75	13463-67-7
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	10 - 25	Not available.
Carbon black	0.1 - 0.3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016



Page 3 of 17 Print Date 04/06/2016

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	Causes skin irritation.
Ingestion	:	No known significant effects or critical hazards.
-		-

**Over-exposure signs/symptoms** 



## **CD10169 BLUE**

Version Number 1.0	Page 4 of 17
Revision Date 03/16/2016	Print Date 04/06/2016

Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures



## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016 Page 5 of 17 Print Date 04/06/2016

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	5/17

## **CD10169 BLUE**



Version Number 1.0 Revision Date 03/16/2016		Page 6 of 17 Print Date 04/06/2016
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3
Miscellaneous Compounds Distillates,	
petroleum, hydrotreated middle	
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 3.5 mg/m3
	Time Weighted Average (TWA)
	ACGIH TLV (2010-12-06)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:

## **CD10169 BLUE**

PolyOne

Version Number 1.0 Revision Date 03/16/2016 Page 7 of 17 Print Date 04/06/2016

	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	<ul> <li>Good general ventilation should be sufficient to control worker exposure to airborne contaminants.</li> <li>Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.</li> </ul>
Individual protection measures	
Hygiene measures Eye/face protection	<ul> <li>Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.</li> </ul>
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
<b>Respiratory protection</b>	: Use a properly fitted, air-purifying or air-fed respirator complying

## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016

ne.

Page 8 of 17 Print Date 04/06/2016

with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

#### Appearance

Physical state	:	liquid
Color	:	BLUE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.	
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).	
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will	
2/47			

8/17



## **CD10169 BLUE**

Version Number 1.0	Page 9 of 17
Revision Date 03/16/2016	Print Date 04/06/2016

	not occur.
:	Keep away from extreme heat and oxidizing agents.
:	Keep away from strong acids.
	Oxidizer.
:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	:

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Carbon black		·		
	LD50 Oral	Rat	15,400 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not fu	lly tested.		
Eyes	: N	lixture.Not fu	lly tested.		
Respiratory	: N	lixture.Not fu	lly tested.		
<u>Sensitization</u> Conclusion/Summary					
Skin	• N	lixture.Not fu	llv tested		
Respiratory		lixture.Not fu	•		
<b>Mutagenicity</b>					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		



## CD10169 BLUE

Version Number 1.0				
Revision Date	03/16/2016			

Page 10 of 17 Print Date 04/06/2016

### **Carcinogenicity**

Product/ingredient O	SHA	IARC	NTP
name			
Titanium dioxide		2B	
Carbon black		2B	
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not	fully tested.
<u>Teratogenicity</u>			
Conclusion/Summary	:	Mixture.Not	fully tested.
Specific target organ toxicity (si Not available.	ngle exp	<u>osure)</u>	
Not available.			
Specific target organ toxicity (re	epeated e	exposure)	
Not available.		<u> </u>	
Aspiration hazard			
Product/ingredient name			Result
	ates netro	oleum	Result ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla	ates, petro	oleum,	Result ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla	ates, petro	oleum,	
Product/ingredient name Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes	-	oleum, Not available	ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla	-		ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure	-		ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure	-		ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects	-	Not available	ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects	-	Not available No known sig	ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation	of : :	Not available No known sig	ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact	of :	Not available No known sig No known sig Causes skin in	ASPIRATION HAZARD - Category 1
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion	of : : :	Not available No known sig No known sig Causes skin ii No known sig	ASPIRATION HAZARD - Category 1 mificant effects or critical hazards. mificant effects or critical hazards. critical hazards. mificant effects or critical hazards.
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the physica	of : : :	Not available No known sig No known sig Causes skin in No known sig cal and toxicol	ASPIRATION HAZARD - Category 1 gnificant effects or critical hazards. gnificant effects or critical hazards. rritation. gnificant effects or critical hazards. <b>ogical characteristics</b>
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion	of : : :	Not available No known sig No known sig Causes skin in No known sig <b>cal and toxicol</b> Adverse symp	ASPIRATION HAZARD - Category 1 milicant effects or critical hazards. milicant effects or critical hazards. milicant effects or critical hazards. milicant effects or critical hazards. <b>ogical characteristics</b> otoms may include the following:
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the physica	of : : : : !	Not available No known sig No known sig Causes skin i No known sig <b>cal and toxicol</b> Adverse symp pain or irritati	ASPIRATION HAZARD - Category 1 milicant effects or critical hazards. milicant effects or critical hazards. milicant effects or critical hazards. milicant effects or critical hazards. <b>ogical characteristics</b> otoms may include the following:
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the physica	of : : : : !	Not available No known sig No known sig Causes skin ii No known sig <b>cal and toxicol</b> Adverse symp pain or irritati watering	ASPIRATION HAZARD - Category 1 milicant effects or critical hazards. milicant effects or critical hazards. milicant effects or critical hazards. milicant effects or critical hazards. <b>ogical characteristics</b> otoms may include the following:
Miscellaneous Compounds Distilla nydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the physica Eye contact	of : : : : !	Not available No known sig No known sig Causes skin ii No known sig <b>cal and toxicol</b> Adverse symp pain or irritati watering redness	ASPIRATION HAZARD - Category 1 milicant effects or critical hazards. gnificant effects or critical hazards. rritation. gnificant effects or critical hazards. ogical characteristics ptoms may include the following: on
Miscellaneous Compounds Distilla hydrotreated middle Information on the likely routes exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the physica	of : : : : !	Not available No known sig No known sig Causes skin ii No known sig <b>cal and toxicol</b> Adverse symp pain or irritati watering	ASPIRATION HAZARD - Category 1 milicant effects or critical hazards. gnificant effects or critical hazards. rritation. gnificant effects or critical hazards. ogical characteristics ptoms may include the following: on

## **CD10169 BLUE**



Version Number 1.0 Revision Date 03/16/2016	Page 11 of 17 Print Date 04/06/2016
Skin contact :	
	irritation redness
Ingestion :	
Delayed and immediate effects and also	o chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Long form exposure	
Long term exposure	
Potential immediate effects	Not available.
Potential delayed effects :	Not available.
Potential chronic health effects	
Conclusion/Summary :	Mixture.Not fully tested.
General	No known significant effects or critical hazards.
Carcinogenicity :	No known significant effects or critical hazards.
Mutagenicity :	No known significant effects or critical hazards.
Teratogenicity :	8
Developmental effects :	6
Fertility effects :	No known significant effects or critical hazards.
Numerical magness of torisit-	
Numerical measures of toxicity	

### Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	11.69 mg/l

## Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure		
Titanium dioxide					
	Acute LC50 > 1,000,000 µg/l	Fish - Fish	96 h		
	Marine water				
11/17					



## CD10169 BLUE

Version Number 1.0 Revision Date 03/16/2016 Page 12 of 17 Print Date 04/06/2016

Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h
Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute EC50 37.563 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute LC50 61.547 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	waterAcute LC50 13 mg/l Fresh waterAcute LC50 6.5 mg/l Fresh waterAcute LC50 3 mg/l Fresh waterAcute LC50 15.9 mg/l Fresh waterAcute LC50 3.6 mg/l Fresh waterAcute LC50 11 mg/l Fresh waterAcute LC50 13.4 mg/l Fresh waterAcute EC50 27.8 mg/l Fresh waterAcute EC50 19.3 mg/l Fresh waterAcute EC50 35.306 mg/l Fresh waterAcute EC50 37.563 mg/l Fresh waterAcute EC50 37.563 mg/l Fresh waterAcute EC50 61.547 mg/l Fresh	waterAcute LC50 13 mg/l Fresh waterAquatic invertebrates. DaphniaAcute LC50 6.5 mg/l Fresh waterAquatic invertebrates. DaphniaAcute LC50 3 mg/l Fresh waterAquatic invertebrates. CrustaceansAcute LC50 15.9 mg/l Fresh waterAquatic invertebrates. CrustaceansAcute LC50 3.6 mg/l Fresh waterAquatic invertebrates. CrustaceansAcute LC50 11 mg/l Fresh waterAquatic invertebrates. CrustaceansAcute LC50 13.4 mg/l Fresh waterAquatic invertebrates. CrustaceansAcute EC50 27.8 mg/l Fresh waterAquatic invertebrates. DaphniaAcute EC50 35.306 mg/l Fresh waterAquatic invertebrates. DaphniaAcute EC50 37.563 mg/l Fresh waterAquatic invertebrates. DaphniaAcute LC50 61.547 mg/l Fresh MaterAquatic invertebrates. Daphnia

Conclusion/Summary

: Not available.

### Persistence and degradability

**Conclusion/Summary** : Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

### **Mobility in soil**

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016

# <u>PolyOne</u>

Page 13 of 17 Print Date 04/06/2016

## Section 13. Disposal considerations

•

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

## Section 15. Regulatory information

United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed	U.S. Federal regulations	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed
---	--------------------------	--

## CD10169 BLUE

P	bly	One	P.

Version Number 1.0	Page 14 of 17
Revision Date 03/16/2016	Print Date 04/06/2016

		<ul> <li>United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined</li> <li>United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed</li> <li>United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue Titanium dioxide</li> <li>United States - EPA Clean ir act (CAA) section 311 - Hazardous substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed</li> <li>United States - Department of commerce - Precursor chemical: Not listed</li> </ul>
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

### SARA 311/312

Classification

: Immediate (acute) health hazard

### **Composition/information on ingredients**

Name	%	Classification
Miscellaneous Compounds	10 - 25	AH
Distillates, petroleum,		



## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016

Page 15 of 17 Print Date 04/06/2016

hydrotreated middle		
Titanium dioxide	50 - 75	СН
Carbon black	0.1 - 0.3	СН

### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	Titanium dioxide	13463-67-7	50 - 75
	Aluminum oxide	1344-28-1	1 - 3
Supplier notification	Titanium dioxide	13463-67-7	50 - 75
	Aluminum oxide	1344-28-1	1 - 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide Aluminum oxide
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Titanium dioxide Aluminum oxide Carbon black
Pennsylvania	:	The following components are listed: Carbon black Aluminum oxide
		Aluminum Oxide
		Titanium dioxide

<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.

### **International regulations**

## **CD10169 BLUE**



Version Number 1.0 Revision Date 03/16/2016	Page 16 of 17 Print Date 04/06/2016

International lists	:	<ul> <li>Australia inventory (AICS): Not determined.</li> <li>Taiwan inventory (CSNN): Not determined.</li> <li>Malaysia Inventory (EHS Register): Not determined.</li> <li>EINECS: All components are listed or exempted.</li> <li>Japan inventory: Not determined.</li> <li>China inventory (IECSC): Not determined.</li> <li>Korea inventory: Not determined.</li> <li>New Zealand Inventory of Chemicals (NZIoC): Not determined.</li> <li>Philippines inventory (PICCS): Not determined.</li> </ul>
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention	:	Not listed
List Schedule II Chemicals		
<b>Chemical Weapons Convention</b>	:	Not listed
List Schedule III Chemicals		

## **Section 16. Other information**

<u>History</u>		
Date of printing	:	04/06/2016
Date of issue/Date of revision	:	03/16/2016
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

<u>lyOne</u>

## **CD10169 BLUE**

Version Number 1.0 Revision Date 03/16/2016 Page 17 of 17 Print Date 04/06/2016

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.