### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 1 of 18 Print Date 08/29/2019

# SAFETY DATA SHEET

#### **GREY CAMSO PP2050CN**

Section 1. Identification	n	
GHS product identifier	:	GREY CAMSO PP2050CN
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10240872
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

# PolyOne

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 2 of 18 Print Date 08/29/2019

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10240872

#### CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Formamide, N,N'-1,6-hexanediylbis[N-(2,2,6,6-tetramethyl-4-piperidinyl)-	5 - 10	124172-53-8
Silica, amorphous	1 - 3	7631-86-9
Carbon black	0.3 - 1	1333-86-4
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	0.3 - 1	1345-16-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 3 of 18 Print Date 08/29/2019

Occupational exposure limits, if available, are listed in Section 8.

### **Section 4. First aid measures**

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	ttentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surgeillance for 48 hours.
Specific treatments	:	medical surveillance for 48 hours. No specific treatment.
		2/42

)ne

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 4 of 18 Print Date 08/29/2019

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

# PolyOne

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 5 of 18 Print Date 08/29/2019

	or air).
lethods and materials fo	r containment and cleaning up
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Carbon black	<b>OSHA PEL 1989 (1989-03-01)</b> TWA 3.5 mg/m3



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019

	OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	ACGIH TLV (1994-09-01) TWA 0.02 mg/m3 (as CO)
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Formamide, N,N'-1,6-hexanediylbis[N- (2,2,6,6-tetramethyl-4-piperidinyl)-	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls:Environmental exposure controls:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures : Eye/face protection :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to
Skin protection	liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.



# GREY CAMSO PP2050CN

Version Number 1.1	Page 7 of 18
Revision Date 08/28/2019	Print Date 08/29/2019

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
<b>Relative density</b>	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.

ne

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 8 of 18 Print Date 08/29/2019

Viscosity

**Dynamic:** Not available. **Kinematic:** Not available.

## Section 10. Stability and reactivity

:

Reactivity	:	No specific test data related to reactivity available for this product or
Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable to	xicity data				
<b>Remarks - Dermal:</b>	No applicable to	xicity data				
Cobalt aluminate blue spinel (	C.I. Pigment Blue	28)				
Remarks - Oral:	No applicable to	xicity data				
<b>Remarks - Inhalation:</b>	No applicable toxicity data					
<b>Remarks - Dermal:</b>	No applicable toxicity data					
Silica, amorphous						
Remarks - Oral:	No applicable to	xicity data				
<b>Remarks - Inhalation:</b>	No applicable toxicity data					
<b>Remarks - Dermal:</b>	No applicable toxicity data					
Formamide, N,N'-1,6-hexaned	iylbis[N-(2,2,6,6-t	etramethyl-4-pipe	ridinyl)-			
Remarks - Oral:	No applicable toxicity data					
<b>Remarks - Inhalation:</b>	No applicable to	xicity data				
Remarks - Dermal:	Remarks - Dermal: No applicable toxicity data					
		0/4.0				



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019

Page 9 of 18 Print Date 08/29/2019

Titanium dioxide				
Remarks - Oral:	No applicable toxic	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		

**Conclusion/Summary** 

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica, amorphous	Eyes - Mild irritant	Rabbit		24 hrs	-
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary	mmant				
Skin	: M	ixture.Not fu	illy tested		
Eyes		ixture.Not fu			
Respiratory		ixture.Not fu			
<u>Sensitization</u>					
Conclusion/Summary					
Skin		ixture.Not fu			
Respiratory	: M	ixture.Not fu	illy tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: M	ixture.Not fu	ally tested.		
<u>Carcinogenicity</u>					
Conclusion/Summary	: M	ixture.Not fu	illy tested.		
<b><u>Classification</u></b>			-		
Product/ingredient	OSHA	IARC	NTP		
name					
Carbon black		2B			
Cobalt aluminate blue					
spinel (C.I. Pigment Blue 28)					
Silica, amorphous		3			
Titanium dioxide		2B			

Conclusion/Summary

Mixture.Not fully tested.

:

9/18



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 10 of 18 Print Date 08/29/2019

#### **Teratogenicity**

Conclusion/Summary

: Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Formamide, N,N'-1,6-	Category 3		Respiratory tract irritation
hexanediylbis[N-(2,2,6,6-			
tetramethyl-4-piperidinyl)-			

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

# Information on likely routes of : Not available. exposure

**Potential acute health effects** 

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 11 of 18 Print Date 08/29/2019

#### Potential chronic health effects

Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
<b>Developmental effects</b>	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure		
Carbon black					
Remarks - Acute - Fish:	No applicable toxicity data				
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
<b>Remarks - Chronic - Fish:</b>	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 12 of 18 Print Date 08/29/2019

Silica, amorphous					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:	no applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:	No applicable toxicity data				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	No applicable toxicity data				
A	iylbis[N-(2,2,6,6-tetramethyl-4-piperic	linyl			
Remarks - Acute - Fish:	No applicable toxicity data	1111y1)-			
	No applicable toxicity data				
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data				
	No applicable tonicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:	No applicable tonicity data				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.: Titanium dioxide					
l itanium dioxide	A mite LC50 > 1 000 Mg/l Maring	Eich Eich	061		
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fish	96 h		
Domonius Asuto Fishe					
Remarks - Acute - Fish:					
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h		
Remarks - Acute - Aquatic	Acute	Clustaccalis			
invertebrates.:	Acute				
	Acute LC50 6.5 Mg/l Fresh water Aquatic invertebrates. 48 h				
	Tede Leso 0.5 Wg111esh water	Daphnia	-10 II		
Remarks - Acute - Aquatic	Acute	Duphinu			
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	to applicable toxicity data				
GREY CAMSO PP2050CN					
	Chemicals are not readily available a	s they are bound within the	e polymer matrix		
invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Persistence and degradability					
Conclusion/Summary	: Chemicals are not readil	y available as they are bou	nd within the		

12/18

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 13 of 18 Print Date 08/29/2019

polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Formamide, N,N'-1,6-	0.8	-	low
hexanediylbis[N-(2,2,6,6-tetramethyl-			
4-piperidinyl)-			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air	:	Not classified as dangerous goods under transport regulations.

ne

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019

Page 14 of 18 Print Date 08/29/2019

ICAO/IATA

International Water : Not classified as dangerous goods under transport regulations. IMO/IMDG

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical:
		Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I		Not listed

Clean Air Act Section 602 Class I

: Not listed

P<u>olyOne</u>

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 15 of 18 Print Date 08/29/2019

Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	>= 0.3 - <= 1	CARCINOGENICITY - Category 1B
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B
Formamide, N,N'-1,6- hexanediylbis[N-(2,2,6,6- tetramethyl-4-piperidinyl)-	>= 5 - <= 10	SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Respiratory tract irritation - Category 3
Titanium dioxide	>= 25 - <= 50	CARCINOGENICITY - Category 2

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Diphosphoric acid,	10101-66-3	1 - 3
requirements	ammonium manganese(3+)		
	salt (1:1:1)		
	Cobalt aluminate blue spinel	1345-16-0	0.3 - 1
	(C.I. Pigment Blue 28)		
Supplier notification Cobalt aluminate blue spinel		1345-16-0	0.3 - 1
	(C.I. Pigment Blue 28)		
	Diphosphoric acid,	10101-66-3	1 - 3
	ammonium manganese(3+)		
	salt (1:1:1)		

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019

Page 16 of 18 Print Date 08/29/2019

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulationsMassachusettsNew YorkNew Jersey	No Th T C	ne of the components are listed. ne of the components are listed. e following components are listed: itanium dioxide alcium carbonate obalt aluminate blue spinel (C.I. Pigment Blue 28)
Pennsylvania :	Q Th	arbon black uartz e following components are listed: uartz
	С	arbon black
	С	obalt aluminate blue spinel (C.I. Pigment Blue 28)
	А	luminum hydroxide
	D	piphosphoric acid, ammonium manganese(3+) salt (1:1:1)
	S	ilica, amorphous
	С	alcium carbonate
	Т	itanium dioxide

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Quartz, Carbon black, Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Quartz	No.	No.
Carbon black	No.	No.
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.

**Canada** inventory At least one component is not listed in DSL but all such components :



### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 17 of 18 Print Date 08/29/2019

are listed in NDSL.

#### **International regulations**

#### **Inventory list**

Australia Canada	:	All components are listed or exempted. At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

### **Section 16. Other information**

#### Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>HIStory</u>		
Date of printing	:	08/29/2019
Date of issue/Date of revision	:	08/28/2019
Date of previous issue	:	06/15/2016
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		, , , , , , , , , , , , , , , , , , ,
		Chemicals

### **GREY CAMSO PP2050CN**

Version Number 1.1 Revision Date 08/28/2019 Page 18 of 18 Print Date 08/29/2019

IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.