

## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 1 of 17 Print Date 08/01/2020

# SAFETY DATA SHEET

## PS GREEN 368C PULVERIZED

# **Section 1. Identification**

GHS product identifier : PS GREEN 368C PULVERIZED

Chemical name: MixtureCAS number: MixtureOther means of identification: CC10241290

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

COMBUSTIBLE DUSTS

EYE IRRITATION - Category 2B

**GHS** label elements

Signal word : Warning

**Hazard statements**: May form combustible dust concentrations in air.

Causes eye irritation.



## PS GREEN 368C PULVERIZED

Version Number 1.3 Page 2 of 17
Revision Date 07/31/2020 Print Date 08/01/2020

### **Precautionary statements**

**General** : Not applicable.

**Prevention**: Wash hands thoroughly after handling.

**Response**: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If

eye irritation persists: Get medical attention.

Storage: Not applicable.Disposal: Not applicable.

**Supplemental label elements** : Keep container tightly closed.

Hazards not otherwise classified : None known.
Not available.

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC10241290

#### **CAS** number/other identifiers

| Ingredient name           | %        | CAS number |
|---------------------------|----------|------------|
| Styrene-Butadiene polymer | 90 - 100 | 9003-55-8  |
|                           |          |            |
|                           |          |            |
| Titanium dioxide          | 1 - 3    | 13463-67-7 |
|                           |          |            |
|                           |          |            |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the



## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 3 of 17 Print Date 08/01/2020

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** 

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

## Potential acute health effects

**Eve contact** : Causes eye irritation.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

irritation watering redness



## PS GREEN 368C PULVERIZED

Version Number 1.3 Page 4 of 17 Revision Date 07/31/2020 Print Date 08/01/2020

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: No specific data.Ingestion: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Firefighting measures

### Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing media

Use dry chemical powder.

Avoid high pressure media which could cause the formation of a

potentially explosible dust-air mixture.

Specific hazards arising from the

chemical

Hazardous thermal decomposition products

May form explosible dust-air mixture if dispersed.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

Special protective actions for fire-

fighters

: Promptly isolate the scene by removing all persons from the vicinity

of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

**Special protective equipment for** 

fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

contained oreading apparatus (SCDA) with a full to

in positive pressure mode.



## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020

For emergency responders

Page 5 of 17 Print Date 08/01/2020

# Section 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Use spark-proof tools and explosion-

proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal

contractor.

Large spill : Move containers from spill area. Use spark-proof tools and explosion-

proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures**: Put on appropriate personal protective equipment (see Section 8). Do

not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all

possible sources of ignition (spark or flame). Prevent dust



## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 6 of 17 Print Date 08/01/2020

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original

container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

## **Control parameters**

#### Occupational exposure limits

| Ingredient name           | Exposure limits  |
|---------------------------|--|
| Styrene-Butadiene polymer | None.  |
| Titanium dioxide          | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 |

reuse container.



## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 7 of 17 Print Date 08/01/2020

#### **Appropriate engineering controls**

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### **Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

## **Skin protection**

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks



## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 8 of 17 Print Date 08/01/2020

involved and should be approved by a specialist before handling this

product.

**Respiratory protection**: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Very fine powder.]

Color **GREEN** Odor Not available. Not available. **Odor threshold** Not available. рH **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.
Solubility : Not available.
Solubility in water : Not available.
Partition coefficient: n- : Not available.

octanol/water

Flammability (solid, gas)

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Not available.

Aerosol product

**Heat of combustion** : Not available.

**Ignition distance** : Not available. **Enclosed space ignition - Time** : Not available.

equivalent



## PS GREEN 368C PULVERIZED

Version Number 1.3 Page 9 of 17 Revision Date 07/31/2020 Print Date 08/01/2020

**Enclosed space ignition -**

**Deflagration density** 

Not available.

Flame height Not available. Flame duration Not available.

# Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or

its ingredients.

**Chemical stability** Stable under recommended storage and handling conditions (see

Section 7).

Under normal conditions of storage and use, hazardous reactions will Possibility of hazardous reactions

not occur.

Conditions to avoid Avoid the creation of dust when handling and avoid all possible

> sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers

and equipment before transferring material. Prevent dust

accumulation.

**Incompatible materials** Reactive or incompatible with the following materials:

oxidizing materials

**Hazardous decomposition** Under normal conditions of storage and use, hazardous decomposition

products should not be produced. products

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

## **Acute toxicity**

| Product/ingredient name | Result                      | Species    | Dose          | Exposure |
|-------------------------|-----------------------------|------------|---------------|----------|
| Remarks - Oral:         | No applicable toxicity data |            |               |          |
| Remarks - Inhalation:   | No applicable toxicity data |            |               |          |
| Remarks - Dermal:       | No applicable toxicity data |            |               |          |
| Titanium dioxide        |                             |            |               |          |
| Remarks - Oral:         | No applicable toxicity data |            |               |          |
|                         | LC50 Inhalation             | Rat - Male | 6.82 Mg/l     | 4 h      |
|                         | LD50 Dermal                 | Rabbit     | > 5,000 mg/kg | -        |

Conclusion/Summary Mixture.Not fully tested.



# PS GREEN 368C PULVERIZED

Version Number 1.3 Page 10 of 17 Revision Date 07/31/2020 Print Date 08/01/2020

## **Irritation/Corrosion**

| Product/ingredient name   | Result                  | Species | Score | Exposure | Observation |
|---------------------------|-------------------------|---------|-------|----------|-------------|
| Styrene-Butadiene polymer | Eyes - Mild irritant    | Rabbit  |       | 24 hrs   | -           |
| Titanium dioxide          | Skin - Mild<br>irritant | Human   |       | 72 hrs   | -           |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

## Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Styrene-Butadiene       | -    | 3    | -   |
| polymer                 |      |      |     |
| Titanium dioxide        | -    | 2B   | -   |

## **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)** 

Not available.

## Specific target organ toxicity (repeated exposure)



## PS GREEN 368C PULVERIZED

 Version Number 1.3
 Page 11 of 17

 Revision Date 07/31/2020
 Print Date 08/01/2020

Not available.

## **Aspiration hazard**

Not available.

Information on likely routes of

exposure

Not available.

## Potential acute health effects

**Eye contact** : Causes eye irritation.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: irritation, watering,

redness

**Inhalation** : Adverse symptoms may include the following: respiratory tract

irritation, coughing

Skin contact : No specific data.

Ingestion : No specific data.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

### **Short term exposure**

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

**Potential chronic health effects** 

**Conclusion/Summary** : Mixture.Not fully tested.

General : Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity
Mutagenicity
No known significant effects or critical hazards.
No known significant effects or critical hazards.



# PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 12 of 17 Print Date 08/01/2020

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

## Numerical measures of toxicity

## **Acute toxicity estimates**

Not available.

# Section 12. Ecological information

# **Toxicity**

| Product/ingredient name                   | Result                          | Species                        | Exposure |
|---|---------------------------------|--------------------------------|----------|
| Styrene-Butadiene polymer                 |                                 |                                |          |
| Remarks - Acute - Fish:                   | No applicable toxicity data     |                                |          |
| Remarks - Acute - Aquatic                 | No applicable toxicity data     |                                |          |
| invertebrates.:                           |                                 |                                |          |
| Remarks - Acute - Aquatic                 | No applicable toxicity data     |                                |          |
| plants:                                   |                                 |                                |          |
| Remarks - Chronic - Fish:                 | No applicable toxicity data     |                                |          |
| Remarks - Chronic -                       | No applicable toxicity data     |                                |          |
| Aquatic invertebrates.:                   |                                 |                                |          |
| Titanium dioxide                          |                                 |                                |          |
|   | Acute LC50 > 1,000 Mg/l Marine  | Fish - Fish                    | 96 h     |
|   | water                           |                                |          |
| Remarks - Acute - Fish:                   | Acute                           |                                |          |
|   | Acute LC50 3 Mg/l Fresh water   | Aquatic invertebrates.         | 48 h     |
|   |                                 | Crustaceans                    |          |
| Remarks - Acute - Aquatic invertebrates.: | Acute                           |                                |          |
| invertebrates.                            | Acute LC50 6.5 Mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h     |
| Remarks - Acute - Aquatic invertebrates.: | Acute                           |                                |          |
| Remarks - Acute - Aquatic plants:         | No applicable toxicity data     |                                |          |
| Remarks - Chronic - Fish:                 | No applicable toxicity data     |                                |          |
| Remarks - Chronic -                       | No applicable toxicity data     |                                |          |
| Aquatic invertebrates.:                   |                                 |                                |          |
| Conclusion/Summony                        | Not available                   |                                |          |

**Conclusion/Summary** : Not available.



## PS GREEN 368C PULVERIZED

Version Number 1.3 Revision Date 07/31/2020 Page 13 of 17 Print Date 08/01/2020

## Persistence and degradability

**Conclusion/Summary** : Not available.

## **Bioaccumulative potential**

Not available.

### Mobility in soil

Soil/water partition coefficient

(KOC)

Other adverse effects

Not available.

No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.



## PS GREEN 368C PULVERIZED

Version Number 1.3 Page 14 of 17 Revision Date 07/31/2020 Print Date 08/01/2020

International Air ICAO/IATA

: Consult mode specific transport rules

International Water

IMO/IMDG

: Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations

**United States - TSCA 12(b) - Chemical export notification:** None of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Phthalocyanine green

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b) : Not listed



# PS GREEN 368C PULVERIZED

Version Number 1.3 Page 15 of 17 Revision Date 07/31/2020 Print Date 08/01/2020

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I : Not listed

**Substances** 

Clean Air Act Section 602 Class II : Not listed

**Substances** 

**DEA List I Chemicals (Precursor** : Not listed

Chemicals)

**DEA List II Chemicals (Essential**: Not listed

**Chemicals**)

## US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification : COMBUSTIBLE DUSTS

EYE IRRITATION - Category 2B

## **Composition/information on ingredients**

| Name                      | %           | Classification               |
|---------------------------|-------------|------------------------------|
| Titanium dioxide          | >= 1 - <= 3 | CARCINOGENICITY - Category 2 |
|                           |             |                              |
| Styrene-Butadiene polymer | >= 90 - 100 | EYE IRRITATION - Category 2B |
|                           |             |                              |

Not applicable.

**State regulations** 

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: The following components are listed:Titonium diquids

Titanium dioxide

**Pennsylvania**: The following components are listed:

Titanium dioxide

## California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable |
|-----------------|---------------------------|--------------------|
|                 |                           | dosage level       |



## PS GREEN 368C PULVERIZED

 Version Number 1.3
 Page 16 of 17

 Revision Date 07/31/2020
 Print Date 08/01/2020

| Titanium dioxide | - | - |
|------------------|---|---|

**United States inventory (TSCA 8b)**: All components are active or exempted.

**Canada inventory** : All components are listed or exempted.

## **International regulations**

## **Inventory list**

Australia All components are listed or exempted. All components are listed or exempted. Canada China All components are listed or exempted. **Europe inventory** All components are listed or exempted. Japan All components are listed or exempted. **New Zealand** All components are listed or exempted. **Philippines** All components are listed or exempted. Republic of Korea All components are listed or exempted. **Taiwan** All components are listed or exempted. Not determined. **Turkey** 

**United States** : All components are active or exempted.

# Section 16. Other information

### **Hazardous Material Information System (U.S.A.)**

| Health           | / | 1 |
|------------------|---|---|
| Flammability     |   | 3 |
| Physical hazards |   | 0 |
|                  |   |   |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Date of printing: 08/01/2020Date of issue/Date of revision: 07/31/2020Date of previous issue: 04/24/2020



## PS GREEN 368C PULVERIZED

 Version Number 1.3
 Page 17 of 17

 Revision Date 07/31/2020
 Print Date 08/01/2020

Version : 1.3

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.