EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016

ne.

Page 1 of 19 Print Date 06/16/2016

SAFETY DATA SHEET

EXCELITE 2

Section 1. Identification	n		
GHS product identifier Chemical name CAS number Other means of identification	: : : :	EXCELITE 2 Mixture Mixture CC10242480	
Product type	:	liquid	
Relevant identified uses of the substance or mixture and uses advised against			
Product use	:	Industrial applications. Plastics.	
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA	
		+1 216 622 0100	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2

GHS label elements

EXCELITE 2

<u>PolyOne</u>

Version Number 1.0 Revision Date 06/15/2016		Page 2 of 19 Print Date 06/16/2016
Hazard pictograms		
Signal word Hazard statements	 Danger Causes serious eye irritation. May cause allergy or asthma symptoms inhaled. May cause an allergic skin reaction. Suspected of causing genetic defects. 	or breathing difficulties if

Precautionary statements

General Prevention	:	Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wear respiratory protection. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF exposed or concerned: Get medical attention. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Store in a well-ventilated place.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10242480



EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016 Page 3 of 19 Print Date 06/16/2016

CAS number/other identifiers

%	CAS number
10 - 25	123-77-3
5 - 7	80-51-3
1 - 3	1314-13-2
1 - 2.3	1305-78-8
	10 - 25 5 - 7 1 - 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.

EXCELITE 2



Version Number 1.0 Revision Date 06/15/2016		Page 4 of 19 Print Date 06/16/2016
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation	:	Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms

EXCELITE 2



Version Number 1.0 Revision Date 06/15/2016		Page 5 of 19 Print Date 06/16/2016
Specific treatments	:	may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate





Version Number 1.0 Revision Date 06/15/2016	Page 6 of 19 Print Date 06/16/2016		
For emergency responders	 ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". 		
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for containment and cleaning up			
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and
		can be hazardous. Do not reuse container.

EXCELITE 2



Version Number 1.0 Revision Date 06/15/2016		Page 7 of 19 Print Date 06/16/2016
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Azodicarbonamide	
Diphenyloxide-4,4'-disulfohydrazide	ACGIH TLV (2000-03-01)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 0.1 mg/m3 Form: Inhalable fraction
Zinc oxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	Short Term Exposure Limit value for a 15-minute reference
	period expressed in parts per million or in mg/m3. 10 mg/m3
	Form: Fume
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	NIOSH REL (1994-06-01)

EXCELITE 2

Pol	vOne.

Version Number 1.0	Page 8 of 19
Revision Date 06/15/2016	Print Date 06/16/2016

	Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m3. 10 mg/m3 Form: Fume Ceiling, is a a limit indicating the maximum concentration of a chemical substances in the breathing zone that should not be exceeded. 15 mg/m3 Form: Dust ACGIH TLV (2003-01-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 2 mg/m3 Form: Respirable fraction TLV-STEL: Threshold Limit Value - Short Time Exposure Level 10 mg/m3 Form: Respirable fraction
Calcium oxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 2 mg/m3 ACGIH TLV (1994-09-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 2 mg/m3
Appropriate engineering controls Environmental exposure controls	 Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the
	8/19

EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016



Page 9 of 19 Print Date 06/16/2016

		following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	NOT APPLICABLE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.

EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016 Page 10 of 19 Print Date 06/16/2016

Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Diphenyloxide-4,4'-disulfohydrazide					
	LD50 Oral	Rat	2,300 mg/kg	-	
Azodicarbonamide					
	LD50 Oral	Rat	6,400 mg/kg	-	
Conclusion/Summary : Mixture.Not fully tested.					

PolyOne.



EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016

Page 11 of 19 Print Date 06/16/2016

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc oxide	Eyes - Mild irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
Conclusion/Summary	•		•	•	
Skin		lixture.Not fu			
Eyes		lixture.Not fu			
Respiratory	: M	lixture.Not fu	illy tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin		lixture.Not fu			
Respiratory	: M	lixture.Not fu	illy tested.		
<u>Mutagenicity</u>					
Conclusion/Summary	: M	lixture.Not fu	ally tested.		
Carcinogenicity					
Conclusion/Summary	: M	lixture.Not fu	ally tested.		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: M	lixture.Not fu	ally tested.		
Teratogenicity					
Conclusion/Summary	: M	lixture.Not fu	ally tested.		

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Calcium oxide	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016

<u>PolyOne</u>

Page 12 of 19 Print Date 06/16/2016

Information on the likely routes of exposure	: Not av	ailable.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	May ca inhalec May ca	serious eye irritation. use allergy or asthma symptoms or breathing difficulties if l. use an allergic skin reaction. own significant effects or critical hazards.
Symptoms related to the physical, cl		
Eye contact	Adverst pain or waterir	e symptoms may include the following: irritation g
Inhalation		e symptoms may include the following: ng and breathing difficulties
Skin contact	us unine	e symptoms may include the following: n
Ingestion	1001100	cific data.
Delayed and immediate effects and a	so chronic	effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	Not av Not av	
Long term exposure		
Potential immediate effects Potential delayed effects	Not av Not av	
Potential chronic health effects		
Conclusion/Summary	: Mixtu	e.Not fully tested.
General		ensitized, a severe allergic reaction may occur when uently exposed to very low levels.
Carcinogenicity Mutagenicity Teratogenicity	: Suspec	own significant effects or critical hazards. ted of causing genetic defects. own significant effects or critical hazards.

12/19



EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016 Page 13 of 19 Print Date 06/16/2016

Developmental effects : Fertility effects :

No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	7,229.1 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	
Calcium oxide				
	Chronic NOEC 100 mg/l Fresh	Fish - Fish	46 d	
	water			
	Chronic NOEC 100 mg/l Fresh	Fish - Fish	46 d	
	water			
	Chronic NOEC 100 mg/l Fresh	Fish - Fish	46 d	
	water			
	Chronic NOEC 100 mg/l Fresh	Fish - Fish	46 d	
	water			
	Chronic NOEC 100 mg/l Fresh	Fish - Fish	46 d	
	water			
Zinc oxide				
	Acute LC50 2,246,000 µg/l Fresh	Fish - Fish	96 h	
	water			
	Acute LC50 1.1 mg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 2.525 mg/l Fresh	Fish - Fish	96 h	
	water			
	Acute LC50 3.969 mg/l Fresh	Fish - Fish	96 h	
	water			
	Acute LC50 98 µg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
	Acute EC50 0.622 mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
	Acute EC50 1 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
	Acute LC50 1.25 mg/l Fresh water	Aquatic invertebrates.	48 h	
	Č	Daphnia		



EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016 Page 14 of 19 Print Date 06/16/2016

	Acute EC50 0.481 mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
	Acute IC50 46 µg/l Fresh water	Aquatic plants - Algae	72 h		
	Acute IC50 63 µg/l Fresh water	Aquatic plants - Algae	72 h		
	Acute IC50 1.85 mg/l Marine water	Aquatic plants - Algae	96 h		
	Acute IC50 2.97 mg/l Marine water	Aquatic plants - Algae	96 h		
	Acute IC50 2.36 mg/l Marine water	Aquatic plants - Algae	96 h		
EXCELITE 2	<u> </u>	· · · · · · · · · · · · · · · · · · ·	-		
Remarks - Acute - Aquatic	Dangerous for the environment: May cause long term adverse effects in the aquatic				
invertebrates.:	environment.				
Conclusion/Summary	: Dangerous for the enviro	onment: May cause long ter	rm adverse effects		
	in the aquatic environme	ent.			
Persistence and degradability					
Conclusion (Summer or and	Not available.				
Conclusion/Summary	i not available.				
Conclusion/Summary	: Dangerous for the environment: May cause long term adverse effects in the aquatic environment.				

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Calcium oxide		2.34	low
Zinc oxide		60,960.00	high
Diphenyloxide-4,4'-		3.00	low
disulfohydrazide			
Azodicarbonamide	1	-	low

Mobility in soil

Soil/water partition coefficient	:
(KOC)	
Other adverse effects	:

- Not available.
- No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the

EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016

<u>olyUne</u>

Page 15 of 19 Print Date 06/16/2016

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant
IMO/IMDG (maritime)	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide

EXCELITE 2



Version Number 1.0 Revision Date 06/15/2016		Page 16 of 19 Print Date 06/16/2016
		 United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Immediate (acute) health hazard Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Classification
Calcium oxide	1 - 2.3	AH
Zinc oxide	1 - 3	AH
Diphenyloxide-4,4'-	5 - 7	F, AH, CH
disulfohydrazide		
Azodicarbonamide	10 - 25	AH



EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016 Page 17 of 19 Print Date 06/16/2016

SARA 313

	Product name	CAS number	%
Form R - Reporting	Zinc oxide	1314-13-2	1 - 3
requirements			
Supplier notification	Zinc oxide	1314-13-2	1 - 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts	:	The following components are listed: Calcium carbonate Zinc oxide Calcium oxide
New York New Jersey	:	None of the components are listed. The following components are listed: Zinc oxide Calcium carbonate Diphenyloxide-4,4'-disulfohydrazide Calcium oxide
Pennsylvania	:	The following components are listed: Calcium carbonate Zinc oxide

Calcium oxide

California Prop. 65

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

United States inventory (TSCA 8b)	:	All components are listed or exempted.

•

Canada i	nventory
----------	----------

All components are listed or exempted.

International regulations

EXCELITE 2



Version Number 1.0 Revision Date 06/15/2016		Page 18 of 19 Print Date 06/16/2016
International lists	:	 Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals	: :	Not listed Not listed
Chemical Weapons Convention	:	Not listed

Section 16. Other information

List Schedule III Chemicals

History		
Date of printing	:	06/16/2016
Date of issue/Date of revision	:	06/15/2016
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
References	:	pollution) UN = United Nations Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

<u>vOne</u>

EXCELITE 2

Version Number 1.0 Revision Date 06/15/2016 Page 19 of 19 Print Date 06/16/2016

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.