055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 1 of 16 Print Date 03/30/2023

SAFETY DATA SHEET

055WT2006 WHITE LSZH

Section 1. Identification			
GHS product identifier	:	055WT2006 WHITE LSZH	
Chemical name	:	Mixture	
CAS number	:	Mixture	
Other means of identification	:	CC10245006	
Product type	:	solid	
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications.	
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012	
		1 (440) 930-1000 or 1 (844) 4AVIENT	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023

ÀVIENT

Page 2 of 16 Print Date 03/30/2023

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10245006

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 25 - <= 50	13463-67-7
Silica, amorphous	>= 1 - <= 3	7631-86-9
Vinyl acetate	> 0 - <= 0.3	108-05-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

055WT2006 WHITE LSZH



Version Number 1.2	Page 3 of 16
Revision Date 03/22/2023	Print Date 03/30/2023

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable
	for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the
	exposed person is conscious, give small quantities of water to drink.
	Do not induce vomiting unless directed to do so by medical personnel.
	Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	 No known significant effects or critical hazards.
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 4 of 16
Print Date 03/30/2023

Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through
For emergency responders	:	spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

:

Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8).

055WT2006 WHITE LSZH

Vers Rev

ÀVIENT

rsion Number 1.2	Page 5 of 16
vision Date 03/22/2023	Print Date 03/30/2023

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles	
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3	
Vinyl acetate	OSHA PEL 1989 (1989-03-01) TWA 30 mg/m3 10 ppm STEL 60 mg/m3 20 ppm	

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers,

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023

ÀVIENT

Page 6 of 1	б
Print Date 03/30/202	3

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	WHITE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not applicable.

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023

ÀVIENT

Page 7 of 16 Print Date 03/30/2023

Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits	:	Not available. Not available. Not available. Not available. Lower: Not applicable. Upper: Not applicable.
Vapor pressure Vapor density	:	Not available. Not applicable.
Relative density Solubility Solubility in water	:	Not available. Not available. insoluble in water.
Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not applicable. Not applicable.
Decomposition temperature SADT Viscosity	::	Not available. Not available. Dynamic: Not available. Kinematic: Not applicable.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition - Deflagration density	:	Not available.
Flame height Flame duration	:	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will
		7/16

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 8 of 16 Print Date 03/30/2023

		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids.
		Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		_	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Acetic acid ethenyl ester				
	LD50 Oral	Rat	2,900 mg/kg	-
	LC50 Inhalation	Rat	11.4 Mg/l	4 h
	Vapor			
	LD50 Dermal	Rabbit	2,335 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Eyes - Mild	irritant	Rabbit	-	24 hrs	-
:		t fully tested.			
:					
:	Mixture.Not	t fully tested.			
:	Mixture.Not	t fully tested.			
:					
:	Mixture.Not	t fully tested.			
	:	: Mixture.No : Mixture.No : Mixture.No	 Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested. 	 Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested. 	 Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 9 of 16 Print Date 03/30/2023

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP		
Titanium oxide (TiO2)	-	2B	-		
Silica	-	3	-		
Acetic acid ethenyl ester	-	2B	-		
Reproductive toxicity					
Conclusion/Summary	:	Mixture.Not fu	lly tested.		
<u>Teratogenicity</u>					
Conclusion/Summary	:	Mixture.Not fu	lly tested.		
Specific target organ toxicity Not available.	(single expos	sure)			
Specific target organ toxicity Not available.	(repeated ex	posure)			
Aspiration hazard Not available.					
Information on the likely rout exposure	tes of :	Not available.			
Potential acute health effects					
Eye contact	:		ificant effects or critical hazards.		
Inhalation	:		ificant effects or critical hazards.		
Skin contact	:	0	ificant effects or critical hazards.		
Ingestion	:	No known sign	ificant effects or critical hazards.		
Symptoms related to the physical, chemical and toxicological characteristics					
Eye contact	:	No specific data	a.		
Inhalation		No specific data			
Skin contact		No specific data			
Ingestion		No specific data			

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

SAFETY DATA SHEET

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023

ÀVIENT

Page 10 of 16 Print Date 03/30/2023

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	: : : : : : : : : : : : : : : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
Marine water		
Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
_	dubia	
Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
water		
	Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh	Acute LC50 > 1,000 Mg/l Fish - Fundulus heteroclitus Marine water Crustaceans - Ceriodaphnia Acute LC50 3 Mg/l Fresh water Crustaceans - Ceriodaphnia Acute LC50 6.5 Mg/l Fresh Daphnia - Daphnia pulex

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023

AVIENT

Page 11 of 16 Print Date 03/30/2023

Acetic acid ethenyl ester			
Acetic acid ethenyi ester	Acute LC50 14 Mg/l Fresh water	Fish - Pimephales prom	elas 96 h
	Acute LC50 14 Mg/1 Hesh water Acute LC50 10 - 100 Mg/1	Crustaceans - Crangon	48 h
	Marine water	crangon	40 11
055WT2006 WHITE LSZH		erungon	
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily availabl	e as they are bound within	the polymer matrix.
Conclusion/Summary	: Chemicals are not read polymer matrix.	ily available as they are bo	und within the
Persistence and degradability			
Conclusion/Summary	: Chemicals are not read polymer matrix.	lily available as they are bo	ound within the
Conclusion/Summary <u>Bioaccumulative potential</u>	: Chemicals are not read polymer matrix.	lily available as they are bo	ound within the
Product/ingredient name	LogPow	BCF Pot	ential
Acetic acid ethenyl ester		3.16 low	
<u>Mobility in soil</u> Soil/water partition coefficien (KOC)			
Other adverse effects	: No known significant effects or critical hazards.		
Section 13. Disposa	l considerations		

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 12 of 16 Print Date 03/30/2023

disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Dioxin/Full are precusor. Not instea United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		12/16

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 13 of 16 Print Date 03/30/2023

pollutants: Not listed
United States - EPA Clean water act (CWA) section 311 Hazardous substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental
release prevention - Flammable substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental
release prevention - Toxic substances: Not listed
United States - Department of commerce - Precursor chemical:
Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		NT / 1º / 1
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential		Not listed
Chemicals)	•	i tot listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide (TiO2)	>= 25 - <= 50	CARCINOGENICITY - Category 2
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Acetic acid ethenyl ester	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY - inhalation - Category 4 CARCINOGENICITY - Category 2

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
13/16		

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023

ÀVIENT

Page 14 of 16 Print Date 03/30/2023

Vinyl acetate	108-05-4	>= 0.1 - < 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed: Titanium dioxide Calcium carbonate Silica, amorphous
New York	: None of the components are listed.
New Jersey	: The following components are listed: Titanium dioxide Calcium carbonate Vinyl acetate
Pennsylvania	: The following components are listed: Titanium dioxide
	Calcium carbonate
	Silica, amorphous
	Aluminum hydroxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	Not determined.		
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.		
International regulations				
Inventory list				
Australia	:	All components are listed or exempted.		
Canada	:	At least one component is not listed in DSL but all such components		
14/16				

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 15 of 16 Print Date 03/30/2023

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	03/30/2023
Date of issue/Date of revision	:	03/22/2023
Date of previous issue	:	05/18/2017
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.
Notice to reader		

055WT2006 WHITE LSZH

Version Number 1.2 Revision Date 03/22/2023



Page 16 of 16 Print Date 03/30/2023

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.