ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016 PolyOne

Page 1 of 16 Print Date 09/21/2016

SAFETY DATA SHEET

ABS GREY SUB

Section 1. Identification		
GHS product identifier	:	ABS GREY SUB
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10247110
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016 <u>PolyOne</u>

Page 2 of 16 Print Date 09/21/2016

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10247110

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	9003-54-7
Titanium dioxide	10 - 25	13463-67-7
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

ABS GREY SUB



Version Number 1.0	Page 3 of 16		
Revision Date 08/23/2016	Print Date 09/21/2016		

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016



Page 4 of 16 Print Date 09/21/2016

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill:Move containers from spill area. Vacuum or sweep up a place in a designated, labeled waste container. Dispose licensed waste disposal contractor.

ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016

Page 5 of 16 Print Date 09/21/2016

Ine

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 3.5 mg/m3
	Time Weighted Average (TWA)
	ACGIH TLV (2010-12-06)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction

ABS GREY SUB

PolyOne

Version Number 1.0 Revision Date 08/23/2016 Page 6 of 16 Print Date 09/21/2016

Titanium dioxide	OSHA	PEL 1989 (1989-03-01)
	PEL: Pe	rmissible Exposure Level 10 mg/m3 Form: Total dust
		PEL (1993-06-30)
		rmissible Exposure Level 15 mg/m3 Form: Total dust REL (1994-06-01)
	ACGIH	TLV (1996-05-18)
	TLV-TV	VA: Threshold Limit Value - Time weighted average PEL: ble Exposure Level 10 mg/m3
2-Propenenitrile, polymer with		
Ethenylbenzene		
Appropriate engineering controls		eneral ventilation should be sufficient to control worker e to airborne contaminants.
Environmental exposure controls	Emissio	ns from ventilation or work process equipment should be
		to ensure they comply with the requirements of nental protection legislation. In some cases, fume scrubbers,
	filters or	engineering modifications to the process equipment will be
	necessar	y to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	products	ands, forearms and face thoroughly after handling chemical s, before eating, smoking and using the lavatory and at the end orking period. Appropriate techniques should be used to
	remove clothing	potentially contaminated clothing. Wash contaminated before reusing. Ensure that eyewash stations and safety
Eye/face protection		are close to the workstation location. yewear complying with an approved standard should be used
		risk assessment indicates this is necessary to avoid exposure to
		plashes, mists, gases or dusts. If contact is possible, the
		g protection should be worn, unless the assessment indicates a egree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	Chemic	al-resistant, impervious gloves complying with an approved
Trance by occurrent	standard	should be worn at all times when handling chemical products
		assessment indicates this is necessary.
Body protection		l protective equipment for the body should be selected based usk being performed and the risks involved and should be
		d by a specialist before handling this product.
Other skin protection		iate footwear and any additional skin protection measures
Other skin protection	Appropr	iate footwear and any additional skin protection measures

ABS GREY SUB

Respiratory protection

Version Number 1.0 Revision Date 08/23/2016 Page 7 of 16 Print Date 09/21/2016

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	•	solid [Pellets.]
Color		GREY
Odor		Faint odor.
Odor threshold	:	Not available.
рH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or

ABS GREY SUB



Version Number 1.0	Page 8 of 16
Revision Date 08/23/2016	Print Date 09/21/2016

		its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-Propenenitrile, polymer wi	th Ethenylbenzene			
	LD50 Oral	Rat	1,800 mg/kg	-
Titanium dioxide	·			
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		<u>.</u>

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	Aixture.Not fu	Illy tested.		
Eyes	: N	Aixture.Not fu	Illy tested.		
Respiratory	: N	Aixture.Not fu	lly tested.		
Sensitization					
Conclusion/Summary					
Skin	: N	Aixture.Not fu	illy tested.		
		0/4	-		

8/16

PolyOne

ABS GREY SUB

Version Number 1.0					
Revision Date	08/23/2016				

Page 9 of 16 Print Date 09/21/2016

Respiratory	:	M	ixture.Not fully t	tested.
<u>Mutagenicity</u>				
Conclusion/Summary	:	M	ixture.Not fully t	tested.
Carcinogenicity				
Conclusion/Summary Classification	:	M	ixture.Not fully t	tested.
Product/ingredient name	OSHA		IARC	NTP
2-Propenenitrile, polymer with Ethenylbenzene			3	
Titanium dioxide Carbon black			2B 2B	
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	M	ixture.Not fully t	tested.
Teratogenicity				
Conclusion/Summary	:	M	ixture.Not fully t	tested.
Specific target organ toxicity Not available.	<u>' (single ex</u>	posu	<u>re)</u>	
Specific target organ toxicity Not available.	<u>' (repeated</u>	expo	osure)	
Aspiration hazard Not available.				
Information on the likely rou exposure	tes of 🛛 :	No	ot available.	
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	:	No No	o known significa o known significa	cant effects or critical hazards. cant effects or critical hazards. cant effects or critical hazards. cant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016 Page 10 of 16 Print Date 09/21/2016

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects Potential chronic health effects	:	Not available. Not available.
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects Numerical measures of toxicity	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.
numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 µg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
	10/16		

P<u>olyOne</u>



Version Number 1.0 Revision Date 08/23/2016 Page 11 of 16 Print Date 09/21/2016

	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Carbon black			
	Acute EC50 37.563 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 61.547 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
ABS GREY SUB			
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available a	as they are bound within the	e polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.		
Persistence and degradability	<u>r</u>		
Conclusion/Summary	: Chemicals are not readi polymer matrix.	ly available as they are bou	nd within the
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.		

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low



ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016

<u>PolyOne</u>

Page 12 of 16 Print Date 09/21/2016

<u>Mobility in soil</u>

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

ethods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed

ABS GREY SUB

Version Numbe	ər 1.0
Revision Date	08/23/2016

<u>PolyOne</u>

Page 13 of 16
Print Date 09/21/2016

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Nickel Arsenic Chromium United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances	•	1 tot listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

<u>SARA 311/312</u>

ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016 Page 14 of 16 Print Date 09/21/2016

Ine

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
2-Propenenitrile, polymer with	50 - 75	AH
Ethenylbenzene		
Carbon black	0.3 - 1	СН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Zinc ferrite brown spinel	68187-51-9	1 - 3
requirements	(C.I. Pigment Yellow 119)		
Supplier notification	Zinc ferrite brown spinel	68187-51-9	1 - 3
	(C.I. Pigment Yellow 119)		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Carbon black Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Titanium dioxide
		2-Propenenitrile, polymer with Ethenylbenzene
Pennsylvania	:	The following components are listed:
		Carbon black
		Titanium dioxide
		Zinc ferrite brown spinel (C.I. Pigment Yellow 119)
<u>California Prop. 65</u> WARNING: This product contains a c	hem	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
		4.4/4.0

ABS GREY SUB



Version Number 1.0	Page 15 of 16
Revision Date 08/23/2016	Print Date 09/21/2016

International lists	:	 Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

History		
Date of printing	:	09/21/2016
Date of issue/Date of revision	:	08/23/2016
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations References	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.
Neter circes	•	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the

)ne

ABS GREY SUB

Version Number 1.0 Revision Date 08/23/2016 Page 16 of 16 Print Date 09/21/2016

sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.