### RED

Version Number 1.4 Revision Date 10/27/2022



Page 1 of 16 Print Date 10/28/2022

# SAFETY DATA SHEET

Section 1. Identification		
GHS product identifier	:	RED
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10251686
Product type	:	solid
Relevant identified uses of the sub Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		

#### RED

# RED

Version Number 1.4 Revision Date 10/27/2022

# **ÀVIENT**

Page 2 of 16 Print Date 10/28/2022

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10251686

CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters,	>= 10 - <= 25	68515-48-0
C9-rich		
Diundecyl phthalate	>= 5 - <= 10	3648-20-2
Titanium dioxide	>= 5 - <= 10	13463-67-7
Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)-	>= 1 - <= 3	57583-34-3
Quartz	> 0 - <= 0.3	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

## RED

Version Number 1.4 Revision Date 10/27/2022

# **ÀVIENT**

Page 3 of 16
Print Date 10/28/2022

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# RED

Version Number 1.4 Revision Date 10/27/2022

# **ÀVIENT**

#### Page 4 of 16 Print Date 10/28/2022

# **Section 5. Fire-fighting measures**

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal	:	May emit Hydrogen Chloride (HCl).
decomposition products		Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

### RED

Version Number 1.4 Revision Date 10/27/2022

# AVIENT

Page 5 of 16 Print Date 10/28/2022

Large spill

licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	None.
Diundecyl phthalate	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3

## RED

Version Number 1.4 Revision Date 10/27/2022



### Page 6 of 16 Print Date 10/28/2022

Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-	OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn) NIOSH REL (1994-06-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) Form: Organic. ACGIH TLV (1996-05-18) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) ACGIH TLV (1994-09-01) Absorbed through skin. STEL 0.2 mg/m3 (as Sn)
Quartz	OSHA PEL 1989 (1989-03-01)TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dustOSHA PEL Z3 (1997-09-03)TWA 250 MPPCF / (%SiO2+5) Form: RespirableTWA 10 MG /M3 / (%SiO2+2) Form: RespirableOSHA PEL Z3 (1997-09-03)TWA 30 MG /M3 / (%SiO2+2) Form: Total dustNIOSH REL (1994-06-01)TWA 0.05 mg/m3 Form: Respirable dustACGIH TLV (2005-12-09)TWA 0.025 mg/m3 Form: Respirable fractionOSHA PEL (2016-06-23)TWA 0.05 mg/m3 Form: Respirable dust
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	<ul> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the</li> </ul>

## RED



Version Number 1.4	Page 7 of 16
Revision Date 10/27/2022	Print Date 10/28/2022

		following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

		antial [Dallata]
Physical state	:	solid [Pellets.]
Color	:	RED
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Flammability (solid, gas) Lower and upper explosive	:	Not available. <b>Lower:</b> Not available.
Lower and upper explosive		Lower: Not available.
Lower and upper explosive (flammable) limits	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available.
Lower and upper explosive (flammable) limits Vapor pressure	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available. Not available.
Lower and upper explosive (flammable) limits Vapor pressure Vapor density	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available. Not available. Not available.
Lower and upper explosive (flammable) limits Vapor pressure Vapor density Relative density	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available. Not available. Not available. Not available.
Lower and upper explosive (flammable) limits Vapor pressure Vapor density Relative density Solubility		<b>Lower:</b> Not available. <b>Upper:</b> Not available. Not available. Not available. Not available. Not available.
Lower and upper explosive (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Lower: Not available. Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
Lower and upper explosive (flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Lower: Not available. Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.

# RED

Version Number 1.4 Revision Date 10/27/2022

# **ÀVIENT**

Page 8 of 16 Print Date 10/28/2022

Decomposition temperature SADT Viscosity	:	Not available. Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
<b>Enclosed space ignition -</b>	:	Not available.
Deflagration density Flame height	:	Not available.
Flame duration	:	Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
1,2-Benzenedicarboxylic acid, o	1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich				
	LD50 Oral	Rat	10,000 mg/kg	-	
Titanium oxide (TiO2)					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	Dusts and mists				
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
8-Oxa-3,5-dithia-4-stannatetradecanoic acid, 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-,					
2-ethylhexyl ester					

## RED

Version Number 1.4 Revision Date 10/27/2022

# **ÀVIENT**

#### Page 9 of 16 Print Date 10/28/2022

LD50 Oral	Rat	920 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Eyes - Mild irritant	Rabbit	-		-
1,2-Benzenedicarboxylic acid, 1,2-diundecyl ester	Eyes - Mild irritant	Rabbit	-		-

Conclusion/Summary Skin Eyes Respiratory Sensitization	: :	Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u> Conclusion/Summary <u>Carcinogenicity</u>	:	Mixture.Not fully tested.

Conclusion/Summary : Mixture.Not fully tested.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-
Quartz	-	1	Known to be a human carcinogen.

#### **Reproductive toxicity**

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

#### **Teratogenicity**

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Specific target organ toxicity (single exposure)

# **ÀVIENT**

## RED

Version Number 1.4 Revision Date 10/27/2022 Page 10 of 16 Print Date 10/28/2022

Not available.

#### Specific target organ toxicity (repeated exposure)

Name	Category		Route of exposure	Target organs		
Quartz	Category 1		-	-		
<u>Aspiration hazard</u> Not available.						
Information on the likely routes of exposure	: Not av	ailable.				
Potential acute health effects						
Eye contact Inhalation Skin contact Ingestion	Inhalation:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.					
Symptoms related to the physical,	chemical and	toxicological	<u>characteristics</u>			
Eye contact Inhalation Skin contact Ingestion Delayed and immediate effects and Short term exposure Potential immediate effects Potential delayed effects Long term exposure	: No spe : No spe : No spe ! also chronic : Not av	cific data. cific data. cific data. cific data. effects from s ailable. ailable.	short and long term	<u>exposure</u>		
Potential immediate effects Potential delayed effects Potential chronic health effects	• • • • • •	ailable. ailable.				
Conclusion/Summary	: Mixtu	e.Not fully te	sted.			
General Carcinogenicity Mutagenicity	: No kn	own significat	nt effects or critical hand t effects or critical hand t effects or critical hand	azards.		

# RED

Version Number 1.4 Revision Date 10/27/2022



Page 11 of 16 Print Date 10/28/2022

Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
1,2-Benzenedicarboxylic acid, 1	1,2-diundecyl ester		
	Acute EC50 12 Mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Chronic NOEC 0.3 Mg/l Fresh	Fish - Oncorhynchus mykiss	155 d
	water		
	Chronic NOEC 0.059 Mg/l Fresh	Daphnia - Daphnia magna	21 d
	water		
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
RED			
Remarks - Acute - Aquatic	Chemicals are not readily available	e as they are bound within the pol	ymer matrix.
invertebrates.:			
Conclusion/Summary	: Chemicals are not readi polymer matrix.	ly available as they are bound wi	thin the
	porymer maurx.		
Persistence and degradability			
rensistence and degradability			

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

## RED

Version Number 1.4 Revision Date 10/27/2022

# AVIENT

#### Page 12 of 16 Print Date 10/28/2022

#### **Conclusion/Summary**

Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

:

•

Other adverse effects

No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.	
International Air ICAO/IATA	: Consult mode specific transport rules	
	10/10	

12/16

## RED

Version Number 1.4 Revision Date 10/27/2022

# AVIENT

Page 13 of 16 Print Date 10/28/2022

International Water IMO/IMDG : Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations	:	<b>United States - TSCA 12(b) - Chemical export notification:</b> None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Listed 1,2-
		Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical:
		Not listed
Clean Air Act Section 112(b)	•	Listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

# RED

Version Number 1.4 Revision Date 10/27/2022



Page 14 of 16 Print Date 10/28/2022

Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)		
DEA List II Chemicals (Essential Chemicals)	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
1,2-Benzenedicarboxylic	>= 10 - <= 25	EYE IRRITATION - Category 2B
acid, di-C8-10-branched		
alkyl esters, C9-rich		
1,2-Benzenedicarboxylic	>= 5 - <= 10	EYE IRRITATION - Category 2B
acid, 1,2-diundecyl ester		
Titanium oxide (TiO2)	>= 5 - <= 10	CARCINOGENICITY - Category 2
8-Oxa-3,5-dithia-4-	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
stannatetradecanoic acid,		
10-ethyl-4-[[2-[(2-		
ethylhexyl)oxy]-2-		
oxoethyl]thio]-4-methyl-7-		
oxo-, 2-ethylhexyl ester		
Quartz	> 0 - <= 0.3	CARCINOGENICITY - inhalation - Category 1A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED
		EXPOSURE) - Category 1

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed:
	14/16

## RED

Version Number 1.4 Revision Date 10/27/2022



Page 15 of 16 Print Date 10/28/2022

Ethene, chloro-, homopolymer Calcium carbonate Titanium dioxide Quartz The following components are listed: Calcium carbonate

Pennsylvania

Titanium dioxide

Quartz

:

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C8-10branched alkyl esters, C9-rich, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	Yes.	-
Titanium dioxide	-	-
Quartz	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

# **ÄVIENT**

# SAFETY DATA SHEET

## RED

Version Number 1.4 Revision Date 10/27/2022

Page 16 of 16 Print Date 10/28/2022

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>1115t01 y</u>		
Date of printing	:	10/28/2022
Date of issue/Date of revision	:	10/27/2022
Date of previous issue	:	04/26/2019
Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.