TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 1 of 15 Print Date 12/07/2016

SAFETY DATA SHEET

TPE FLAT DARK EARTH

Section 1. Identification		
GHS product identifier	:	TPE FLAT DARK EARTH
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10252579
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

<u>PolyOne</u>

TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 2 of 15 Print Date 12/07/2016

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10252579

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	0.3 - 1	13463-67-7
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



TPE FLAT DARK EARTH

Version Number 1.0	Page 3 of 15
Revision Date 11/29/2016	Print Date 12/07/2016

	Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable
	for breathing. Get medical attention if symptoms occur. In case of
	inhalation of decomposition products in a fire, symptoms may be
	delayed. The exposed person may need to be kept under medical
	surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at
-	rest in a position comfortable for breathing. If material has been
	swallowed and the exposed person is conscious, give small quantities
	of water to drink. Do not induce vomiting unless directed to do so by
	medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	 No known significant effects or critical hazards.
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical at	ntion and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptom may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures



TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016

Page 4 of 15 Print Date 12/07/2016

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containm	Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.	
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency	
4/15			

PolyOne

TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 5 of 15 Print Date 12/07/2016

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)



TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016

		Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016



Page 7 of 15 Print Date 12/07/2016

Section 9. Physical and chemical properties

Appearance

:	solid [Pellets.]
:	TAN
:	Faint odor.
:	Not available.
:	Lower: Not available.
	Upper: Not available.
:	Not available.
:	Not available.
:	Not available.
:	Not available.
:	insoluble in water.
:	Not available.
:	Dynamic: Not available.
	Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials	:	Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer.

7/15

ne

TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016

Page 8 of 15 Print Date 12/07/2016

Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Conclusion/Summary	• Mixtı	ire Not fully tested		

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary		•			·
Skin	: N	lixture.Not ful	lly tested.		
Eyes		lixture.Not ful			
Respiratory	: N	lixture.Not ful	lly tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin		lixture.Not ful			
Respiratory	: N	lixture.Not ful	lly tested.		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not ful	lly tested.		
Carcinogenicity					
Conclusion/Summary	: N	lixture.Not ful	lly tested.		



TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 9 of 15 Print Date 12/07/2016

Product/ingredient name	OSHA	IARC	NTP
Carbon black		2B	
<u>Reproductive toxicity</u>			
Conclusion/Summary	: 1	Mixture.Not fully	tested.
<u>Teratogenicity</u>			
Conclusion/Summary	: 1	Mixture.Not fully	tested.
Specific target organ toxicity Not available.	v (single expos	<u>ure)</u>	
Specific target organ toxicity Not available.	v (repeated ex	posure)	
Aspiration hazard Not available.			
Information on the likely rou exposure	tes of :	Not available.	
Potential acute health effects			
Eye contact	: 1	No known signifia	cant effects or critical hazards.
Inhalation			cant effects or critical hazards.
Skin contact			cant effects or critical hazards.
Ingestion	:]	No known signific	cant effects or critical hazards.
Symptoms related to the phys	sical, chemica	l and toxicologic	al characteristics
Eye contact	: 1	No specific data.	
Inhalation		No specific data.	
Skin contact		No specific data.	
Ingestion		No specific data.	
Delayed and immediate effect	ts and also ch	ronic effects from	n short and long term exposure
<u>Short term exposure</u>			
Potential immediate effects Potential delayed effects		Not available. Not available.	

<u>PolyOne</u>.

TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 10 of 15 Print Date 12/07/2016

Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
·		
Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
Marine water		
Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
water		
Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
Marine water		
Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
	Daphnia	
Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
_	Daphnia	
Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
	Crustaceans	
Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
	Crustaceans	
Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
	Acute LC50 > 1,000,000 μg/l Marine waterAcute LC50 > 1,000 mg/l Fresh waterAcute LC50 > 1,000,000 μg/l Marine waterAcute LC50 13 mg/l Fresh waterAcute LC50 6.5 mg/l Fresh waterAcute LC50 3 mg/l Fresh waterAcute LC50 15.9 mg/l Fresh water	Acute LC50 > 1,000,000 µg/l Marine waterFish - FishAcute LC50 > 1,000 mg/l Fresh waterFish - FishAcute LC50 > 1,000,000 µg/l Marine waterFish - FishAcute LC50 > 1,000,000 µg/l Marine waterFish - FishAcute LC50 13 mg/l Fresh waterAquatic invertebrates. DaphniaAcute LC50 6.5 mg/l Fresh waterAquatic invertebrates. DaphniaAcute LC50 3 mg/l Fresh waterAquatic invertebrates. CrustaceansAcute LC50 15.9 mg/l Fresh waterAquatic invertebrates. Crustaceans



TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016

			Crustaceans	
	Acute LC50 11 m	g/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4	mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8	mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3	mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.30 water	6 mg/l Fresh	Aquatic invertebrates. Daphnia	48 h
Carbon black				
	Acute EC50 37.56 water	i3 mg/l Fresh	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 61.547 mg/l Fresh water		Aquatic invertebrates. Daphnia	48 h
TPE FLAT DARK EARTH				
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not	readily available a	s they are bound within the	e polymer matrix.
Conclusion/Summary		icals are not readil her matrix.	y available as they are bou	nd within the
Persistence and degradability	<u>/</u>			
Conclusion/Summary		icals are not readil her matrix.	y available as they are bou	nd within the
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.		nd within the	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

:

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever

olvOne.

TPE FLAT DARK EARTH

Version Number 1.0	Page 12 of 15
Revision Date 11/29/2016	Print Date 12/07/2016

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

נ וו א ע נ נ נ נ	 Jnited States - TSCA 4(f) - Priority risk review: Not listed Jnited States - TSCA 5(a)2 - Final significant new use rules: Not listed Jnited States - TSCA 5(a)2 - Proposed significant new use rules: Not listed Jnited States - TSCA 5(e) - Substances consent order: Not listed Jnited States - TSCA 6 - Final risk management: Not listed Jnited States - TSCA 6 - Proposed risk management: Not listed Jnited States - TSCA 8(a) - Chemical risk rules: Not listed Jnited States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	Jnited States - TSCA 8(a) - Chemical Data Reporting (CDR): Not etermined

12/15

Version Number 1.0

SAFETY DATA SHEET

P<u>olyOne</u>

Page 13 of 15

TPE FLAT DARK EARTH

Revision Date 11/29/2016		Print Date 12/07/2016
		 United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc ferrite brown spinel (C.I. Pigment Yellow 119) United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	0.3 - 1	СН
Carbon black	0.3 - 1	СН

SARA 313



TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 14 of 15 Print Date 12/07/2016

	Product name	CAS number	%
Form R - Reporting	Zinc ferrite brown spinel	68187-51-9	10 - 25
requirements	(C.I. Pigment Yellow 119)		
Supplier notification	Zinc ferrite brown spinel	68187-51-9	10 - 25
	(C.I. Pigment Yellow 119)		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Carbon black
		Zinc ferrite brown spinel (C.I. Pigment Yellow 119)
Pennsylvania	:	The following components are listed:
		Zinc ferrite brown spinel (C.I. Pigment Yellow 119)
		Carbon black

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): All components are listed or exempted. Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention	:	Not listed
List Schedule I Chemicals Chemical Weapons Convention	:	Not listed

14/15

TPE FLAT DARK EARTH

Version Number 1.0 Revision Date 11/29/2016 Page 15 of 15 Print Date 12/07/2016

List Schedule II Chemicals Chemical Weapons Convention : List Schedule III Chemicals

Not listed

Section 16. Other information

<u>History</u>		
Date of printing	:	12/07/2016
Date of issue/Date of revision	:	11/29/2016
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations References	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.