DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020

ne

Page 1 of 15 Print Date 08/01/2020

SAFETY DATA SHEET

DEL BLUE 325C

Section 1. Identification				
GHS product identifier Chemical name CAS number Other means of identification Product type	:	DEL BLUE 325C Mixture Mixture CC10256589 solid		
Relevant identified uses of the substance or mixture and uses advised against Product use : Industrial applications. Plastics.				
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
		1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020 <u>PolyOne</u>

Page 2 of 15 Print Date 08/01/2020

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10256589

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable

DEL BLUE 325C



Version Number 1.2 Revision Date 07/31/2020	Page 3 of 15 Print Date 08/01/2020
Skin contact Ingestion	 for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities
	of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, a	cute and delayed
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical at	tention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under
Specific treatments	medical surveillance for 48 hours.No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Secti	on 11)

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

DEL BLUE 325C



Version Number 1.2 Revision Date 07/31/2020		Page 4 of 15 Print Date 08/01/2020
Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	If overheated or burnt, the polymer releases formaldehyde. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides

Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

metal oxide/oxides

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	nent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency
		4/15

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020



Page 5 of 15 Print Date 08/01/2020

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3	

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers,

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020



Page 6 of 15 Print Date 08/01/2020

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	AQUA
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020

<u>PolyOne</u>

Page 7 of 15 Print Date 08/01/2020

Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	-	Not available.
2 troimposition temperature	•	
SADT	:	Not available.
SADT Viscosity	:	
SADT Viscosity	:	Not available. Dynamic: Not available. Kinematic: Not available.
	:	Dynamic: Not available.
Viscosity	:	Dynamic: Not available.
Viscosity <u>Aerosol product</u> Heat of combustion	:	Dynamic: Not available. Kinematic: Not available.
Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance	:	Dynamic: Not available. Kinematic: Not available. Not available.
Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time	:	Dynamic: Not available. Kinematic: Not available. Not available. Not available.
Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Dynamic: Not available. Kinematic: Not available. Not available. Not available.
Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Dynamic: Not available. Kinematic: Not available. Not available. Not available. Not available.
Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density	:	Dynamic: Not available. Kinematic: Not available. Not available. Not available. Not available.
Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	: : :	Dynamic: Not available. Kinematic: Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Maintain polymer temperature below 230°C (446°F). Avoid prolonged exposure at or above recommended processing temperature.
Incompatible materials	:	Incompatible with strong oxidizers and with strong acids and bases (decomposes to form formaldehyde). At melt temperatures, acetal resins are incompatible with halogenated polymers such as vinyl
		7/45

DEL BLUE 325C

P_{O}	lyOne.

Version Number 1.2 Revision Date 07/31/2020	Page 8 of 15 Print Date 08/01/2020
	(PVC) and any elastomers containing any halogenated polymers. At processing conditions, these materials are mutually destructive and involve rapid degradation. Even small amounts of such contaminants can cause sudden and spontaneous formaldehyde gas formation. Workplace fume well above threshold levels are a likely result. Unsafe pressurization of equipment such as extruder or mold can also result. Thoroughly purge and mechanically clean processing equipment to
	avoid even trace quantities of halogenated materials from coming in contact with the acetal. Prevent contamination of virgin or rework resin.
Hazardous decomposition :	Under normal conditions of storage and use, hazardous decomposition

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Titanium dioxide					
Remarks - Oral:	No applicable toxicity data				
	LC50 Inhalation Rat - Male 6.82 Mg/l 4 h				
	LD50 Dermal Rabbit > 5,000 mg/kg -				
Conclusion/Summary Mixture Not fully tested No results available					

Conclusion/Summary

: Mixture.Not fully tested.No results available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
Titanium dioxide	Skin - Mild	Human		72 hrs	-	
	irritant					
Conclusion/Summary						
Skin	: M	ixture.Not full	y tested.			
Eyes	: Mixture.Not fully tested.					
Respiratory	: Mixture.					
Sensitization						
Conclusion/Summary						
Skin	: M	ixture.Not full	y tested.			
Respiratory	: M	ixture.Not full	y tested.			
		8/15				

PolyOne.

DEL BLUE 325C

Version Number 1.2	Page 9 of 15
Revision Date 07/31/2020	Print Date 08/01/2020

Mutagenicity							
Conclusion/Summary	: Mixture.Not fully tested.						
Carcinogenicity							
Conclusion/Summary	:	Mixture.Not full	y tested.				
Classification							
Product/ingredient name	OSHA	IARC	NTP				
Titanium dioxide	-	2B	-				
Reproductive toxicity							
Conclusion/Summary	:	Mixture.Not full	y tested.				
Teratogenicity							
Conclusion/Summary	:	Mixture.Not full	y tested.				
Specific target organ toxicity (Not available.	single expo	<u>osure)</u>					
Specific target organ toxicity (Not available.	repeated e	exposure)					
<u>Aspiration hazard</u> Not available.							
Information on likely routes of exposure	f :	Not available.					
Potential acute health effects							
Eye contact Inhalation	:		icant effects or critical hazards.				
Skin contact	•	No known significant effects or critical hazards.No known significant effects or critical hazards.					
Ingestion		No known significant effects or critical hazards.					
Symptoms related to the physi	cal, chemi	cal and toxicologi	cal characteristics				
Eye contact	:	No specific data.					
Inhalation	:	No specific data.					
	1						
Skin contact	:	No specific data.					

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020 olyOne.

Page 10 of 15 Print Date 08/01/2020

: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.No results available.
General Carcinogenicity Mutagenicity Teratogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
water		
Acute		
Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
-	Crustaceans	
	Acute LC50 > 1,000 Mg/l Marine water Acute	Acute LC50 > 1,000 Mg/l Marine water Fish - Fish Acute Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Aquatic invertebrates.



DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020 Page 11 of 15 Print Date 08/01/2020

Remarks - Acute - Aquatic	Acute			
invertebrates.:			1	
	Acute LC5	0 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic plants:	No applical	ole toxicity data		
Remarks - Chronic - Fish:	No applical	ole toxicity data		
Remarks - Chronic -	**	ble toxicity data		
Aquatic invertebrates.:	No applica	sie toxicity data		
DEL BLUE 325C				
Remarks - Acute - Aquatic	Chemicals	are not readily available a	s they are bound within the	polymer matrix.
invertebrates.:		2	5	1 5
Conclusion/Summary	:		y available as they are bound	nd within the
		polymer matrix.		
Persistence and degradability	<u>v</u>			
	_			1
Conclusion/Summary	:	chemicals are not readil polymer matrix.	y available as they are bound	nd within the
		porymer maurx.		
Bioaccumulative potential				
Not available.				
Mobility in soil				
Soil/water partition coefficie	ent :	Not available.		
(KOC)		No las anticipation de la	·····	
Other adverse effects	:	No known significant ef	tects or critical hazards.	

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020 PolyOne

Page 12 of 15 Print Date 08/01/2020

should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: of the components are listed.	None
	United States - TSCA 4(a) - Final Test Rules: Not listed	
	United States - TSCA 4(a) - ITC Priority list: Not listed	
	United States - TSCA 4(a) - Proposed test rules: Not listed	
	United States - TSCA 4(f) - Priority risk review: Not listed	
	United States - TSCA 5(a)2 - Final significant new use rules listed	: Not
	United States - TSCA 5(a)2 - Proposed significant new use r Not listed	ules:
	United States - TSCA 5(e) - Substances consent order: Not 1	listed
	United States - TSCA 6 - Final risk management: Not listed	
	United States - TSCA 6 - Proposed risk management: Not li	isted
	United States - TSCA 8(a) - Chemical risk rules: Not listed	
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not li	sted
	United States - TSCA 8(a) - Chemical Data Reporting (CDR determined	k): Not
	United States - TSCA 8(a) - Preliminary assessment report	
	(PAIR): Not listed	

DEL BLUE 325C



Version Number 1.2 Revision Date 07/31/2020		Page 13 of 15 Print Date 08/01/2020
		 United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue Phthalocyanine green United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Listed Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium dioxide	>= 10 - <= 25	CARCINOGENICITY - Category 2

Not applicable.

DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020 Page 14 of 15 Print Date 08/01/2020

State regulations		
Massachusetts	: None of the components are listed	d.
New York	: None of the components are listed	d.
New Jersey	: The following components are lis Titanium dioxide	sted:
Pennsylvania	: The following components are lis Titanium dioxide	sted:

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0
		11/15

14/15





DEL BLUE 325C

Version Number 1.2 Revision Date 07/31/2020 Page 15 of 15 Print Date 08/01/2020

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	08/01/2020
Date of issue/Date of revision	:	07/31/2020
Date of previous issue	:	04/24/2020
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.