GRIS 420C

Version Number 1.0 Revision Date 03/08/2017

ne

Page 1 of 17 Print Date 04/10/2018

SAFETY DATA SHEET

GRIS 420C

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	::	GRIS 420C Mixture Mixture CC10258223 liquid
<u>Relevant identified uses of the subs</u> Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN SENSITIZATION - Category 1
CHICLER al aleren en fr		

GHS label elements

GRIS 420C

ŀ	bh	vOne.
_		

Version Number 1.0	
Revision Date 03/08/2017	

Page 2 of 17 Print Date 04/10/2018

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10258223

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	60 - 100	13463-67-7
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester	1 - 5	82919-37-7
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	1 - 5	Not available.
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	1 - 5	41556-26-7



P_{c}	bly	<i>O</i> 1	1 <u>e</u> .
	-		

Version Number 1.0 Revision Date 03/08/2017

Carbon black	0.1 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious,

GRIS 420C

<u>PolyOne</u>

Version Number 1.0 Revision Date 03/08/2017 Page 4 of 17 Print Date 04/10/2018

place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following:
		irritation
		redness
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the	:	In a fire or if heated, a pressure increase will occur and the container

GRIS 420C



Version Number 1.0	Page 5 of 17
Revision Date 03/08/2017	Print Date 04/10/2018

chemical Hazardous thermal decomposition products	:	may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions Methods and materials for containme	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methous and materials for containing	int al	id cleaning up
Small spill Large spill	:	 Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment
	_	plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or
		5/17

GRIS 420C

Version Number 1.0 Revision Date 03/08/2017

PolyOne

Page 6 of 17 Print Date 04/10/2018

diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits	
OSHA PEL 1989 (1989-03-01)	
PEL: Permissible Exposure Level 3.5 mg/m3	
OSHA PEL (1993-06-30)	
PEL: Permissible Exposure Level 3.5 mg/m3	
	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30)

GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 Page 7 of 17 Print Date 04/10/2018

	-
	NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Decanedioic acid, methyl 1,2,2,6,6- pentamethyl-4-piperidinyl ester	
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	
Titanium dioxide	OSHA PEL 1989 (1989-03-01)PEL: Permissible Exposure Level 10 mg/m3 Form: Total dustOSHA PEL (1993-06-30)PEL: Permissible Exposure Level 15 mg/m3 Form: Total dustNIOSH REL (1994-06-01)ACGIH TLV (1996-05-18)TLV-TWA: Threshold Limit Value - Time weighted average PEL:Permissible Exposure Level 10 mg/m3
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations
	7/17



GRIS 420C



Version Number 1.0 Revision Date 03/08/2017	Page 8 of 17 Print Date 04/10/2018
Eye/face protection	 and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

:	liquid [liquid]
:	GREY
:	Faint odor.
:	Not available.

GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 Page 9 of 17 Print Date 04/10/2018

PolyUne

Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
ě i		1.00 u. u. u.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
•		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester						



GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 Page 10 of 17 Print Date 04/10/2018

Miscellaneous Compounds Distillates, petroleum, hydrotreated middle							
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate							
Titanium dioxide							
LC50 Inhalation Rat - Male 6.82 Mg/l 4 h							
LD50 Dermal Rabbit > 5,000 mg/kg -							
Conclusion/Summony Mixture Not fully tested							

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
Conclusion/Summary	irritant				
Skin	: N	lixture.Not full	v tested		
Eyes		lixture.Not full			
Respiratory		lixture.Not full			
Sensitization					
Conclusion/Summary					
Skin		lixture.Not full			
Respiratory	: N	lixture.Not full	y tested.		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not full	y tested.		
Carcinogenicity					
Conclusion/Summary Classification	: N	lixture.Not full	y tested.		
Product/ingredient name	OSHA	IARC	NTP		
Carbon black		2B			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: N	lixture.Not full	y tested.		
Teratogenicity					
Conclusion/Summary	: N	lixture.Not full	y tested.		
Specific target organ toxici Not available.	ty (single exposu	<u>ure)</u>			
		10/17	,		



GRIS 420C

Version Number 1.0 Revision Date 03/08/2017

Page 11 of 17 Print Date 04/10/2018

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard					
Product/ingredient name			Result		
Miscellaneous Compounds Distillates hydrotreated middle	, petr	oleum,	ASPIRATION HAZARD - Category 1		
Information on likely routes of exposure	:	Not available	2.		
Potential acute health effects					
Eye contact Inhalation Skin contact Ingestion	::	No known si May cause ar	gnificant effects or critical hazards. gnificant effects or critical hazards. n allergic skin reaction. gnificant effects or critical hazards.		
Symptoms related to the physical, cl	hemi	cal and toxico	logical characteristics		
Eye contact Inhalation Skin contact	::	irritation			
Ingestion	:	redness No specific d	lata.		
<u>Delayed and immediate effects as we</u> Short term exposure	ell as	chronic effect	ts from short and long-term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available			
Long term exposure					
Potential immediate effects Potential delayed effects	:	Not available Not available			
Potential chronic health effects					
Conclusion/Summary	:	Mixture.Not	fully tested.		
General	:	Once sensitiz	zed, a severe allergic reaction may occur when		
			147		

11/17

GRIS 420C

Pol	vOne.

Version Number 1.0 Revision Date 03/08/2017 Page 12 of 17 Print Date 04/10/2018

	subsequently exposed to very low levels.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
	:

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	100.8 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	
Carbon black			• •	
	Acute EC50 37.563 mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
	Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Titanium dioxide				
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h	
	Marine water			
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h	
	water			
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h	



GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 Page 13 of 17 Print Date 04/10/2018

			Crustaceans	
	Acute EC5	0 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
	Acute LC3	0 27.8 mg/1 Hesh water	-	40 11
			Daphnia	40.1
	Acute EC5	0 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
			Daphnia	
	Acute EC5	0 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Ç	Daphnia	
GRIS 420C			· -	•
Remarks - Acute - Aquatic	Dangerous	for the environment: May	cause long term adverse e	ffects in the aquatic
invertebrates.:	environment.			
Conclusion/Summary	: Dangerous for the environment: May cause long term adverse effects			
·		in the aquatic environme	ent.	
Persistence and degradability	<u>y</u>			
		Not and lable		
Conclusion/Summary	:	Not available.		
Conclusion/Summary		Dangerous for the enviro	onment: May cause long te	rm adverse effects
		in the aquatic environme		

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty
------------------	--



GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 Page 14 of 17 Print Date 04/10/2018

containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant
IMO/IMDG (maritime)	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed

GRIS 420C



Version Number 1.0	Page 15 of 17
Revision Date 03/08/2017	Print Date 04/10/2018

United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)	•	
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Carbon black	0.1 - 1	СН
Decanedioic acid, methyl 1,2,2,6,6-	1 - 5	AH
pentamethyl-4-piperidinyl ester		
Miscellaneous Compounds	1 - 5	AH
Distillates, petroleum,		
hydrotreated middle		
Bis (1,2,2,6,6-pentamethyl-4-	1 - 5	AH
piperidinyl) sebacate		
Titanium dioxide	60 - 100	СН

<u>SARA 313</u>

GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 PolyOne

Page 16 of 17 Print Date 04/10/2018

Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	::::	None of the components are listed. None of the components are listed. The following components are listed: Titanium dioxide Bis (2-ethylhexyl) adipate Carbon black The following components are listed: Carbon black Aluminum hydroxide Bis (2-ethylhexyl) adipate Titanium dioxide
<u>California Prop. 65</u> WARNING: This product contains a c	hem	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: Not determined. Japan inventory: All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): All components are listed or exempted. Taiwan Chemical Substances Inventory (TCSI): Not determined.
Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals	: : :	Not listed Not listed Not listed



GRIS 420C

Version Number 1.0 Revision Date 03/08/2017 Page 17 of 17 Print Date 04/10/2018

Section 16. Other information

Hazardous Material Informati	ion System (U.S	.A.) :

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

<u>History</u>		
Date of printing	:	04/10/2018
Date of issue/Date of revision	:	03/08/2017
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

TT!

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.