TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 1 of 16 Print Date 04/05/2017

SAFETY DATA SHEET

TPE DAFFODIL YELLOW

| Section 1. Identification | | |
|--------------------------------------|--------|---|
| | | |
| GHS product identifier | : | TPE DAFFODIL YELLOW |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | CC10259525 |
| Product type | : | solid |
| | | |
| Relevant identified uses of the subs | stance | or mixture and uses advised against |
| Product use | : | Industrial applications. Plastics. |
| | | |
| Supplier's details | : | POLYONE CORPORATION |
| | | 33587 Walker Road, Avon Lake, OH 44012 |
| | | |
| | | 1 (440) 930-1000 or 1 (866) POLYONE |
| Emergency telephone number | | CHEMTDEC 1 800 424 0200 (24brs for spill look fire exposure or |
| | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or |
| (with hours of operation) | | accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |
| Signal word | : | No signal word. |
| | | 1/16 |

TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 2 of 16 Print Date 04/05/2017

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

| General | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |

Section 3. Composition/information on ingredients

:

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10259525 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|------------------|---------|------------|
| Titanium dioxide | 5 - 10 | 13463-67-7 |
| | | |
| | | |
| Vinyl acetate | 0.1 - 1 | 108-05-4 |
| | | |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



TPE DAFFODIL YELLOW

| Version Number 1.0 | Page 3 of 16 |
|--------------------------|-----------------------|
| Revision Date 03/31/2017 | Print Date 04/05/2017 |

| | | Get medical attention if irritation occurs. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable |
| | | for breathing. Get medical attention if symptoms occur. In case of |
| | | inhalation of decomposition products in a fire, symptoms may be |
| | | delayed. The exposed person may need to be kept under medical |
| | | surveillance for 48 hours. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated |
| | | clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : | Wash out mouth with water. Remove victim to fresh air and keep at |
| | | rest in a position comfortable for breathing. If material has been |
| | | swallowed and the exposed person is conscious, give small quantities |
| | | of water to drink. Do not induce vomiting unless directed to do so by |
| | | medical personnel. Get medical attention if symptoms occur. |
| | | medical personner. Get medical attention il symptoms occur. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects | |
|---|--|
| Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u> | No known significant effects or critical hazards. |
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| Indication of immediate medical a | attention and special treatment needed, if necessary |
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Firefighting measures



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017

Page 4 of 16 Print Date 04/05/2017

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|---|---|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containment and cleaning up | | |
| Small spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material |
| 4/16 | | |

Ine

TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 5 of 16 Print Date 04/05/2017

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|---|
| Vinyl acetate | OSHA PEL 1989 (1989-03-01) |
| | PEL: Permissible Exposure Level 30 mg/m3 10 ppm |
| | Maximum permissible limit of exposure in the short term (short- |
| | term exposure limit). 60 mg/m3 20 ppm |
| | NIOSH REL (1994-06-01) |
| | Ceiling-A concentration that should not be exceeded at any time |
| | during any part of the working day. 15 mg/m3 4 ppm |
| | ACGIH TLV (1994-09-01) |
| | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | Permissible Exposure Level 35 mg/m3 10 ppm |
| | TLV-STEL: Threshold Limit Value - Short Time Exposure Level |
| | 53 mg/m3 15 ppm |
| | |



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017

| Titanium dioxide | | OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3 |
|---|---|---|
| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker |
| Environmental exposure controls | : | exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | | |
| Hygiene measures Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that |

6/16

olyOne.

TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 7 of 16 Print Date 04/05/2017

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Pellets.] |
|--|---|---------------------------|
| Color | : | YELLOW |
| Odor | : | Faint odor. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | insoluble in water. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | Kinematic: Not available. |
| | | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingradiants | | | |
|------------------------------------|--|--|--|--|
| Chemical stability | its ingredients.Stable under recommended storage and handling conditions (see Section 7). | | | |
| Possibility of hazardous reactions | Under normal conditions of storage and use, hazardous reactions will not occur. | | | |
| | | | | |



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017

Page 8 of 16 Print Date 04/05/2017

| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
|-------------------------|---|---|
| Incompatible materials | : | Keep away from strong acids. |
| | | Oxidizer. |
| Hazardous decomposition | : | Under normal conditions of storage and use, hazardous decomposition |
| products | | products should not be produced. |

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------|---------------------|---------------|----------|
| Vinyl acetate | · | | · | |
| | LD50 Oral | Rat | 2,900 mg/kg | - |
| | LC50 Inhalation | Rat | 11.4 mg/l | 4 h |
| | LD50 Dermal | Rabbit | 2,335 mg/kg | - |
| Titanium dioxide | | | | · |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |
| Conclusion/Summary | • Mixtu | re Not fully tested | · | • |

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

| Result | Species | Score | Exposure | Observation |
|-------------|---|---|--|---|
| Skin - Mild | Human | | 72 hrs | - |
| irritant | | | | |
| | | | | |
| : M | lixture.Not full | ly tested. | | |
| : M | lixture.Not full | ly tested. | | |
| : M | lixture.Not full | ly tested. | | |
| | | | | |
| | | | | |
| : M | lixture.Not full | ly tested. | | |
| : M | lixture.Not full | ly tested. | | |
| | | | | |
| : M | lixture.Not full | ly tested. | | |
| | Skin - Mild irritant : M : M : M : M | Skin - Mild irritant Human : Mixture.Not full : Mixture.Not full | Skin - Mild Human irritant Human : Mixture.Not fully tested. : Mixture.Not fully tested. | Skin - Mild Human 72 hrs : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. |

8/16



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 9 of 16 Print Date 04/05/2017

Carcinogenicity

| Conclusion/Summary Classification | : | Mixture.Not fu | lly tested. |
|--|----------------|------------------|--------------------------------------|
| Product/ingredient name | OSHA | IARC | NTP |
| Vinyl acetate | | 2B | |
| Reproductive toxicity | | | |
| Conclusion/Summary | : | Mixture.Not fu | lly tested. |
| Teratogenicity | | | |
| Conclusion/Summary | : | Mixture.Not fu | lly tested. |
| Specific target organ toxicity Not available. | (single expo | sure) | |
| Specific target organ toxicity Not available. | (repeated e | <u>xposure)</u> | |
| Aspiration hazard Not available. | | | |
| Information on likely routes of exposure | of : | Not available. | |
| Potential acute health effects | | | |
| Eye contact | : | No known sign | ificant effects or critical hazards. |
| Inhalation | : | | ificant effects or critical hazards. |
| Skin contact | : | No known sign | ificant effects or critical hazards. |
| Ingestion | : | No known sign | ificant effects or critical hazards. |
| Symptoms related to the phys | sical, chemic | al and toxicolog | gical characteristics |
| Eye contact | : | No specific dat | a. |
| Inhalation | : | No specific dat | |
| Skin contact | | No specific dat | |
| Ingestion | : | No specific dat | |
| Delayed and immediate offect | s as well as a | chronic effects | from short and long-term exposure |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

PolyOne

TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017

Page 10 of 16 Print Date 04/05/2017

Short term exposure

| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
|--|---|--|
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects | ::::::::::::::::::::::::::::::::::::::: | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| | | |

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|------------------------------|-------------|----------|
| Vinyl acetate | | | · · |
| | Acute LC50 14,000 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 18,000 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 19,730 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 15,000 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | Acute LC50 15,000 µg/l Fresh | Fish - Fish | 96 h |
| | water | | |
| | | | |



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017

Page 11 of 16 Print Date 04/05/2017

| | Acute LC50 10,000 - 100,000 µg/l | Aquatic invertebrates. | 48 h |
|--|--|---------------------------------------|-------------------|
| | Marine water | Crustaceans | |
| | Acute LC50 10,000 - 100,000 µg/l | Aquatic invertebrates. | 48 h |
| | Marine water | Crustaceans | |
| Fitanium dioxide | | | |
| | Acute LC50 > 1,000,000 μg/l | Fish - Fish | 96 h |
| | Marine water | | |
| | Acute LC50 > 1,000 mg/l Fresh | Fish - Fish | 96 h |
| | water | | 40.1 |
| | Acute LC50 13 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute LC50 6.5 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute LC50 3 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 15.9 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 3.6 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 11 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 13.4 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute EC50 27.8 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute EC50 19.3 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute EC50 35.306 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| FPE DAFFODIL YELLOW | | · • | |
| Remarks - Acute - Aquatic invertebrates.: | Chemicals are not readily available a | s they are bound within the | e polymer matrix. |
| Conclusion/Summary | : Chemicals are not readil polymer matrix. | y available as they are bou | nd within the |
| Persistence and degradability | <u>r</u> | | |
| Conclusion/Summary | : Chemicals are not readil polymer matrix. | y available as they are bou | nd within the |
| Conclusion/Summary | : Chemicals are not readil polymer matrix. | y available as they are bou | nd within the |



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 12 of 16 Print Date 04/05/2017

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|------|-----------|
| Vinyl acetate | 0.73 | 3.16 | low |
| Titanium dioxide | | - | low |

Mobility in soil

| Soil/water partition coefficient | : | Not available. |
|----------------------------------|---|---|
| (KOC) Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S. DOT Classification | : | Not regulated for transportation. |
|-------------------------|---|--|
| ICAO/IATA | : | Not classified as dangerous goods under transport regulations. |
| IMO/IMDG (maritime) | : | Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | : United States - TSCA 12(b) - Chemical export notification: None |
|--------------------------|---|
| | of the components are listed. |
| | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | 12/16 |

TPE DAFFODIL YELLOW

| Version Number 1.0 | Page 13 of 16 |
|--------------------------|-----------------------|
| Revision Date 03/31/2017 | Print Date 04/05/2017 |

United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) | : | Listed |
|---|---|------------|
| Hazardous Air Pollutants (HAPs) | | |
| Clean Air Act Section 602 Class I | : | Not listed |
| Substances | | |
| Clean Air Act Section 602 Class II | : | Not listed |
| Substances | | |
| DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) | | |
| DEA List II Chemicals (Essential | : | Not listed |
| Chemicals) | | |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:



TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 14 of 16 Print Date 04/05/2017

Composition/information on ingredients

| Name | % | Classification |
|------------------|---------|----------------|
| Vinyl acetate | 0.1 - 1 | F, AH, CH |
| Titanium dioxide | 5 - 10 | СН |

SARA 313

| | Product name | CAS number | % |
|-----------------------|---------------|------------|---------|
| Form R - Reporting | Vinyl acetate | 108-05-4 | 0.1 - 1 |
| requirements | | | |
| Supplier notification | Vinyl acetate | 108-05-4 | 0.1 - 1 |
| | | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations | | | |
|-------------------------------------|------|--|--|
| Massachusetts | : | None of the components are listed. | |
| New York | : | The following components are listed: | |
| | | Vinyl acetate | |
| New Jersey | : | The following components are listed: | |
| | | Vinyl acetate | |
| | | Titanium dioxide | |
| Pennsylvania | : | The following components are listed: | |
| | | Vinyl acetate | |
| | | | |
| | | Titanium dioxide | |
| | | | |
| <u>California Prop. 65</u> | | | |
| WARNING: This product contains a cl | hemi | ical known to the State of California to cause cancer. | |
| | | | |
| United States inventory (TSCA 8b) | : | All components are listed or exempted. | |
| | | | |
| Canada inventory | : | All components are listed or exempted. | |
| | | | |
| International regulations | | | |
| | | | |
| International lists | : | Australia inventory (AICS): All components are listed or exempted. | |
| | | Malaysia Inventory (EHS Register): Not determined. | |
| | | EINECS: All components are listed or exempted. | |
| | | Japan inventory: Not determined. | |
| 11/10 | | | |
| | | 14/16 | |

TPE DAFFODIL YELLOW

| Version Number 1.0 | Page 15 of 16 |
|--------------------------|-----------------------|
| Revision Date 03/31/2017 | Print Date 04/05/2017 |

| | | China inventory (IECSC): All components are listed or exempted. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): Not determined. Taiwan Chemical Substances Inventory (TCSI): All components |
|-------------------------|---|--|
| | | are listed or exempted. |
| s Convention emicals | : | Not listed |
| s Convention | : | Not listed |

Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals

Not listed

•

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

| Health | * | 1 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

| <u>History</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 04/05/2017 |
| Date of issue/Date of revision | : | 03/31/2017 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| • | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| | | |

ne

TPE DAFFODIL YELLOW

Version Number 1.0 Revision Date 03/31/2017 Page 16 of 16 Print Date 04/05/2017

References

Not available.

:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.