000000606086

Version Number 1.0 Revision Date 05/02/2017

<u>One</u>

Page 1 of 14 Print Date 05/03/2017

SAFETY DATA SHEET

00000606086

| Section 1. Identificati | ion | |
|-------------------------------------|---------|-------------------------------------|
| GHS product identifier | : | 00000606086 |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | CC10261080 |
| Product type | : | solid |
| Relevant identified uses of the sub | ostance | or mixture and uses advised against |
| Supplier's details | : | POLYONE CORPORATION |
| | | |
| | | |
| | | |

Emergency telephone number (with hours of operation) : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). | | | |
|--|---|---|--|--|--|
| Classification of the substance or mixture | : | EYE IRRITATION - Category 2B | | | |
| GHS label elements | | | | | |
| Signal word Hazard statements | : | Warning Causes eye irritation. | | | |
| Precautionary statements | | | | | |
| General | : | Not applicable. | | | |
| Prevention | : | Wash hands thoroughly after handling. | | | |
| Response | : | IF IN EYES: Rinse cautiously with water for several minutes. | | | |
| | | Remove contact lenses, if present and easy to do. Continue rinsing. If | | | |
| | | 1/14 | | | |



000000606086

Version Number 1.0 Revision Date 05/02/2017 Page 2 of 14 Print Date 05/03/2017

Storage
Disposal:Not applicable.Supplemental label elements
Hazards not otherwise classified:None known.

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10261080 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---------------------------|---------|------------|
| Styrene-Butadiene polymer | 10 - 30 | 9003-55-8 |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Inhalation

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health

Immediately flush eyes with plenty of water, occasionally lifting the

effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

000000606086



| 000000606086 | |
|--|--|
| Version Number 1.0 Revision Date 05/02/2017 | Page 3 of 14 Print Date 05/03/2017 |
| | |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Most important symptoms/effects, acut | e and delayed |
| Potential acute health effects | |
| Eye contact | Causes eye irritation. |
| Inhalation | No known significant effects or critical hazards. |
| | No known significant effects or critical hazards. |
| Ingestion | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | |
| Eye contact | : Adverse symptoms may include the following: irritation watering redness |
| Inhalation | No specific data. |
| ~~~ | No specific data. |
| | No specific data. |
| Indication of immediate medical atten | tion and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | No specific treatment. |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |



000000606086

Version Number 1.0 Revision Date 05/02/2017 <u>PolyOne</u>

Page 4 of 14 Print Date 05/03/2017

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|-----------------------------|---|--|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

000000606086



| Version Number 1.0 Revision Date 05/02/2017 | | Page 5 of 14 Print Date 05/03/2017 |
|--|---|---|
| | | |
| Small spill | : | Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled |

| | vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
|-------------|---|
| Large spill | : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. |
| | Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|---|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name Exposure limits

000000606086

Version Number 1.0 Revision Date 05/02/2017

Page 6 of 14 Print Date 05/03/2017

| Styrene-Butadiene polymer | |
|---|---|
| Appropriate engineering controls Environmental exposure controls | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures Eye/face protection | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves |
| Body protection | cannot be accurately estimated. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | Based on the hazard and potential for exposure, select a respirator that |



olyOne.

000000606086

Version Number 1.0 Revision Date 05/02/2017 Page 7 of 14 Print Date 05/03/2017

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

| : | solid [Pellets.] |
|---|---------------------------|
| : | NO PIGMENT |
| : | Not available. |
| : | Lower: Not available. |
| | Upper: Not available. |
| : | Not available. |
| : | Not available. |
| : | Not available. |
| : | Not available. |
| : | Not available. |
| : | Not available. |
| | |
| : | Not available. |
| : | Not available. |
| : | Not available. |
| : | Dynamic: Not available. |
| | Kinematic: Not available. |
| | |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |



000000606086

Version Number 1.0 Revision Date 05/02/2017 Page 8 of 14 Print Date 05/03/2017

| Incompatible materials | : | Keep away from strong acids. Oxidizer. |
|-------------------------|---|---|
| Hazardous decomposition | : | Under normal conditions of storage and use, hazardous decomposition |
| products | | products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Conclusion/Summary :

Not available.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--------------------------------------|-------------|---------------|-------|----------|-------------|
| Styrene-Butadiene polymer | Eyes - Mild | Rabbit | | 24 hrs | - |
| | irritant | | | | |
| Conclusion/Summary | | | | | |
| Skin | : N | ot available. | | | |
| Eyes | | ot available. | | | |
| Respiratory | : N | ot available. | | | |
| Sensitization | | | | | |
| Conclusion/Summary | | | | | |
| Skin | • • • | ot available. | | | |
| Respiratory | : N | ot available. | | | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : N | ot available. | | | |
| <u>Carcinogenicity</u> | | | | | |
| Conclusion/Summary Classification | : N | ot available. | | | |
| Product/ingredient | OSHA | IARC | NTP | | |
| name | | | | | |
| Styrene-Butadiene polymer | | 3 | | | |

Conclusion/Summary : Not available.

<u>PolyOne</u>

000000606086

Version Number 1.0 Revision Date 05/02/2017 Page 9 of 14 Print Date 05/03/2017

| <u>Teratogenicity</u> | | |
|--|--------|---|
| Conclusion/Summary | : | Not available. |
| Specific target organ toxicity (single Not available. | e exp | <u>osure)</u> |
| Specific target organ toxicity (repe Not available. | ated o | exposure) |
| Aspiration hazard Not available. | | |
| Information on likely routes of exposure | : | Not available. |
| Potential acute health effects | | |
| Eye contact Inhalation Skin contact Ingestion | :: | Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Symptoms related to the physical, c | hemi | cal and toxicological characteristics |
| Eye contact | : | Adverse symptoms may include the following: irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Delayed and immediate effects as w | ell as | chronic effects from short and long-term exposure |
| Short term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |



000000606086

Version Number 1.0 Revision Date 05/02/2017 Page 10 of 14 Print Date 05/03/2017

Potential chronic health effects

| Conclusion/Summary | : | Not available. |
|--|---|--|
| General Carcinogenicity | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Mutagenicity Teratogenicity | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Developmental effects Fertility effects | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|-----------------|
| Oral | 239,234.4 mg/kg |

Section 12. Ecological information

Toxicity

| Conclusion/Summary | : | Not available. |
|--|---|---|
| Persistence and degradability | | |
| Conclusion/Summary | : | Not available. |
| | | |
| Bioaccumulative potential <u>Mobility in soil</u> | | |
| Soil/water partition coefficient (KOC) | : | Not available. |
| Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

| Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental | |
|---|--|
|---|--|

000000606086

| Version Numbe | er 1.0 |
|---------------|------------|
| Revision Date | 05/02/2017 |



protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed |
|--------------------------|---|--|
| | | |

000000606086

| P | blyOne. | |
|---|---------|--|
| _ | | |

| Version Number 1.0 | Page 12 of 14 |
|--------------------------|-----------------------|
| Revision Date 05/02/2017 | Print Date 05/03/2017 |

Not listed

| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | : | Listed |
|---|---|------------|
| Clean Air Act Section 602 Class I | : | Not listed |
| Substances Clean Air Act Section 602 Class II | : | Not listed |
| Substances DEA List I Chemicals (Precursor | | Not listed |
| Chemicals) | | |
| DEA List II Chemicals (Essential Chemicals) | : | Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Classification |
|---------------------------|---------|----------------|
| Styrene-Butadiene polymer | 10 - 30 | AH |
| | | |

SARA 313 Not applicable.

| State regulations | |
|-------------------|--|
| Massachusetts | : None of the components are listed. |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: |
| - | White mineral oil (petroleum) |
| Pennsylvania | : The following components are listed: |
| | 12/14 |

000000606086

Version Number 1.0 Revision Date 05/02/2017 <u>PolyOne</u>.

Page 13 of 14 Print Date 05/03/2017

Sodium sulfate (solution)

California Prop. 65

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

| 1 | 6 | | |
|------------|--------------------------|---|--|
| United Sta | ates inventory (TSCA 8b) | : | All components are listed or exempted. |

Canada inventory

All components are listed or exempted.

International regulations

Inventory list

| 4] |
|------|
| ted. |
| |
| ted. |
| |

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

| Hazar dous Materiar mitor mation System (0.5.1.6) | | |
|---|---|---|
| Health | * | 1 |
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

000000606086

| Version Numbe | er 1.0 |
|---------------|------------|
| Revision Date | 05/02/2017 |

<u>PolyOne</u>

Page 14 of 14 Print Date 05/03/2017

| <u>History</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 05/03/2017 |
| Date of issue/Date of revision | : | 05/02/2017 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| • | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.