ne

HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017 Page 1 of 16 Print Date 06/10/2017

SAFETY DATA SHEET

HC-6746 GOLD CAP V2

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	::	HC-6746 GOLD CAP V2 Mixture Mixture CC10263793 liquid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2

GHS label elements

HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017

Page 2 of 16 Print Date 06/10/2017

Hazard pictograms	
Signal word	: Warning
Hazard statements	: Causes skin irritation.
Precautionary statements	
General	: Not applicable.
Prevention	: Wear protective gloves. Wash hands thoroughly after handling.
Response	: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.

Supplemental label elements None known. :

Hazards not otherwise classified None known. :

Section 3. Composition/information on ingredients

Substance/mixture Mixture : **Chemical name** Mixture : Other means of identification CC10263793 :

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 30	13463-67-7
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	10 - 30	Not available.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017

Page 3 of 16 Print Date 06/10/2017

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.	
Skin contact Ingestion	Causes skin irritation.	
Ingestion :		
0	No known significant effects or critical hazards.	
Over-exposure signs/symptoms		
Eye contact :	Adverse symptoms may include the following:	
	pain or irritation	



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017 Page 4 of 16 Print Date 06/10/2017

	watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate medica	l attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

re, use water spray (fog), foam, dry chemical or CO ₂ . n.
f heated, a pressure increase will occur and the container ion products may include the following materials: ide oxide /oxides
blate the scene by removing all persons from the vicinity ent if there is a fire. No action shall be taken involving any k or without suitable training. s should wear appropriate protective equipment and self- reathing apparatus (SCBA) with a full face-piece operated pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures



HC-6746 GOLD CAP V2

Version Number 1.0	Page 5 of 16
Revision Date 06/09/2017	Print Date 06/10/2017

For non-emergency personnel	suitable training. Evacuate su unprotected personnel from e spilled material. Avoid breat ventilation. Wear appropriate	lving any personal risk or without rrounding areas. Keep unnecessary and entering. Do not touch or walk through hing vapor or mist. Provide adequate e respirator when ventilation is te personal protective equipment.
For emergency responders	If specialized clothing is requored of any information in Section	a son suitable and unsuitable materials. For non-emergency personnel".
Environmental precautions	waterways, drains and sewers	aterial and runoff and contact with soil, s. Inform the relevant authorities if the ental pollution (sewers, waterways, soil
Methods and materials for contain	t and cleaning up	
Small spill	water and mop up if water-so insoluble, absorb with an ine	ve containers from spill area. Dilute with bluble. Alternatively, or if water- rt dry material and place in an appropriate pose of via a licensed waste disposal
Large spill	release from upwind. Prevent basements or confined areas. plant or proceed as follows. C combustible, absorbent mater diatomaceous earth and place local regulations (see Section disposal contractor. Contamin	ve containers from spill area. Approach t entry into sewers, water courses, Wash spillages into an effluent treatment Contain and collect spillage with non- rial e.g. sand, earth, vermiculite or e in container for disposal according to a 13). Dispose of via a licensed waste nated absorbent material may pose the oduct. Note: see Section 1 for emergency ion 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this
		5/16



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017	Page 6 of 16 Print Date 06/10/2017
hygiene	material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, : including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Miscellaneous Compounds Distillates,	
petroleum, hydrotreated middle	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be
	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

<u>PolyOne</u>

HC-6746 GOLD CAP V2

Version Number 1.0	Page 7 of 16
Revision Date 06/09/2017	Print Date 06/10/2017

Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: liquid [liquid]
Color	: GOLD
Odor	: Faint odor.
Odor threshold	: Not available.
рН	: Not available.

'ne

HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017

Page 8 of 16 Print Date 06/10/2017

Melting point	:	Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time		Not available.
Burning rate		Not available.
Evaporation rate		Not available.
-	•	
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT		Not available.
Viscosity		Dynamic: Not available.
v iscusity	•	
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017 Page 9 of 16 Print Date 06/10/2017

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Titanium dioxide					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle					
<u>O 1! /O</u>	Minte	no Not fulles to stad			

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin		Aixture.Not fu			
Eyes		Aixture.Not fu			
Respiratory	: N	/lixture.Not fu	illy tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin		Aixture.Not fu			
Respiratory	: N	/lixture.Not fu	illy tested.		
Mutagenicity					
Conclusion/Summary	: N	/lixture.Not fu	illy tested.		
Carcinogenicity					
Conclusion/Summary	: N	/lixture.Not fu	Illy tested.		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: N	/lixture.Not fu	Illy tested.		
Teratogenicity					
Conclusion/Summary	: N	/lixture.Not fu	Illy tested.		

Specific target organ toxicity (repeated exposure)



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017 Page 10 of 16 Print Date 06/10/2017

Not available.

Aspiration hazard					
Product/ingredient name			Result		
Miscellaneous Compounds Distillate hydrotreated middle	s, petr	oleum,	ASPIRATION HAZARD - Category 1		
Information on likely routes of exposure	:	Not availabl	e.		
Potential acute health effects					
Eye contact	:	No known s	ignificant effects or critical hazards.		
Inhalation			ignificant effects or critical hazards.		
Skin contact	:	Causes skin			
Ingestion	:	No known s	ignificant effects or critical hazards.		
Symptoms related to the physical,	chemi	ical and toxico	ological characteristics		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering			
Inhalation		redness	data		
Skin contact		No specific data.Adverse symptoms may include the following:			
Skill contact	:	irritation	iptoms may include the following.		
		redness			
Ingestion	:	No specific of	data.		
Delayed and immediate effects as v	vell as	s chronic effec	ets from short and long-term exposure		
Short term exposure					
Potential immediate effects	:	Not availabl	e.		
Potential delayed effects	:	Not availabl			
Long term exposure					
Potential immediate effects		Not availabl	٩		
Potential delayed effects	:	Not available.			
Potential chronic health effects					
Conclusion/Summary	:	Mixture.Not	fully tested.		
General	:	No known s	ignificant effects or critical hazards.		
			D/16		



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017 Page 11 of 16 Print Date 06/10/2017

Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	7.878 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h



HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017

Page 12 of 16 Print Date 06/10/2017

	water			Daphnia		
Conclusion/Summary	:	Not available		Dupiniu		<u> </u>
Persistence and degradability	<u>v</u>					
Conclusion/Summary	:	Not available	e.			
Bioaccumulative potential						
Bioaccumulative potential Product/ingredient name	LogPow		BCF		Potential	
-	LogPow		BCF		Potential low	

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR

: Not regulated for transportation.

12/16

PolyOne.

HC-6746 GOLD CAP V2

Version Number 1.0	Page 13 of 16		
Revision Date 06/09/2017	Print Date 06/10/2017		
Ground/Air/Water			

International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental

)n<u>e</u>.

HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017 Page 14 of 16 Print Date 06/10/2017

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
	:	Not listed
Substances		Not lists d
DEA List I Chemicals (Precursor Chamicala)	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)	•	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	10 - 30	СН
Miscellaneous Compounds	10 - 30	AH
Distillates, petroleum,		
hydrotreated middle		

<u>SARA 313</u>

Not applicable.

State regulations

Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Iron oxide Titanium dioxide Mica
Pennsylvania	:	The following components are listed: Iron oxide
		Titanium dioxide
		Mica

California Prop. 65



HC-6746 GOLD CAP V2

Version Number 1.0	Page 15 of 16
Revision Date 06/09/2017	Print Date 06/10/2017

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

<u>History</u>	
Date of printing	: 06/10/2017
Date of issue/Date of revision	: 06/09/2017
Date of previous issue	: 00/00/0000
Version	: 1.0
Key to abbreviations	ATE = Acute Toxicity Estimate
·	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of
	Chemicals

HC-6746 GOLD CAP V2

Version Number 1.0 Revision Date 06/09/2017

Page 16 of 16 Print Date 06/10/2017

IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.