TPE RED 186

Version Number 1.0 Revision Date 07/05/2017

ne

Page 1 of 16 Print Date 07/06/2017

SAFETY DATA SHEET

TPE RED 186

Section 1. Identification		
GHS product identifier	:	TPE RED 186
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification		CC10264650
Product type		solid
• •		
Relevant identified uses of the subs	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017

Page 2 of 16 Print Date 07/06/2017

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10264650

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	1 - 5	13463-67-7
Vinyl acetate	0.1 - 1	108-05-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

TPE RED 186



Version Number 1.0	Page 3 of 16
Revision Date 07/05/2017	Print Date 07/06/2017

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	 No known significant effects or critical hazards.
Eye contact	: No specific data.
Inhalation	No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical a	ttention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017



Page 4 of 16
Print Date 07/06/2017

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material
4/16		

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017 PolyOne

Page 5 of 16 Print Date 07/06/2017

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits		
Vinyl acetate	OSHA PEL 1989 (1989-03-01)		
	PEL: Permissible Exposure Level 30 mg/m3 10 ppm		
	Maximum permissible limit of exposure in the short term (short-		
	term exposure limit). 60 mg/m3 20 ppm		
	NIOSH REL (1994-06-01)		
	Ceiling-A concentration that should not be exceeded at any time		
	during any part of the working day. 15 mg/m3 4 ppm		
	ACGIH TLV (1994-09-01)		
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:		
	Permissible Exposure Level 35 mg/m3 10 ppm		
	TLV-STEL: Threshold Limit Value - Short Time Exposure Level		
	53 mg/m3 15 ppm		

TPE RED 186

PolyOne

Version Number 1.0 Revision Date 07/05/2017 Page 6 of 16 Print Date 07/06/2017

Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker
Environmental exposure controls	:	exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that
		6/16

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017

olyOne

Page 7 of 16 Print Date 07/06/2017

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	RED
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or
Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.



TPE RED 186

Version Number 1.0	Page 8 of 16
Revision Date 07/05/2017	Print Date 07/06/2017

Conditions to avoid	: Keep away from extreme heat and oxidizing agents.	
Incompatible materials	: Keep away from strong acids.	
-	Oxidizer.	
Hazardous decomposition	: Under normal conditions of storage and use, hazardous decomposit	tion
products	products should not be produced.	

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Vinyl acetate				
	LD50 Oral	Rat	2,900 mg/kg	-
	LC50 Inhalation	Rat	11.4 mg/l	4 h
	LD50 Dermal	Rabbit	2,335 mg/kg	-
Titanium dioxide				·
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	• Mixtu	re Not fully tested		•

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not ful	ly tested.		
Eyes	: N	lixture.Not ful	ly tested.		
Respiratory	: N	lixture.Not ful	ly tested.		
Sensitization					
Conclusion/Summary					
Skin	: N	lixture.Not ful	ly tested.		
Respiratory	: N	lixture.Not ful	ly tested.		
<u>Mutagenicity</u>					
Conclusion/Summary	: N	lixture.Not ful	ly tested.		



TPE RED 186

Version Number 1.0 Revision Date 07/05/2017 Page 9 of 16 Print Date 07/06/2017

Carcinogenicity

Conclusion/Summary <u>Classification</u>	:	Mixture.Not fu	lly tested.
Product/ingredient name	OSHA	IARC	NTP
Vinyl acetate		2B	
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Specific target organ toxicity Not available.	(single expo	<u>osure)</u>	
Specific target organ toxicity Not available.	(repeated e	<u>xposure)</u>	
Aspiration hazard Not available.			
Information on likely routes of exposure	of :	Not available.	
Potential acute health effects			
Eye contact	:	No known sign	ificant effects or critical hazards.
Inhalation			ificant effects or critical hazards.
Skin contact	:		ificant effects or critical hazards.
Ingestion	:	No known sign	ificant effects or critical hazards.
Symptoms related to the phys	ical, chemic	al and toxicolog	gical characteristics
Eye contact	:	No specific dat	a.
Inhalation	:	No specific dat	
Skin contact	:	No specific dat	
Ingestion	:	No specific dat	
Delayed and immediate offer	s as wall as a	chronic effects	from short and long-term exposure

Delayed and immediate effects as well as chronic effects from short and long-term exposure

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017 <u>PolyOne</u>

Page 10 of 16 Print Date 07/06/2017

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Vinyl acetate			
	Acute LC50 14,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 18,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 19,730 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 15,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 15,000 µg/l Fresh	Fish - Fish	96 h
	water		



TPE RED 186

Version Number 1.0 Revision Date 07/05/2017

Page 11 of 16 Print Date 07/06/2017

Acute LC50 10,000 - 100,000 μg/l Marine water Acute LC50 10,000 - 100,000 μg/l Marine water Acute LC50 > 1,000,000 μg/l Marine water Acute LC50 > 1,000 mg/l Fresh water Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Crustaceans Aquatic invertebrates. Crustaceans Fish - Fish	48 h 48 h 96 h
Acute LC50 10,000 - 100,000 µg/l Marine water Acute LC50 > 1,000,000 µg/l Marine water Acute LC50 > 1,000 mg/l Fresh water	Aquatic invertebrates. Crustaceans Fish - Fish	
Marine water Acute LC50 > 1,000,000 μg/l Marine water Acute LC50 > 1,000 mg/l Fresh water	Crustaceans Fish - Fish	96 h
Marine water Acute LC50 > 1,000 mg/l Fresh water		96 h
Marine water Acute LC50 > 1,000 mg/l Fresh water		96 h
Acute LC50 > 1,000 mg/l Fresh water		1
water		0.61
Acute I C50 13 mg/l Fresh water	Fish - Fish	96 h
Acute LCJ0 15 mg/111tsh water	Aquatic invertebrates. Daphnia	48 h
Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	· •	-
Chemicals are not readily available as	s they are bound within the	e polymer matrix.
: Chemicals are not readily polymer matrix.	y available as they are bou	nd within the
: Chemicals are not readily polymer matrix.	y available as they are bou	nd within the
: Chemicals are not readily polymer matrix.	y available as they are bou	nd within the
	Acute LC50 15.9 mg/l Fresh water Acute LC50 3.6 mg/l Fresh water Acute LC50 11 mg/l Fresh water Acute LC50 13.4 mg/l Fresh water Acute EC50 27.8 mg/l Fresh water Acute EC50 19.3 mg/l Fresh water Acute EC50 35.306 mg/l Fresh water Chemicals are not readily available a : Chemicals are not readil polymer matrix. : Chemicals are not readil	Acute LC50 3 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 15.9 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 3.6 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 11 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 13.4 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Daphnia Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. Daphnia Chemicals are not readily available as they are bound within the : Chemicals are not readily available as they are bound polymer matrix. : Chemicals are not readily available as they are bound polymer matrix. :



TPE RED 186

Version Number	er 1.0
Revision Date	07/05/2017

Page 12 of 16 Print Date 07/06/2017

Product/ingredient name	LogPow	BCF	Potential
Vinyl acetate	0.73	3.16	low
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

TPE RED 186

Version Number 1.0		
Revision Date	07/05/2017	

<u>PolyOne</u>

Page 13 of 16 Print Date 07/06/2017

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

<u>PolyOne</u>.

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017 Page 14 of 16 Print Date 07/06/2017

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

<u>SARA 311/312</u>

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Vinyl acetate	0.1 - 1	F, AH, CH
Titanium dioxide	1 - 5	СН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Vinyl acetate	108-05-4	0.1 - 1
requirements			
Supplier notification	Vinyl acetate	108-05-4	0.1 - 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Vinyl acetate
New Jersey	: The following components are listed: Vinyl acetate Titanium dioxide Calcium carbonate
Pennsylvania	: The following components are listed: Calcium carbonate Titanium dioxide

Vinyl acetate

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017

vOne.

Page 15 of 16

Print Date 07/06/2017

Canada inventory	: At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations	
Inventory list	
Australia	: All components are listed or exempted.
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.
China	: All components are listed or exempted.
Europe inventory	: All components are listed or exempted.
Japan	: All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information	System	(U.S.A.) :
---------------------------------------	--------	------------

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

<u>History</u>		
Date of printing	: 0	7/06/2017
Date of issue/Date of revision	: 0	7/05/2017
Date of previous issue	: 0	0/00/0000
Version	: 1	.0
Key to abbreviations	: A	TE = Acute Toxicity Estimate
	В	CF = Bioconcentration Factor
	C	GHS = Globally Harmonized System of Classification and Labelling of
	C	Themicals
	L	ATA = International Air Transport Association
15/16		

TPE RED 186

Version Number 1.0 Revision Date 07/05/2017

<u>PolyOne</u>

Page 16 of 16 Print Date 07/06/2017

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.