UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 1 of 16 Print Date 09/21/2017

SAFETY DATA SHEET

UV BRONCE ORANGE 1655C

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	UV BRONCE ORANGE 1655C Mixture Mixture CC10269255 solid
••	tance	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 2 of 16 Print Date 09/21/2017

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10269255

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	1 - 5	13463-67-7
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	1 - 5	3147-75-9
Vinyl acetate	0.1 - 1	108-05-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



UV BRONCE ORANGE 1655C

Version Number 1.0	Page 3 of 16
Revision Date 09/08/2017	Print Date 09/21/2017

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017

Page 4 of 16 Print Date 09/21/2017

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill :	: Move containers from spill area. Vacuum or sweep up material and
	place in a designated, labeled waste container. Dispose of via a

Ine

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 5 of 16 Print Date 09/21/2017

Large spill

licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits			
Vinyl acetate	OSHA PEL 1989 (1989-03-01)			
	PEL: Permissible Exposure Level 30 mg/m3 10 ppm			
	Short-term exposure limit (STEL). A limit value beyond which			
	there should be no exposure and which refers to a period of fifteen			
	minutes, unless otherwise stated. 60 mg/m3 20 ppm			
	NIOSH REL (1994-06-01)			
	Ceiling-A concentration that should not be exceeded at any time			
	during any part of the working day. 15 mg/m3 4 ppm			
	ACGIH TLV (1994-09-01)			
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:			
	·			



UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017

		Permissible Exposure Level 35 mg/m3 10 ppm TLV-STEL: Threshold Limit Value - Short Time Exposure Level 53 mg/m3 15 ppm
Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)
		ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole		
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
		6/16



UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017		Page 7 of 16 Print Date 09/21/2017
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	-	ORANGE
Odor	:	Faint odor.
Odor threshold	-	Not available.
pH	-	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
		Not available.
Partition coefficient: n-	:	Not available.
octanol/water		NT-('l-1-1-
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.



UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017

Page 8 of 16 Print Date 09/21/2017

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Vinyl acetate		• -	•	· -
	LD50 Oral	Rat	2,900 mg/kg	-
	LC50 Inhalation	Rat	11.4 mg/l	4 h
	LD50 Dermal	Rabbit	2,335 mg/kg	-
Titanium dioxide				•
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
2-(2-Hydroxy-5-tert-octylphe	enyl)benzotriazole	·		
	LD50 Oral	Rat	1,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.	· · · · · · · · · · · · · · · · · · ·	•

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Eyes	: M	ixture.Not full	y tested.		

<u>PolyOne</u>

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 9 of 16 Print Date 09/21/2017

Respiratory	: N	Aixture.Not fully	v tested.	
<u>Sensitization</u>				
Conclusion/Summary Skin Respiratory		Aixture.Not fully Aixture.Not fully		
<u>Mutagenicity</u>				
Conclusion/Summary	: N	Aixture.Not fully	y tested.	
<u>Carcinogenicity</u>				
Conclusion/Summary Classification	: N	Aixture.Not fully	y tested.	
Product/ingredient name	OSHA	IARC	NTP	
Vinyl acetate		2B		
Titanium dioxide		2B		
<u>Reproductive toxicity</u> Conclusion/Summary <u>Teratogenicity</u>	: N	Aixture.Not fully	y tested.	
Conclusion/Summary	: N	Aixture.Not fully	y tested.	
Specific target organ toxicity Not available.	v (single exposi	ure)		
Specific target organ toxicity Not available.	v (repeated exp	oosure)		
Aspiration hazard Not available.				
Information on likely routes of exposure	of : N	lot available.		
Potential acute health effects				
Eye contact Inhalation Skin contact	: N	No known signifi	cant effects or critical hazards. cant effects or critical hazards. cant effects or critical hazards.	
		9/16		

ne

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 10 of 16 Print Date 09/21/2017

Ingestion

: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Fertility effects

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
	10/10		



UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 11 of 16 Print Date 09/21/2017

Vinyl acetate			
vinyi acciate	Acute LC50 14,000 µg/l Fresh	Fish - Fish	96 h
	water		J 0 II
	Acute LC50 18,000 µg/l Fresh	Fish - Fish	96 h
	water		JO H
	Acute LC50 19,730 µg/l Fresh	Fish - Fish	96 h
	water		50 H
	Acute LC50 15,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 15,000 µg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 10,000 - 100,000 µg/l	Aquatic invertebrates.	48 h
	Marine water	Crustaceans	
	Acute LC50 10,000 - 100,000 µg/l	Aquatic invertebrates.	48 h
	Marine water	Crustaceans	
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
	_	Daphnia	
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
THE PROVICE OF ANGE	water	Daphnia	
UV BRONCE ORANGE 1655			
Remarks - Acute - Aquatic	Chemicals are not readily available a	is they are bound within the	e polymer matrix.
invertebrates.:			
Conclusion/Summary		ly available as they are bou	nd within the
	polymer matrix.		

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017

Page 12 of 16 Print Date 09/21/2017

Persistence and degradability

Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Vinyl acetate	0.73	3.16	low
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR

: Not regulated for transportation.

<u>PolyOne</u>

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 13 of 16 Print Date 09/21/2017

Ground/Air/Water		
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

ne

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 14 of 16 Print Date 09/21/2017

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Vinyl acetate	0.1 - 1	F, AH, CH
Titanium dioxide	1 - 5	СН
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	1 - 5	АН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Vinyl acetate	108-05-4	0.1 - 1
requirements			
Supplier notification	Vinyl acetate	108-05-4	0.1 - 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Vinyl acetate
New Jersey	: The following components are listed: Vinyl acetate

Ine.

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017 Page 15 of 16 Print Date 09/21/2017

Pennsylvania	:	Titanium dioxide The following components are listed: Titanium dioxide
		Vinyl acetate
<u>California Prop. 65</u> WARNING: This product contains a cl	hemi	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey		Not determined.
United States	•	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :		
Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

History

ne

UV BRONCE ORANGE 1655C

Version Number 1.0 Revision Date 09/08/2017

Page 16 of 16 Print Date 09/21/2017

Date of printing Date of issue/Date of revision Date of previous issue Version	:	09/21/2017 09/08/2017 00/00/0000 1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.