NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 1 of 16 Print Date 11/17/2018

SAFETY DATA SHEET

NCS 6502 B GREY FOR PP

Section 1. Identification		
GHS product identifier	:	NCS 6502 B GREY FOR PP
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10270436
Product type	:	solid
Relevant identified uses of the subs	stance	e or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 2 of 16 Print Date 11/17/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10270436

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 30	13463-67-7
Carbon black	1 - 5	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

P<u>olyOne</u>

NCS 6502 B GREY FOR PP

Version Number 1.0	Page 3 of 16
Revision Date 09/27/2017	Print Date 11/17/2018

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atto	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 4 of 16 Print Date 11/17/2018

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

yOne

NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 5 of 16 Print Date 11/17/2018

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 3.5 mg/m3
	Time Weighted Average (TWA)
	ACGIH TLV (2010-12-06)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017

This and the state		OCITA DEL 1000 (1000 02 01)
Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
		OSHA PEL (1993-06-30)
		PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
		NIOSH REL (1994-06-01)
		ACGIH TLV (1996-05-18)
		TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls		Good general ventilation should be sufficient to control worker
Appropriate engineering controls	:	exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be
		checked to ensure they comply with the requirements of
		environmental protection legislation. In some cases, fume scrubbers,
		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end
		of the working period. Appropriate techniques should be used to
		remove potentially contaminated clothing. Wash contaminated
		clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used
	•	when a risk assessment indicates this is necessary to avoid exposure to
		liquid splashes, mists, gases or dusts. If contact is possible, the
		following protection should be worn, unless the assessment indicates a
		higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved
	Ĩ	standard should be worn at all times when handling chemical products
		if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based
		on the task being performed and the risks involved and should be
Other skin protection		approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks
		involved and should be approved by a specialist before handling this
		product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that
		6/16

6/16

yOne

NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 7 of 16 Print Date 11/17/2018

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
· · · · · · · · · ·	-	Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).		
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.		
-//-				



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017

Page 8 of 16 Print Date 11/17/2018

Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids.
		Oxidizer.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Titanium dioxide	•			
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		·

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	/lixture.Not fu	illy tested.		
Eyes	: N	/lixture.Not fu	illy tested.		
Respiratory	: N	/lixture.Not fu	illy tested.		
<u>Sensitization</u> Conclusion/Summary Skin Respiratory		/lixture.Not fu /lixture.Not fu	•		
<u>Mutagenicity</u>	• •		ing tostea.		
Conclusion/Summary	: N	/lixture.Not fu	ally tested.		
Carcinogenicity					



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 9 of 16 Print Date 11/17/2018

Conclusion/Summary <u>Classification</u>	:	Mixture.Not ful	ly tested.
Product/ingredient name	OSHA	IARC	NTP
Carbon black		2B	
Titanium dioxide		2B	
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not ful	ly tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not ful	ly tested.
Specific target organ toxicity Not available.	(single expo	<u>sure)</u>	
Specific target organ toxicity Not available.	(repeated ex	<u>kposure)</u>	
<u>Aspiration hazard</u> Not available.			
Information on likely routes of exposure	of :	Not available.	
Potential acute health effects			
Eye contact	:	No known signi	ficant effects or critical hazards.
Inhalation	:		ficant effects or critical hazards.
Skin contact	:		ficant effects or critical hazards.
Ingestion	:	No known signi	ficant effects or critical hazards.
Symptoms related to the phys	sical, chemic	al and toxicolog	ical characteristics
Eve contect		No specific data	
Eye contact Inhalation	:	No specific data	
		No specific data	
Skin contact Ingestion		No specific data	
mgcouvi	•	110 specific data	
Delayed and immediate effect	s as well as o	chronic effects f	rom short and long-term exposure

Short term exposure



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017

Page 10 of 16 Print Date 11/17/2018

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
Acute EC50 37.563 mg/l Fresh	Aquatic invertebrates.	48 h
water	Daphnia	
Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
water	Daphnia	
Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
Marine water		
Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
water		
Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
	Daphnia	
	Acute EC50 37.563 mg/l Fresh water Acute LC50 61.547 mg/l Fresh water Acute LC50 > 1,000,000 μg/l Marine water Acute LC50 > 1,000 mg/l Fresh water	Acute EC50 37.563 mg/l Fresh water Aquatic invertebrates. Daphnia Acute LC50 61.547 mg/l Fresh water Aquatic invertebrates. Daphnia Acute LC50 > 1,000,000 µg/l Marine water Fish - Fish Acute LC50 > 1,000 mg/l Fresh water Fish - Fish Acute LC50 > 1,000 mg/l Fresh water Aquatic invertebrates. Acute LC50 > 1,000 mg/l Fresh water Aquatic invertebrates.



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017

	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h
	C	Crustaceans	
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h
	C	Crustaceans	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
	C	Daphnia	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
	C C	Daphnia	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
NCS 6502 B GREY FOR PP		· •	
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	e polymer matrix.
invertebrates.:	5	5	1 5
Conclusion/Summary	: Chemicals are not readil	y available as they are bou	nd within the
5	polymer matrix.	5	
	1 7		
Persistence and degradability	<u>Y</u>		
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the

Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

NCS 6502 B GREY FOR PP

Version Number 1.0	Page 12 of 16
Revision Date 09/27/2017	Print Date 11/17/2018

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

:

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

12/16

<u>PolyOne</u>

NCS 6502 B GREY FOR PP

Version Number 1.0	Page 13 of 16
Revision Date 09/27/2017	Print Date 11/17/2018

		 United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff Chromium (III) oxide United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
US. EPA CERCLA Hazardous Subs	tanc	es (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable. :

Composition/information on ingredients

Name	%	Classification		
13/16				



NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 14 of 16 Print Date 11/17/2018

Carbon black	1 - 5	СН
Titanium dioxide	10 - 30	СН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Chromium (III) oxide	1308-38-9	1 - 5
requirements			
	Rutile, antimony chromium buff	68186-90-3	1 - 5
Supplier notification	Chromium (III) oxide	1308-38-9	1 - 5
	Rutile, antimony chromium buff	68186-90-3	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts New York New Jersey	:	None of the components are listed. None of the components are listed. The following components are listed: Rutile, antimony chromium buff Chromium (III) oxide Carbon black Titanium dioxide
Pennsylvania	:	The following components are listed: Silica, amorphous Rutile, antimony chromium buff
		Titanium dioxide
		Carbon black
		Chromium (III) oxide
California Prop. 65 WARNING: This product contains a chemical known to the State of California to cause cancer.		
United States inventory (TSCA 8b)	:	All components are listed or exempted.

NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 15 of 16 Print Date 11/17/2018

International regulations

Inventory list

Not determined.
All components are listed or exempted.
Not determined.
All components are listed or exempted.
All components are listed or exempted.
Not determined.
Not determined.
All components are listed or exempted.
All components are listed or exempted.
Not determined.
All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

History

<u>HIStory</u>		
Date of printing	:	11/17/2018
Date of issue/Date of revision	:	09/27/2017
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From

NCS 6502 B GREY FOR PP

Version Number 1.0 Revision Date 09/27/2017 Page 16 of 16 Print Date 11/17/2018

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

: