### 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 1 of 16 Print Date 11/17/2018

# SAFETY DATA SHEET

### **030GY2080 GRAY PVC**

| Section 1. Identification            | on     |   |
|--------------------------------------|--------|---|
|                                      |        |   |
| GHS product identifier               | :      | 030GY2080 GRAY PVC  |
| Chemical name                        | :      | Mixture   |
| CAS number                           | :      | Mixture   |
| Other means of identification        | :      | CC10271310  |
| Product type                         | :      | solid   |
| ••                                   |        |   |
| Relevant identified uses of the subs | stance | or mixture and uses advised against                               |
| Product use                          | :      | Industrial applications. Plastics.                                |
|                                      |        |   |
| Supplier's details                   | :      | POLYONE CORPORATION   |
|                                      |        | 33587 Walker Road, Avon Lake, OH 44012                            |
|                                      |        |   |
|                                      |        | 1 (440) 930-1000 or 1 (866) POLYONE                               |
|                                      |        |   |
| Emergency telephone number           | :      | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or |
| (with hours of operation)            |        | accident).  |
| (                                    |        |   |

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status                            | : | While this material is not considered hazardous by the OSHA Hazard<br>Communication Standard (29 CFR 1910.1200), this SDS contains<br>valuable information critical to the safe handling and proper use of the<br>product. This SDS should be retained and available for employees and<br>other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified.  |

#### GHS label elements



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

**a**•

.

.

Page 2 of 16 Print Date 11/17/2018

| Signal word                      | : | No signal word.                                   |
|----------------------------------|---|---|
| Hazard statements                | : | No known significant effects or critical hazards. |
| Precautionary statements         |   |   |
| General                          | : | Not applicable.                                   |
| Prevention                       | : | Not applicable.                                   |
| Response                         | : | Not applicable.                                   |
| Storage                          | : | Not applicable.                                   |
| Disposal                         | : | Not applicable.                                   |
| Supplemental label elements      | : | None known.                                       |
| Hazards not otherwise classified | : | None known.                                       |

.

1

## Section 3. Composition/information on ingredients

| Substance/mixture             | : | Mixture    |
|-------------------------------|---|------------|
| Chemical name                 | : | Mixture    |
| Other means of identification | : | CC10271310 |

CAS number/other identifiers

| Ingredient name   | %       | CAS number |
|---|---------|------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 10 - 25 | 68515-48-0 |
| Titanium dioxide  | 10 - 25 | 13463-67-7 |
| Carbon black  | 0 - 1   | 1333-86-4  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

### Page 3 of 16 Print Date 11/17/2018

### **Description of necessary first aid measures**

| Eye contact  | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
|--------------|---|---|
| Inhalation   | : | Remove victim to fresh air and keep at rest in a position comfortable<br>for breathing. Get medical attention if symptoms occur.  |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
| Ingestion    | : | Wash out mouth with water. Remove victim to fresh air and keep at<br>rest in a position comfortable for breathing. If material has been<br>swallowed and the exposed person is conscious, give small quantities<br>of water to drink. Do not induce vomiting unless directed to do so by<br>medical personnel. Get medical attention if symptoms occur. |

#### Most important symptoms/effects, acute and delayed

| Potential acute health effects  |              |  |
|---|--------------|--|
| Eye contact<br>Inhalation<br>Skin contact<br>Ingestion<br><u>Over-exposure signs/symptoms</u> | ::           | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| Eye contact<br>Inhalation<br>Skin contact<br>Ingestion  | ::           | No specific data.<br>No specific data.<br>No specific data.<br>No specific data.   |
| Indication of immediate medical att   | <u>entic</u> | on and special treatment needed, if necessary  |
| Notes to physician<br>Specific treatments   | :<br>:       | Treat symptomatically. Contact poison treatment specialist<br>immediately if large quantities have been ingested or inhaled.<br>No specific treatment.   |
| Protection of first-aiders  | :            | No action shall be taken involving any personal risk or without suitable training.   |

See toxicological information (Section 11)

## **Section 5. Firefighting measures**



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

Page 4 of 16 Print Date 11/17/2018

#### **Extinguishing media**

| Suitable extinguishing media<br>Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ .<br>None known.   |
|--|---|---|
| Specific hazards arising from the chemical                     | : | No specific fire or explosion hazard.   |
| Hazardous thermal  | : | May emit Hydrogen Chloride (HCl).   |
| decomposition products   |   | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>halogenated compounds<br>metal oxide/oxides   |
| Special protective actions for fire-<br>fighters               | : | Promptly isolate the scene by removing all persons from the vicinity<br>of the incident if there is a fire. No action shall be taken involving any<br>personal risk or without suitable training. |
| Special protective equipment for fire-fighters                 | : | Fire-fighters should wear appropriate protective equipment and self-<br>contained breathing apparatus (SCBA) with a full face-piece operated<br>in positive pressure mode.                        |

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel<br>For emergency responders | :     | No action shall be taken involving any personal risk or without<br>suitable training. Evacuate surrounding areas. Keep unnecessary and<br>unprotected personnel from entering. Do not touch or walk through<br>spilled material. Put on appropriate personal protective equipment.<br>If specialized clothing is required to deal with the spillage, take note<br>of any information in Section 8 on suitable and unsuitable materials.<br>See also the information in "For non-emergency personnel". |  |
|---|-------|---|--|
| Environmental precautions                               | :     | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |  |
| Methods and materials for containm                      | ent a | nd cleaning up  |  |
| Small spill   | :     | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.   |  |
| Large spill   | :     | Move containers from spill area. Prevent entry into sewers, water<br>courses, basements or confined areas. Vacuum or sweep up material  |  |
| 4/16  |       |   |  |

ne.

## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 5 of 16 Print Date 11/17/2018

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

| Protective measures<br>Advice on general occupational<br>hygiene | : | Put on appropriate personal protective equipment (see Section 8).<br>Eating, drinking and smoking should be prohibited in areas where this<br>material is handled, stored and processed. Workers should wash hands<br>and face before eating, drinking and smoking. Remove contaminated<br>clothing and protective equipment before entering eating areas. See<br>also Section 8 for additional information on hygiene measures.   |
|--|---|--|
| Conditions for safe storage,<br>including any incompatibilities  | : | Store in accordance with local regulations. Store in original container<br>protected from direct sunlight in a dry, cool and well-ventilated area,<br>away from incompatible materials (see Section 10) and food and<br>drink. Keep container tightly closed and sealed until ready for use.<br>Containers that have been opened must be carefully resealed and kept<br>upright to prevent leakage. Do not store in unlabeled containers. Use<br>appropriate containment to avoid environmental contamination. |

## Section 8. Exposure controls/personal protection

#### **Control parameters**

### **Occupational exposure limits**

| Ingredient name | Exposure limits   |
|-----------------|---|
| Carbon black    | OSHA PEL 1989 (1989-03-01)                                  |
|                 | PEL: Permissible Exposure Level 3.5 mg/m3                   |
|                 | OSHA PEL (1993-06-30)                                       |
|                 | PEL: Permissible Exposure Level 3.5 mg/m3                   |
|                 | NIOSH REL (1994-06-01)                                      |
|                 | Time Weighted Average (TWA) 3.5 mg/m3                       |
|                 | Time Weighted Average (TWA)                                 |
|                 | ACGIH TLV (2010-12-06)                                      |
|                 | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
|                 | Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction |
|                 | · · ·   |



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 6 of 16 Print Date 11/17/2018

| of the working period. Appropriate techniques should be used to<br>remove potentially contaminated clothing. Wash contaminated<br>clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be used<br>when a risk assessment indicates this is necessary to avoid exposure to<br>liquid splashes, mists, gases or dusts. If contact is possible, the<br>following protection should be worn, unless the assessment indicates a<br>higher degree of protection: safety glasses with side-shields.Skin protection: Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary.Body protection: Personal protective equipment for the body should be selected based<br>on the task being performed and the risks involved and should be   | Titanium dioxide<br>1,2-Benzenedicarboxylic acid, di-C8-10- | OSHA PEL 1989 (1989-03-01)         PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust         OSHA PEL (1993-06-30)         PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust         NIOSH REL (1994-06-01)         ACGIH TLV (1996-05-18)         TLV-TWA: Threshold Limit Value - Time weighted average PEL:         Permissible Exposure Level 10 mg/m3                          |
|--|---|---|
| Environmental exposure controlsexposure to airborne contaminants.<br>Emissions from ventilation or work process equipment should be<br>checked to ensure they comply with the requirements of<br>environmental protection legislation. In some cases, fume scrubbers,<br>  | branched alkyl esters, C9-rich                              |   |
| Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical<br>products, before eating, smoking and using the lavatory and at the end<br>of the working period. Appropriate techniques should be used to<br>remove potentially contaminated clothing. Wash contaminated<br>clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used<br>when a risk assessment indicates this is necessary to avoid exposure to<br>liquid splashes, mists, gases or dusts. If contact is possible, the<br>following protection should be worn, unless the assessment indicates a<br>higher degree of protection: safety glasses with side-shields.Skin protection:Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary.Body protection:Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary. |   | exposure to airborne contaminants.<br>Emissions from ventilation or work process equipment should be<br>checked to ensure they comply with the requirements of<br>environmental protection legislation. In some cases, fume scrubbers,<br>filters or engineering modifications to the process equipment will be   |
| Products, before eating, smoking and using the lavatory and at the end<br>of the working period. Appropriate techniques should be used to<br>remove potentially contaminated clothing. Wash contaminated<br>clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used<br>when a risk assessment indicates this is necessary to avoid exposure to<br>liquid splashes, mists, gases or dusts. If contact is possible, the<br>following protection should be worn, unless the assessment indicates a<br>higher degree of protection: safety glasses with side-shields.Skin protection:Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary.Body protection:Personal protective equipment for the body should be selected based<br>on the task being performed and the risks involved and should be  | Individual protection measures                              |   |
| liquid splashes, mists, gases or dusts. If contact is possible, the<br>following protection should be worn, unless the assessment indicates a<br>higher degree of protection: safety glasses with side-shields.Skin protection:Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary.Body protection:Personal protective equipment for the body should be selected based<br>on the task being performed and the risks involved and should be  |   | products, before eating, smoking and using the lavatory and at the end<br>of the working period. Appropriate techniques should be used to<br>remove potentially contaminated clothing. Wash contaminated<br>clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.<br>Safety eyewear complying with an approved standard should be used |
| Hand protection: Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary.Body protection: Personal protective equipment for the body should be selected based<br>on the task being performed and the risks involved and should be   |   | liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a  |
| <ul> <li>standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</li> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be</li> </ul>   | Skin protection   |   |
| <b>Body protection</b> : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be  | Hand protection :   | standard should be worn at all times when handling chemical products  |
|  |   | Personal protective equipment for the body should be selected based<br>on the task being performed and the risks involved and should be<br>approved by a specialist before handling this product.   |
| Other skin protection         : Appropriate footwear and any additional skin protection measures           6/16  | Other skin protection :                                     |   |

## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 7 of 16 Print Date 11/17/2018

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

:

#### Appearance

| Physical state            | : | solid [Pellets.]               |
|---------------------------|---|--------------------------------|
| Color                     | : | GREY                           |
| Odor                      | : | Not available.                 |
| Odor threshold            | : | Not available.                 |
| рН                        | : | Not available.                 |
| Melting point             | : | Not available.                 |
| Boiling point             | : | Not available.                 |
| Flash point               | : | Not available.                 |
| Burning time              | : | Not available.                 |
| Burning rate              | : | Not available.                 |
| Evaporation rate          | : | Not available.                 |
| Flammability (solid, gas) | : | Not available.                 |
| Lower and upper explosive | : | Lower: Not available.          |
| (flammable) limits        |   | Upper: Not available.          |
| Vapor pressure            | : | Not available.                 |
| Vapor density             | : | Not available.                 |
| Relative density          | : | Not available.                 |
| Solubility                | : | Not available.                 |
| Solubility in water       | : | Not available.                 |
| Partition coefficient: n- | : | Not available.                 |
| octanol/water             |   |                                |
| Auto-ignition temperature | : | Not available.                 |
| Decomposition temperature | : | Not available.                 |
| SADT                      | : | Not available.                 |
| Viscosity                 | : | <b>Dynamic:</b> Not available. |
|                           |   | Kinematic: Not available       |

#### Kinematic: Not available.

## Section 10. Stability and reactivity

| Reactivity         | : No specific test data related to reactivity available for this product or its ingredients. |  |  |
|--------------------|--|--|--|
| Chemical stability | : Stable under recommended storage and handling conditions (see                              |  |  |
| 7/4 0              |  |  |  |



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

Page 8 of 16 Print Date 11/17/2018

| : | Section 7).<br>Under normal conditions of storage and use, hazardous reactions will                  |
|---|--|
|   | not occur.   |
| : | Keep away from extreme heat and oxidizing agents.  |
| : | Avoid contact with acetal homopolymers and acetyl homopolymers during processing.                    |
| : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | ::   |

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name      | Result              | Species               | Dose          | Exposure |
|------------------------------|---------------------|-----------------------|---------------|----------|
| 1,2-Benzenedicarboxylic acid | , di-C8-10-branched | alkyl esters, C9-rich |               |          |
| -                            | LD50 Oral           | Rat                   | 10,000 mg/kg  | -        |
| Titanium dioxide             |                     |                       |               |          |
|                              | LC50 Inhalation     | Rat - Male            | 6.82 Mg/l     | 4 h      |
|                              | LD50 Dermal         | Rabbit                | > 5,000 mg/kg | -        |
| Carbon black                 |                     |                       |               |          |
|                              | LD50 Oral           | Rat                   | 15,400 mg/kg  | -        |
| Conclusion/Summary           | • Mixtu             | ire Not fully tested  | -             |          |

Conclusion/Summary

Mixture.Not fully tested.

#### Irritation/Corrosion

| Product/ingredient name   | Result                  | Species         | Score     | Exposure | Observation |
|---|-------------------------|-----------------|-----------|----------|-------------|
| 1,2-Benzenedicarboxylic<br>acid, di-C8-10-branched<br>alkyl esters, C9-rich | Eyes - Mild<br>irritant | Rabbit          |           |          | -           |
| Titanium dioxide  | Skin - Mild<br>irritant | Human           |           | 72 hrs   | -           |
| Conclusion/Summary<br>Skin  | • M                     | lixture.Not ful | ly tested |          |             |

Skin Eyes

Mixture.Not fully tested. : Mixture.Not fully tested. :

## Respiratory

Mixture.Not fully tested.

#### Sensitization

**Conclusion/Summary** 



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 9 of 16 Print Date 11/17/2018

| Skin<br>Respiratory                                     | :  |              | ixture.Not ful<br>ixture.Not ful |                              |  |                  |  |
|---|--|--------------|----------------------------------|------------------------------|--|------------------|--|
| <b>Mutagenicity</b>                                     |  |              |                                  |                              |  |                  |  |
| Conclusion/Summary                                      | :  | M            | ixture.Not ful                   | ly tested.                   |  |                  |  |
| <b>Carcinogenicity</b>                                  |  |              |                                  |                              |  |                  |  |
| Conclusion/Summary<br><u>Classification</u>             | :  | M            | ixture.Not ful                   | ly tested.                   |  |                  |  |
| Product/ingredient<br>name                              | OSHA                                     |              | IARC                             | NTP                          |  |                  |  |
| Titanium dioxide  |  |              | 2B                               |                              |  |                  |  |
| Carbon black  |  |              | 2B                               |                              |  |                  |  |
| <u>Reproductive toxicity</u><br>Conclusion/Summary      | :  | M            | ixture.Not ful                   | ly tested.                   |  |                  |  |
| <b>Teratogenicity</b>                                   |  |              |                                  |                              |  |                  |  |
| Conclusion/Summary                                      | sion/Summary : Mixture.Not fully tested. |              |                                  |                              |  |                  |  |
| Specific target organ toxicity<br>Not available.        | <u>y (single ex</u>                      | <u>rposu</u> | <u>re)</u>                       |                              |  |                  |  |
| <b>Specific target organ toxicity</b><br>Not available. | (repeated                                | l expo       | osure)                           |                              |  |                  |  |
| Aspiration hazard<br>Not available.                     |  |              |                                  |                              |  |                  |  |
| Information on likely routes exposure                   | of :                                     | No           | ot available.                    |                              |  |                  |  |
| Potential acute health effects                          |  |              |                                  |                              |  |                  |  |
| Eye contact<br>Inhalation<br>Skin contact<br>Ingestion  | :  | No<br>No     | o known signi<br>o known signi   | ficant effec<br>ficant effec | ts or critical ha<br>ts or critical ha<br>ts or critical ha<br>ts or critical ha | zards.<br>zards. |  |

### Symptoms related to the physical, chemical and toxicological characteristics

tolyOne.

## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 10 of 16 Print Date 11/17/2018

| Eye contact  | : No specific data. |
|--------------|---------------------|
| Inhalation   | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion    | : No specific data. |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Short term exposure  |    |  |
|--|----|--|
| Potential immediate effects<br>Potential delayed effects   | :  | Not available.<br>Not available.   |
| Long term exposure   |    |  |
| Potential immediate effects<br>Potential delayed effects   | :  | Not available.<br>Not available.   |
| Potential chronic health effects   |    |  |
| Conclusion/Summary   | :  | Mixture.Not fully tested.  |
| General<br>Carcinogenicity<br>Mutagenicity<br>Teratogenicity<br>Developmental effects<br>Fertility effects | :: | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| Numerical measures of toxicity   |    |  |

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### **Toxicity**

| Product/ingredient name | Result                        | Species     | Exposure |
|-------------------------|-------------------------------|-------------|----------|
| Titanium dioxide        |                               |             |          |
|                         | Acute LC50 > 1,000,000 µg/l   | Fish - Fish | 96 h     |
|                         | Marine water                  |             |          |
|                         | Acute LC50 > 1,000 mg/l Fresh | Fish - Fish | 96 h     |
|                         | 10/16                         |             |          |



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

|  | water  |                                       |                   |
|--|--|---------------------------------------|-------------------|
|  | Acute LC50 13 mg/l Fresh water   | Aquatic invertebrates.<br>Daphnia     | 48 h              |
|  | Acute LC50 6.5 mg/l Fresh water  | Aquatic invertebrates.<br>Daphnia     | 48 h              |
|  | Acute LC50 3 mg/l Fresh water  | Aquatic invertebrates.<br>Crustaceans | 48 h              |
|  | Acute LC50 15.9 mg/l Fresh water   | Aquatic invertebrates.<br>Crustaceans | 48 h              |
|  | Acute LC50 3.6 mg/l Fresh water  | Aquatic invertebrates.<br>Crustaceans | 48 h              |
|  | Acute LC50 11 mg/l Fresh water   | Aquatic invertebrates.<br>Crustaceans | 48 h              |
|  | Acute LC50 13.4 mg/l Fresh water   | Aquatic invertebrates.<br>Crustaceans | 48 h              |
|  | Acute EC50 27.8 mg/l Fresh water   | Aquatic invertebrates.<br>Daphnia     | 48 h              |
|  | Acute EC50 19.3 mg/l Fresh water   | Aquatic invertebrates.<br>Daphnia     | 48 h              |
|  | Acute EC50 35.306 mg/l Fresh water   | Aquatic invertebrates.<br>Daphnia     | 48 h              |
| Carbon black                                 |  |                                       |                   |
|  | Acute EC50 37.563 mg/l Fresh<br>water  | Aquatic invertebrates.<br>Daphnia     | 48 h              |
|  | Acute LC50 61.547 mg/l Fresh water   | Aquatic invertebrates.<br>Daphnia     | 48 h              |
| 030GY2080 GRAY PVC                           |  |                                       |                   |
| Remarks - Acute - Aquatic<br>invertebrates.: | Chemicals are not readily available a  | s they are bound within the           | e polymer matrix. |
| Conclusion/Summary                           | : Chemicals are not readily available as they are bound within the polymer matrix. |                                       |                   |
| Persistence and degradability                | <u>v</u>   |                                       |                   |
| Conclusion/Summary                           | : Chemicals are not readily available as they are bound within the polymer matrix. |                                       |                   |
| Conclusion/Summary                           | : Chemicals are not readily available as they are bound within the polymer matrix. |                                       |                   |

#### Bioaccumulative potential

| Product/ingredient name | LogPow | BCF  | Potential |  |  |
|-------------------------|--------|------|-----------|--|--|
| 1,2-Benzenedicarboxylic | 8.8    | 3.00 | low       |  |  |
| acid, di-C8-10-branched |        |      |           |  |  |
|                         |        |      |           |  |  |



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 12 of 16 Print Date 11/17/2018

| alkyl esters, C9-rich |   |     |
|-----------------------|---|-----|
| Titanium dioxide      | - | low |

#### Mobility in soil

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

## Section 13. Disposal considerations

| Disposal methods | : | The generation of waste should be avoided or minimized wherever<br>possible. Disposal of this product, solutions and any by-products<br>should at all times comply with the requirements of environmental<br>protection and waste disposal legislation and any regional local<br>authority requirements. Dispose of surplus and non-recyclable<br>products via a licensed waste disposal contractor. Waste should not be<br>disposed of untreated to the sewer unless fully compliant with the<br>requirements of all authorities with jurisdiction. Waste packaging<br>should be recycled. Incineration or landfill should only be considered<br>when recycling is not feasible. This material and its container must be<br>disposed of in a safe way. Empty containers or liners may retain some<br>product residues. Avoid dispersal of spilled material and runoff and |
|------------------|---|--|
|                  |   | contact with soil, waterways, drains and sewers.   |

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

| U.S.DOT 49CFR<br>Ground/Air/Water | : | Not regulated for transportation.     |
|-----------------------------------|---|---------------------------------------|
| International Air<br>ICAO/IATA    | : | Consult mode specific transport rules |
| International Water<br>IMO/IMDG   | : | Consult mode specific transport rules |

## Section 15. Regulatory information

Substances

Substances

**Chemicals**)

**DEA List I Chemicals (Precursor** 

### SAFETY DATA SHEET

## 030GY2080 GRAY PVC

| P | blyO | ne. |
|---|------|-----|
| _ |      |     |

| Version Number 1.1       | Page 13 of 16   |
|--------------------------|---|
| Revision Date 10/20/2017 | Print Date 11/17/2018   |
|                          |   |
|                          |   |
| U.S. Federal regulations | : United States - TSCA 12(b) - Chemical export notification: None of the components are listed. |

United States - TSCA 4(a) - Final Test Rules: Listed 1.2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff Zinc stearate Vinvl chloride monomer United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Clean Air Act Section 112(b) • Listed Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Not listed : Clean Air Act Section 602 Class II Not listed •

Not listed

•

ne

## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017 Page 14 of 16 Print Date 11/17/2018

**DEA List II Chemicals (Essential** : Not listed **Chemicals**)

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

**Composition/information on ingredients** 

| Name  | %       | Classification |
|---|---------|----------------|
| 1,2-Benzenedicarboxylic acid, di-<br>C8-10-branched alkyl esters, C9-<br>rich | 10 - 25 | АН             |
| Titanium dioxide  | 10 - 25 | СН             |
| Carbon black  | 0 - 1   | СН             |

#### SARA 313

|                       | Product name              | CAS number | %     |
|-----------------------|---------------------------|------------|-------|
| Form R - Reporting    | Rutile, antimony chromium | 68186-90-3 | 0 - 5 |
| requirements          | buff                      |            |       |
| Supplier notification | Rutile, antimony chromium | 68186-90-3 | 0 - 5 |
|                       | buff                      |            |       |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations |   |                                      |
|-------------------|---|--------------------------------------|
| Massachusetts     | : | None of the components are listed.   |
| New York          | : | None of the components are listed.   |
| New Jersey        | : | The following components are listed: |
|                   |   | Ethene, chloro-, homopolymer         |
|                   |   | Calcium carbonate                    |
|                   |   | Titanium dioxide                     |
|                   |   | Rutile, antimony chromium buff       |
|                   |   | Carbon black                         |
| Pennsylvania      | : | The following components are listed: |
|                   |   | Calcium carbonate                    |
|                   |   | Titanium dioxide                     |

14/16



## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

### Page 15 of 16 Print Date 11/17/2018

Rutile, antimony chromium buff

Carbon black

### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

| United States inventory (TSCA 8b) | : | All components are listed or exempted.  |
|-----------------------------------|---|---|
| Canada inventory                  | : | At least one component is not listed in DSL but all such components are listed in NDSL. |
| International regulations         |   |   |
| <u>Inventory list</u>             |   |   |

| Australia         | : | All components are listed or exempted.                              |
|-------------------|---|---|
| Canada            | : | At least one component is not listed in DSL but all such components |
|                   |   | are listed in NDSL.   |
| China             | : | All components are listed or exempted.                              |
| Europe inventory  | : | All components are listed or exempted.                              |
| Japan             | : | Not determined.   |
| New Zealand       | : | All components are listed or exempted.                              |
| Philippines       | : | All components are listed or exempted.                              |
| Republic of Korea | : | All components are listed or exempted.                              |
| Taiwan            | : | All components are listed or exempted.                              |
| Turkey            | : | Not determined.   |
| United States     | : | All components are listed or exempted.                              |

## Section 16. Other information

| <u>History</u>                 |   |   |
|--------------------------------|---|---|
| Date of printing               | : | 11/17/2018  |
| Date of issue/Date of revision | : | 10/20/2017  |
| Date of previous issue         | : | 10/19/2017  |
| Version                        | : | 1.1   |
| Key to abbreviations           | : | ATE = Acute Toxicity Estimate                                       |
| •                              |   | BCF = Bioconcentration Factor                                       |
|                                |   | GHS = Globally Harmonized System of Classification and Labelling of |
|                                |   | Chemicals   |
|                                |   | IATA = International Air Transport Association                      |
|                                |   | IBC = Intermediate Bulk Container                                   |
|                                |   | IMDG = International Maritime Dangerous Goods                       |
|                                |   | LogPow = logarithm of the octanol/water partition coefficient       |
|                                |   |   |

15/16

## 030GY2080 GRAY PVC

Version Number 1.1 Revision Date 10/20/2017

### Page 16 of 16 Print Date 11/17/2018

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.