722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 PolyOne.

Page 1 of 19 Print Date 09/05/2019

SAFETY DATA SHEET

722 BEIGE KF06 HM

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	722 BEIGE KF06 HM Mixture Mixture CC10271322 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/19

722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019

One.

Page 2 of 19 Print Date 09/05/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10271322

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium oxide	10 - 25	13463-67-7
C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344.	5 - 10	68187-49-5
Silica	1 - 3	7631-86-9
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 3 of 19 Print Date 09/05/2019

concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact :	No known significant effects or critical hazards.	
Inhalation :	No known significant effects or critical hazards.	
Skin contact :	No known significant effects or critical hazards.	
Ingestion :	No known significant effects or critical hazards.	
Over-exposure signs/symptoms		
Eye contact :	No specific data.	
Inhalation :	No specific data.	
Skin contact :	No specific data.	
Ingestion :	No specific data.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician :	In case of inhalation of decomposition products in a fire, symptoms	
	3/19	



722 BEIGE KF06 HM

Version Number 1.1	Page 4 of 19
Revision Date 09/03/2019	Print Date 09/05/2019
Specific treatments	may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil,

722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019



Page 5 of 19 Print Date 09/05/2019

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Titanium oxide	OSHA PEL 1989 (1989-03-01)	

722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 6 of 19 Print Date 09/05/2019

	TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344.	ACGIH TLV (1994-09-01) TWA 0.02 mg/m3 (as CO) NIOSH REL (2010-09-01) TWA 0.5 mg/m3 (as Cr) OSHA PEL 1989 (1989-03-01) TWA 0.5 mg/m3 (as Cr) OSHA PEL (1993-06-30) TWA 0.5 mg/m3 (as Cr)
Silica	NIOSH REL (1994-06-01) TWA 6 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019

Individual protection measures



Page 7 of 19 Print Date 09/05/2019

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection		Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	TAN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.

722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 8 of 19 Print Date 09/05/2019

'ne

Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		Not available.
Auto-ignition temperature	:	
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019

Page 9 of 19 Print Date 09/05/2019

Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
Silica				
Remarks - Oral:	No applicable toxicity data			
Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
C.I. Pigment Green 26 An inor	ganic pigment that is the reaction product of high temperature calcination in which			
cobalt (II) oxide and chromiun	n (III) oxide in varying amounts are homogeneously and ionically interdiffused to			
form a crystalline matrix of spi	inel. Its composition may include any one or a combination of the modifiers Al2O3,			
MgO, SiO2, TiO2, ZnO, or Zr	O2. This substance is identified in the COLOUR INDEX by Colour Index			
Constitution Number, C.I. 773	44.			
Remarks - Oral:	No applicable toxicity data			
Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
Titanium oxide				
Remarks - Oral:	No applicable toxicity data			
	I C 50 Inhalation Bat Male $6.82 Mg/l$ 4 h			

LC50 Inhalation Rat - Male 6.82 Mg/l 4 h > 5,000 mg/kg LD50 Dermal Rabbit :

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit		24 hrs	-
Titanium oxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	: M	lixture.Not ful lixture.Not ful lixture.Not ful	ly tested.		
Conclusion/Summary Skin Respiratory		lixture.Not ful lixture.Not ful	•		
<u>Mutagenicity</u> Conclusion/Summary Carcinogenicity	: M	lixture.Not ful	ly tested.		

'ne

722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019

Page 10 of 19 Print Date 09/05/2019

Conclusion/Summary

Mixture.Not fully tested. :

Classification

Product/ingredient name	OSHA	IARC	NTP
Carbon black	-	2B	-
Silica	-	3	-
C.I. Pigment Green 26 An	-	3	Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which cobalt			
(II) oxide and chromium			
(III) oxide in varying			
amounts are			
homogeneously and			
ionically interdiffused to			
form a crystalline matrix of			
spinel. Its composition			
may include any one or a			
combination of the			
modifiers Al2O3, MgO,			
SiO2, TiO2, ZnO, or ZrO2.			
This substance is identified			
in the COLOUR INDEX			
by Colour Index			
Constitution Number, C.I.			
77344.			
Titanium oxide	-	2B	-

Reproductive toxicity

Conclusion/Summary Mixture.Not fully tested. :

:

Teratogenicity

Conclusion/Summary

Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 11 of 19 Print Date 09/05/2019

Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

:	Not available. Not available.
:	Not available. Not available.
:	Mixture.Not fully tested.
:	No known significant effects or critical hazards. No known significant effects or critical hazards.

Acute toxicity estimates



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 12 of 19 Print Date 09/05/2019

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Silica			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
	ganic pigment that is the reaction pro-		
	n (III) oxide in varying amounts are l		
	inel. Its composition may include an		
	O2. This substance is identified in the	ne COLOUR INDEX by Col	our Index
Constitution Number, C.I. 773			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 13 of 19 Print Date 09/05/2019

Titanium oxide				
	Acute LC50 >	1,000 Mg/l Marine	Fish - Fish	96 h
	water			
Remarks - Acute - Fish:	Acute			
	Acute LC50 3	Mg/l Fresh water	Aquatic invertebrates.	48 h
			Crustaceans	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
	Acute LC50 6.	5 Mg/l Fresh water	Aquatic invertebrates.	48 h
			Daphnia	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable	toxicity data		
plants:				
Remarks - Chronic - Fish:	No applicable			
Remarks - Chronic -	No applicable	toxicity data		
Aquatic invertebrates.:				
722 BEIGE KF06 HM				
Remarks - Acute - Aquatic	Chemicals are	not readily available a	s they are bound within the	e polymer matrix.
invertebrates.:				
Conclusion/Summary		nemicals are not readil olymer matrix.	y available as they are bou	nd within the
	pc	nymer maurix.		
Persistence and degradability				
rensistence and degradability				
Conclusion/Summary	: Cl	nemicals are not readil	ly available as they are bou	nd within the
Concraption, 2 annual y		lymer matrix.	.j	
	1	5		
Bioaccumulative potential				
Not available.				
				
<u>Mobility in soil</u>				
Soil/water partition coefficie	nt : No	ot available.		
(KOC)	III • ING			
Other adverse effects	: No	o known significant ef	fects or critical hazards.	
	• 10	e ano en orginnount or	reeds of entited huzurdo.	
Section 12 Dianage	loonaida	rotions		
Section 13. Disposa	ai conside	1 ⁻ au0115		

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products

PolyOne

722 BEIGE KF06 HM

Version Numbe	er 1.1
Revision Date	09/03/2019

Page 14 of 19 Print Date 09/05/2019

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed

722 BEIGE KF06 HM

PolyOne	~

Version Number 1.1	Page 15 of 19
Revision Date 09/03/2019	Print Date 09/05/2019

United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344. C.I. Pigment Yellow 119 United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Tintad

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

110(1)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 16 of 19 Print Date 09/05/2019

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide	>= 10 - <= 25	CARCINOGENICITY - Category 2
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
C.I. Pigment Green 26 An inorganic pigment that is the	68187-49-5	>= 5 - <= 10
reaction product of high temperature calcination in which		
cobalt (II) oxide and chromium (III) oxide in varying		
amounts are homogeneously and ionically interdiffused to		
form a crystalline matrix of spinel. Its composition may		
include any one or a combination of the modifiers Al2O3,		
MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is		
identified in the COLOUR INDEX by Colour Index		
Constitution Number, C.I. 77344.		
C.I. Pigment Yellow 119	68187-51-9	>= 5 - <= 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
·		Titanium oxide
		C.I. Pigment Green 26 An inorganic pigment that is the reaction
		product of high temperature calcination in which cobalt (II) oxide and
		chromium (III) oxide in varying amounts are homogeneously and
		ionically interdiffused to form a crystalline matrix of spinel. Its
		composition may include any one or a combination of the modifiers

722 BEIGE KF06 HM



Version Number 1.1 Revision Date 09/03/2019		Page 17 of 19 Print Date 09/05/2019
Pennsylvania	:	Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344. C.I. Pigment Yellow 119 Iron oxide Carbon black The following components are listed: Carbon black
		Silica
		Iron oxide
		C.I. Pigment Yellow 119
		C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344.
		Titanium oxide
<u>California Prop. 65</u>		
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan Turkey		All components are listed or exempted. All components are listed or exempted. Not determined. All components are listed or exempted. Not determined. Not determined. All components are listed or exempted. All components are listed or exempted. Not determined. Not determined.



722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 18 of 19 Print Date 09/05/2019

United States

All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	09/05/2019
Date of issue/Date of revision	:	09/03/2019
Date of previous issue	:	10/19/2017
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{\mathbf{U}}\mathbf{N} = \mathbf{U}\mathbf{n}\mathbf{i}\mathbf{t}\mathbf{e}\mathbf{d}$ Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

P<u>olyOne</u>

722 BEIGE KF06 HM

Version Number 1.1 Revision Date 09/03/2019 Page 19 of 19 Print Date 09/05/2019

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.