FA-93

Version Number 1.1 Revision Date 01/05/2018

Ine

Page 1 of 20 Print Date 04/15/2018

SAFETY DATA SHEET

FA-93

Section 1. Identificati)n
GHS product identifier Chemical name CAS number Other means of identification Product type	: FA-93 : Mixture : Mixture : CC10271444 : liquid
<u>Relevant identified uses of the sub</u> Product use	tance or mixture and uses advised againstindustrial applications. Plastics.
Supplier's details	: POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
Emergency telephone number (with hours of operation)	 +1 216 622 0100 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2A SKIN SENSITISATION - Category 1 GERM CELL MUTAGENICITY - Category 2

GHS label elements

FA-93

PolyOne.

Version Number 1.1 Revision Date 01/05/2018	Page 2 of 20 Print Date 04/15/2018
Hazard pictograms	
Signal word Hazard statements	 Warning Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing genetic defects.
Precautionary statements	
General	: Not applicable.
Prevention Response	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. IF exposed or concerned: Get medical attention. IF ON SKIN: Wash
Ксэронэс	with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10271444

CAS number/other identifiers

Ingredient name	%	CAS number
Sodium bicarbonate	25 - 50	144-55-8



FA-93

Version Number 1.1 Revision Date 01/05/2018 Page 3 of 20 Print Date 04/15/2018

Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	0 - 5.5	Not available.
Zinc oxide	0 - 5	1314-13-2
Diphenyloxide-4,4'-disulfohydrazide	0 - 3.3	80-51-3
Calcium oxide	0 - 1.1	1305-78-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

FA-93

Version Number 1.1 Revision Date 01/05/2018



material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	:	Causes serious eye irritation. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

FA-93

Version Number 1.1 Revision Date 01/05/2018

PolyUne

Page 5 of 20 Print Date 04/15/2018

Section 5. Firefighting measures

Extinguishing media

:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	:

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

FA-93



Version Number 1.1 Revision Date 01/05/2018		Page 6 of 20 Print Date 04/15/2018
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with
		water and mop up if water-soluble. Alternatively, or if water- insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid
		6/20

FA-93

Version Number 1.1 Revision Date 01/05/2018 <u>PolyOne</u>

Page 7 of 20 Print Date 04/15/2018

environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Calcium oxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 2 mg/m3
	ACGIH TLV (1994-09-01)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 2 mg/m3
Diphenyloxide-4,4'-disulfohydrazide	ACGIH TLV (2000-03-01)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 0.1 mg/m3 Form: Inhalable fraction
Zinc oxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 5 mg/m3 Form: Fume
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 10 mg/m3 Form: Fume
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable
	fraction
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 10 mg/m3 Form: Fume
	Ceiling-A concentration that should not be exceeded at any time
	during any part of the working day. 15 mg/m3 Form: Dust
	ACGIH TLV (2003-01-01)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:

FA-93

<u>PolyOne</u>

Version Number 1.1 Revision Date 01/05/2018 Page 8 of 20 Print Date 04/15/2018

	Permissible Exposure Level 2 mg/m3 Form: Respirable fraction TLV-STEL: Threshold Limit Value - Short Time Exposure Level 10 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 5 mg/m3 Form: Fume			
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle				
Sodium bicarbonate				
Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.			
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Individual protection measures				
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Eye/face protection	 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. 			
Skin protection				
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that			
8/20				

FA-93



Version Number 1.1	Page 9 of 20
Revision Date 01/05/2018	Print Date 04/15/2018

		the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves
		cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based
		on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: liquid [liquid]
Color	NOT APPLICABLE
Odor	Faint odor.
Odor threshold	Not available.
pH	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	Not available.
Burning time	Not available.
Burning rate	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower and upper explosive	Lower: Not available.
(flammable) limits	Upper: Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
ŧ.	Not available.
Solubility Solubility in water	• • • • • • • • •
Solubility in water	: insoluble in water.
Partition coefficient: n-	Not available.
	: Not available.
octanol/water	NL-('1-1-1-
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.

FA-93

Version Number 1.1 Revision Date 01/05/2018

Page 10 of 20 Print Date 04/15/2018

PolyOne

SADT	: Not available.	
Viscosity	: Dynamic: Not available.	
-	Kinematic: Not available.	

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable to	No applicable toxicity data				
Remarks - Inhalation:	No applicable to	oxicity data				
Remarks - Dermal:	No applicable to	xicity data				
Diphenyloxide-4,4'-disulfohyd	razide					
	LD50 Oral	Rat	2,300 mg/kg	-		
Remarks - Inhalation:	No applicable to	No applicable toxicity data				
Remarks - Dermal:	No applicable to	No applicable toxicity data				
Zinc oxide						
Remarks - Oral:	No applicable to	No applicable toxicity data				
Remarks - Inhalation:	No applicable to	No applicable toxicity data				
Remarks - Dermal:	No applicable to	No applicable toxicity data				
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle						
Remarks - Oral:	No applicable toxicity data					
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
		40/00				

FA-93

Version Number 1.1 Revision Date 01/05/2018 Page 11 of 20 Print Date 04/15/2018

<u>PolyOne</u>

Sodium bicarbonate				
	LD50 Oral	Rat	4,220 mg/kg	-
Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
G 1 1 1G	2.6	NT (C 11 () 1		

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc oxide	Eyes - Mild	Rabbit		24 hrs	-
	irritant		_		
	Skin - Mild	Rabbit		24 hrs	-
	irritant	D.111		0.0001	
Sodium bicarbonate	Eyes - Mild	Rabbit		0.008 hrs	-
	irritant Skin - Mild	Linner		70 has	
	irritant	Human		72 hrs	-
Conclusion/Summary	IIIItalit				
Skin	: N	Aixture.Not fu	llv tested		
Eyes		Aixture.Not fu			
Respiratory		Aixture.Not fu			
nespiratory	•				
Sensitization					
Conclusion/Summary					
Skin		Aixture.Not fu			
Respiratory	: N	Aixture.Not fu	lly tested.		
Mutagenicity					
Conclusion/Summary	: N	Aixture.Not fu	lly tested.		
Carcinogenicity					
Conclusion/Summary	: N	/lixture.Not fu	lly tested.		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: N	/lixture.Not fu	lly tested.		
Teratogenicity					
Conclusion/Summary	: N	Aixture.Not fu	lly tested.		
Specific target organ toxici	ty (single exposi	ure)			
		44/0	-		

FA-93

Version Number 1.1 Revision Date 01/05/2018 Page 12 of 20 Print Date 04/15/2018

<u>PolyOne</u>

Product/ingredient name	Category		Route of exposure	Target organs	
Calcium oxide	Category 3			Respiratory tract irritation	
Specific target organ toxicity	y (repeated exp	posure)			
Not available.					
Aspiration hazard					
Product/ingredient name			Result ASPIRATION HAZARD - Category 1		
Miscellaneous Compounds Dis hydrotreated middle	sumates, petrole	eum,	ASPIKATION HAZ	ARD - Category I	
Information on likely routes exposure	of : N	Not available).		
Potential acute health effects					
Eye contact	: (Causes serio	us eye irritation.		
Inhalation			gnificant effects or crit		
Skin contact	: N	May cause an	allergic skin reaction.		
Ingestion	: 1	No known si	gnificant effects or crit	ical hazards.	
Symptoms related to the phy	sical, chemical	l and toxico	logical characteristics	<u>3</u>	
Eye contact			ptoms may include the	following:	
	1	ain or irritat	ion		
		vatering			
Inhalation		edness No specific d	ata		
Skin contact		-	ata. ptoms may include the	following	
SKIII CUIITACI		rritation	proms may include the	ionowing.	
		redness			
Ingestion	-	No specific d	ata.		
Delayed and immediate effec	ts as well as cl	nronic effect	ts from short and long	g-term exposure	
Short term exposure					
Potential immediate effects	: 1	Not available	x		
Potential delayed effects		Not available			
Long term exposure					
Potential immediate effects	: 1	Not available			
Potential delayed effects		Not available			
	-				

12/20

FA-93

Version Number 1.1 Revision Date 01/05/2018

<u>PolyOne</u>

Page 13 of 20 Print Date 04/15/2018

Potential chronic health effects

Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	Suspected of causing genetic defects.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	5,768 mg/kg
Route	ATE value
Inhalation (dusts and mists)	30 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Calcium oxide					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
	Chronic NOEC 100 Mg/l Fresh	Fish - Fish	46 d		
	water	water			
Remarks - Chronic - Fish:	Chronic				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Diphenyloxide-4,4'-disulfohyd	razide				
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
	10/00				

FA-93

Version Number 1.1 Revision Date 01/05/2018 Page 14 of 20 Print Date 04/15/2018

Domonika Agusto Agustia	No applicable toxicity data				
Remarks - Acute - Aquatic plants:	No applicable toxicity data				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	to uppricable toxicity data				
Zinc oxide					
	Acute LC50 1.1 Mg/l Fresh water	Fish - Fish	96 h		
Remarks - Acute - Fish:		1 1511 - 1 1511	70 H		
Remarks - Acute - Fish:	Acute	Aquatic invertebrates.	48 h		
	Acute LC50 0.098 Mg/l Fresh	1	48 n		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
	Acute IC50 0.046 Mg/l Fresh water	Aquatic plants - Algae	72 h		
Remarks - Acute - Aquatic	Acute				
plants:					
	Acute IC50 1.85 Mg/l Marine	Aquatic plants - Algae	96 h		
	water				
Remarks - Acute - Aquatic	Acute				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
	stillates, petroleum, hydrotreated middl	le			
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	No applicable toxicity data				
Sodium bicarbonate					
Sourdin blearbonate	Aguta I C50 7 550 Mg/l Erash	Fish - Fish	96 h		
	Acute LC50 7,550 Mg/l Fresh	F1811 - F1811	90 11		
Remarks - Acute - Fish:	water A outo				
Kemarks - Acute - FISh:	Acute	A anatio inconstatement	401		
	Acute LC50 767.87 Mg/l Marine	Aquatic invertebrates.	48 h		
	water	Crustaceans			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
	Acute EC50 650 Mg/l Fresh water	Aquatic plants - Algae	96 h		
Remarks - Acute - Aquatic	Acute				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
	Chronic NOEC 576 Mg/l Fresh	Aquatic invertebrates.	21 d		
	·	· · ·	•		





FA-93

Version Number 1.1 Revision Date 01/05/2018

Page 15 of 20 Print Date 04/15/2018

	water		Daphnia	
Remarks - Chronic -	Chronic			
Aquatic invertebrates.:				
FA-93				
Remarks - Acute - Aquatic	Dangerous for	the environment: May	cause long term adverse e	effects in the aquatic
invertebrates.:	environment.			
Conclusion/Summary	: Da	angerous for the enviro	onment: May cause long te	erm adverse effects
	in	the aquatic environme	ent.	
Persistence and degradability	<u>v</u>			
Conclusion/Summary	: N	ot available.		
Conclusion/Summary		angerous for the environme aquatic environme	onment: May cause long te ent.	erm adverse effects

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Calcium oxide	-	2.34	low
Benzenesulfonic acid, 4,4'-oxybis-,	-	3.00	low
1,1'-dihydrazide			
Zinc oxide (ZnO)	-	60,960.00	high

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling
		15/20



FA-93

Version Number 1.1 Revision Date 01/05/2018 Page 16 of 20 Print Date 04/15/2018

emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant
International Water IMO/IMDG	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide



FA-93



Version Number 1.1 Revision Date 01/05/2018		Page 17 of 20 Print Date 04/15/2018
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Immediate (acute) health hazard Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Classification
Calcium oxide	0 - 1.1	АН
Diphenyloxide-4,4'- disulfohydrazide	0 - 3.3	F, AH, CH
Zinc oxide	0 - 5	АН
Miscellaneous Compounds Distillates, petroleum,	0 - 5.5	АН

FA-93

PolyOne

Version Number 1.1 Revision Date 01/05/2018

Page 18 of 20 Print Date 04/15/2018

hydrotreated middle		
Sodium bicarbonate	25 - 50	АН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Zinc oxide	1314-13-2	0 - 5
requirements			
Supplier notification	Zinc oxide	1314-13-2	0 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts New York	:	None of the components are listed. None of the components are listed.
	•	A
New Jersey	:	The following components are listed: Calcium oxide Zinc oxide Diphenyloxide-4,4'-disulfohydrazide
Pennsylvania	:	The following components are listed: Zinc oxide

Calcium oxide

California Prop. 65

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
18/20		

FA-93

Pol	vOne.

Version Number 1.1 Revision Date 01/05/2018 Page 19 of 20 Print Date 04/15/2018

:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	Not determined.
:	Not determined.
:	All components are listed or exempted.
	:

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	04/15/2018
Date of issue/Date of revision	:	01/05/2018
Date of previous issue	:	11/03/2017
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

19/20

FA-93

Version Number 1.1 Revision Date 01/05/2018 <u>PolyOne</u>

Page 20 of 20 Print Date 04/15/2018

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.