### ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017

ne

Page 1 of 18 Print Date 12/28/2017

# SAFETY DATA SHEET

### **ABS RED PEDAL**

Section 1. Identification		
GHS product identifier	:	ABS RED PEDAL
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10275133
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017

Page 2 of 18 Print Date 12/28/2017

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10275133

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	9003-54-7
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-one	10 - 25	6829-22-7
Titanium dioxide	5 - 10	13463-67-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017

# <u>PolyOne</u>

### Page 3 of 18 Print Date 12/28/2017

### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute heal	th effects
----------------------	------------

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
0		-

#### **Over-exposure signs/symptoms**

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.



# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 4 of 18 Print Date 12/28/2017

See toxicological information (Section 11)

# Section 5. Firefighting measures

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and

### ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017

# PolyOne

Page 5 of 18 Print Date 12/28/2017

Large spill

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

:

### **Control parameters**

#### **Occupational exposure limits**

Exposure limits
OSHA PEL 1989 (1989-03-01)
PEL: Permissible Exposure Level 215 mg/m3 50 ppm
Short-term exposure limit (STEL). A limit value beyond which
there should be no exposure and which refers to a period of fifteen
minutes, unless otherwise stated. 425 mg/m3 100 ppm
OSHA PEL Z2 (1993-06-30)
PEL: Permissible Exposure Level 100 ppm
Ceiling-A concentration that should not be exceeded at any time
during any part of the working day. 200 ppm

# ABS RED PEDAL

ŀ	bh	One
_		

Version Number 1.0	Page 6 of 18
Revision Date 12/27/2017	Print Date 12/28/2017

	Acceptable Maximum Peak (AMP) 600 ppm NIOSH REL (1994-06-01) Time Weighted Average (TWA) 215 mg/m3 50 ppm Short-term exposure limit (STEL). A limit value beyond which there should be no exposure and which refers to a period of fifteen minutes, unless otherwise stated. 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 85 mg/m3 20 ppm TLV-STEL: Threshold Limit Value - Short Time Exposure Level 170 mg/m3 40 ppm
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
14H-Benz[4,5]isoquino[2,1-a]perimidin- 14-one	
2-Propenenitrile, polymer with Ethenylbenzene	
Appropriate engineering controls:Environmental exposure controls:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

# ABS RED PEDAL



Version Number 1.0	Page 7 of 18
Revision Date 12/27/2017	Print Date 12/28/2017

Eye/face protection	:	showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

### **Appearance**

Dhygical state		applied [Dallate ]
Physical state	:	solid [Pellets.]
Color	:	RED
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.

# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017



Page 8 of 18 Print Date 12/28/2017

Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	<b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Styrene							
	LD50 Oral	Rat	2,650 mg/kg	-			
	LC50 Inhalation	Rat	2,770 ppm	4 h			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h			
Remarks - Dermal:	No applicable toxicity data						
Titanium dioxide							
Remarks - Oral:	No applicable toxicity data						
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h			



# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 9 of 18 Print Date 12/28/2017

	LD50 Dermal	Rabbit	> 5,000 mg/kg	-			
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-one							
Remarks - Oral:	No applicable toxi	No applicable toxicity data					
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data					
Remarks - Dermal:	No applicable toxi	No applicable toxicity data					
2-Propenenitrile, polymer with Ethenylbenzene							
	LD50 Oral	Rat	1,800 mg/kg	-			
<b>Remarks - Inhalation:</b>	No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
Conclusion / Commons	Mintered Net fulles to stad						

Conclusion/Summary

: Mixture.Not fully tested.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild irritant	Human			-
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe irritant	Rabbit			-
	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant		_		
14H-Benz[4,5]isoquino[2,1-	Eyes -				-
a]perimidin-14-one	Moderate				
~	irritant				
Conclusion/Summary					
Skin		ixture.Not fu			
Eyes		ixture.Not fu			
Respiratory	: Mixture.Not fully tested.				
Sensitization					
Conclusion/Summary					
Skin	: M	ixture.Not fu	lly tested.		
Respiratory		ixture.Not fu			
<b>Mutagenicity</b>					
Conclusion/Summary	: M	ixture.Not fu	lly tested.		
		9/18	3		



# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 10 of 18 Print Date 12/28/2017

### **Carcinogenicity**

Classification			
Product/ingredient	OSHA	IARC	NTP
name		20	
Styrene		2B	Reasonably anticipated to be a human carcinogen.
Titanium dioxide		2B	
2-Propenenitrile, polymer with Ethenylbenzene		3	
with Ethenyidenzene			
<b>Reproductive toxicity</b>			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
<b>Teratogenicity</b>			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Specific target organ toxicity Not available.	<u>(single expo</u>	<u>sure)</u>	
Specific target organ toxicity Not available.	(repeated ex	<u>kposure)</u>	
Aspiration hazard Not available.			
Information on likely routes of exposure	of :	Not available.	
Potential acute health effects			
otential acute health effects			
		No known sign	ificant effects or critical hazards
Eye contact			ificant effects or critical hazards.
Eye contact Inhalation	:	No known sign	ificant effects or critical hazards.
Eye contact Inhalation Skin contact	:	No known sign No known sign	
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys	:	No known sign No known sign No known sign	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys	: : ical, chemic:	No known sign No known sign No known sign	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards. gical characteristics
Eye contact Inhalation Skin contact Ingestion	: : tical, chemic: :	No known sign No known sign No known sign al and toxicolog No specific data	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards. gical characteristics a.
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys Eye contact	: : ical, chemic: : :	No known sign No known sign No known sign <b>al and toxicolo</b> ;	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards. gical characteristics a. a.

10/18

# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 11 of 18 Print Date 12/28/2017

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity Mutagenicity Teratogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure			
Styrene						
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h			
Remarks - Acute - Fish:	Acute					
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h			
	water	Daphnia				
Remarks - Acute - Aquatic Acute						
invertebrates.:						
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h			
	11/18					





# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 12 of 18 Print Date 12/28/2017

		Crustaceans					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h				
Remarks - Acute - Aquatic	Acute		·				
plants:							
<b>^</b>	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h				
Remarks - Acute - Aquatic	Acute		<u>.</u>				
plants:							
	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h				
	water						
Remarks - Acute - Aquatic	Chronic						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Titanium dioxide							
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h				
	water						
Remarks - Acute - Fish:	Acute						
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h				
		Daphnia					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
14H-Benz[4,5]isoquino[2,1-a]	perimidin-14-one						
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
2-Propenenitrile, polymer with	2-Propenenitrile, polymer with Ethenylbenzene						
Remarks - Acute - Fish:	No applicable toxicity data						
12/18							



# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 13 of 18 Print Date 12/28/2017

Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
ABS RED PEDAL	
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.
invertebrates.:	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
	polymer matrix.
Persistence and degradability	
~	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
	polymer matrix.
C	Chamicals are not usedily available as they are have 1 - it is the
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
	polymer matrix.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethenyl-	0.35	13.49	low

#### **Mobility in soil**

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

requirements of an autionities with jurisdiction. Waste packaging	Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging
---	------------------	---	--

# <u>PolyOne</u>

# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 14 of 18 Print Date 12/28/2017

should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed

# ABS RED PEDAL



Version Number 1.0 Revision Date 12/27/2017		Page 15 of 18 Print Date 12/28/2017
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

### SARA 311/312

**Chemicals**)

Classification

: Not applicable.

### Composition/information on ingredients

Name	%	Classification
Styrene	0 - 0.3	F, AH, CH
Titanium dioxide	5 - 10	СН
14H-Benz[4,5]isoquino[2,1- a]perimidin-14-one	10 - 25	АН
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	АН



# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 16 of 18 Print Date 12/28/2017

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
Supplier notification	Styrene	100-42-5	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: 2-Propenenitrile, polymer with Ethenylbenzene Titanium dioxide Styrene
Pennsylvania	:	The following components are listed: Styrene
		Titanium dioxide

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.

### ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 17 of 18 Print Date 12/28/2017

Turkey United States Not determined.

:

All components are listed or exempted.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Illstol y</u>		
Date of printing	:	12/28/2017
Date of issue/Date of revision	:	12/27/2017
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

<u>vOne</u>

# ABS RED PEDAL

Version Number 1.0 Revision Date 12/27/2017 Page 18 of 18 Print Date 12/28/2017

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.