055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018

ne

Page 1 of 15 Print Date 04/24/2018

SAFETY DATA SHEET

055BU2029 BLUE

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	055BU2029 BLUE Mixture Mixture CC10279276 solid
<u>Relevant identified uses of the subs</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018

Page 2 of 15 Print Date 04/24/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10279276

CAS number/other identifiers

Ingredient name	%	CAS number
Vinyl acetate	0 - 0.3	108-05-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of

<u>PolyOne</u>.

055BU2029 BLUE

Version Number 1.0	Page 3 of 15
Revision Date 03/20/2018	Print Date 04/24/2018

	inhalation of decomposition products in a fire, symptoms may be
	delayed. The exposed person may need to be kept under medical
	surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at
	rest in a position comfortable for breathing. If material has been
	swallowed and the exposed person is conscious, give small quantities
	of water to drink. Do not induce vomiting unless directed to do so by
	medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	: : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

055BU2029 BLUE

PolyOne

Version Number 1.0	Page 4 of 15
Revision Date 03/20/2018	Print Date 04/24/2018

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018



Page 5 of 15 Print Date 04/24/2018

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Exposure limits		
OSHA PEL 1989 (1989-03-01)		
PEL: Permissible Exposure Level 30 mg/m3 10 ppm		
Short-term exposure limit (STEL). A limit value beyond which		
there should be no exposure and which refers to a period of fifteen		
minutes, unless otherwise stated. 60 mg/m3 20 ppm		
NIOSH REL (1994-06-01)		
Ceiling-A concentration that should not be exceeded at any time		
during any part of the working day. 15 mg/m3 4 ppm		
ACGIH TLV (1994-09-01)		
TLV-TWA: Threshold Limit Value - Time weighted average PEL:		
Permissible Exposure Level 35 mg/m3 10 ppm		
TLV-STEL: Threshold Limit Value - Short Time Exposure Level		
53 mg/m3 15 ppm		

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

055BU2029 BLUE



Version Number 1.0 Revision Date 03/20/2018		age 6 of 15 04/24/2018
Environmental amoguna controla	Emissions from vontilation or work process equipment of	hould be
Environmental exposure controls	Emissions from ventilation or work process equipment sl checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fun- filters or engineering modifications to the process equipm necessary to reduce emissions to acceptable levels.	e scrubbers,
Individual protection measures		
Hygiene measures	Wash hands, forearms and face thoroughly after handling products, before eating, smoking and using the lavatory a of the working period. Appropriate techniques should be remove potentially contaminated clothing. Wash contam clothing before reusing. Ensure that eyewash stations and showers are close to the workstation location.	and at the end used to inated
Eye/face protection	Safety eyewear complying with an approved standard sho when a risk assessment indicates this is necessary to avoil liquid splashes, mists, gases or dusts. If contact is possibl following protection should be worn, unless the assessme higher degree of protection: safety glasses with side-shie	id exposure to le, the ent indicates a
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an standard should be worn at all times when handling chem if a risk assessment indicates this is necessary.	
Body protection	Personal protective equipment for the body should be sel on the task being performed and the risks involved and sl approved by a specialist before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection should be selected based on the task being performed and involved and should be approved by a specialist before h product.	d the risks
Respiratory protection	Based on the hazard and potential for exposure, select a meets the appropriate standard or certification. Respirato used according to a respiratory protection program to ensifitting, training, and other important aspects of use.	rs must be

Section 9. Physical and chemical properties

Appearance

Physical state	: solid [Pellets.]
Color	: BLUE
Odor	: Faint odor.
Odor threshold	: Not available.

055BU2029 BLUE

Version Number	er 1.0
Revision Date	03/20/2018

<u>PolyOne</u>

Page 7 of 15	
Print Date 04/24/2018	

рН	:	Not available.
Melting point		Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time	:	Not available.
Burning rate		Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)		Not available.
Lower and upper explosive		Lower: Not available.
	•	
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018

Page 8 of 15 Print Date 04/24/2018

PolyOne.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Vinyl acetate				
	LD50 Oral	Rat	2,900 mg/k	.cg -
	LC50 Inhalation	Rat	11.4 Mg/l	4 h
	LD50 Dermal	Rabbit	2,335 mg/k	(g -
Conclusion/Summary	: Mix	ture.Not fully	tested.	
Irritation/Corrosion				
Conclusion/Summary				
Skin		ture.Not fully		
Eyes		ture.Not fully		
Respiratory	: Mix	ture.Not fully	tested.	
Sensitization				
Conclusion/Summary				
Skin		ture.Not fully		
Respiratory	: Mix	ture.Not fully	tested.	
<u>Mutagenicity</u>				
Conclusion/Summary	: Mix	ture.Not fully	tested.	
Carcinogenicity				
Conclusion/Summary Classification	: Mix	ture.Not fully	tested.	
Product/ingredient	OSHA	ARC	NTP	
name				
Vinyl acetate		2B		
Reproductive toxicity				
Conclusion/Summary	: Mix	ture.Not fully	tested.	
Teratogenicity				
Conclusion/Summary	: Mix	ture.Not fully	tested.	
<u>Specific target organ toxici</u> Not available.	ty (single exposure)	<u>)</u>		
		8/15		

055BU2029 BLUE

<u>PolyOne</u>

Version Number 1.0 Revision Date 03/20/2018

Page 9 of 15 Print Date 04/24/2018

Specific target organ toxicity (repea Not available.	ated e	exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, cl	hemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as we	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity Developmental effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018 Page 10 of 15 Print Date 04/24/2018

<u>olyOne</u>

Fertility effects

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure				
Vinyl acetate							
	Acute LC50 14 Mg/l Fresh water	Fish - Fish	96 h				
Remarks - Acute - Fish:	Acute						
	Acute LC50 10 - 100 Mg/l Marine	Aquatic invertebrates.	48 h				
	water	Crustaceans					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data	No applicable toxicity data					
plants:	•••••						
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
055BU2029 BLUE							
Remarks - Acute - Aquatic	Chemicals are not readily available a	Chemicals are not readily available as they are bound within the polymer matrix.					
invertebrates.:							
Conclusion/Summary	: Chemicals are not readily available as they are bound within the						
	polymer matrix.						
Persistence and degradability	<u>v</u>						
Conductor/Summer	Chamicals are not read	ly available as they are how	und within the				
Conclusion/Summary	polymer matrix.	ly available as they are bou	ind within the				
	porymer maurx.						
	: Chemicals are not readi	ly available as they are bou	und within the				
		iy available as uney are bot					
Conclusion/Summary	polymer matrix.						

Bioaccumulative potential



055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018

Page 11 of 15 Print Date 04/24/2018

Product/ingredient name	LogPow	BCF	Potential
Acetic acid ethenyl ester	0.73	3.16	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

055BU2029 BLUE

Poh	vOne.

Version Number 1.0	Page 12 of 15
Revision Date 03/20/2018	Print Date 04/24/2018

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) - Proposed test rules: Not listed United States - TSCA 5(a) - Final significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed



055BU2029 BLUE

Version Number 1.0 Revision Date 03/20/2018 Page 13 of 15 Print Date 04/24/2018

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Vinyl acetate	0 - 0.3	F, AH, CH

SARA 313

	Product name	CAS number	%
Form R - Reporting	Vinyl acetate	108-05-4	0 - 0.3
requirements			
Supplier notification	Vinyl acetate	108-05-4	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Vinyl acetate
New Jersey	: The following components are listed: Calcium carbonate Phthalocyanine Blue Vinyl acetate
Pennsylvania	: The following components are listed: Vinyl acetate Phthalocyanine Blue
	· · · · · · · · · · · · · · · · · · ·

Calcium carbonate

California Prop. 65

. ..

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity

055BU2029 BLUE

P	bly	One.
_	~	

Version Number 1.0	Page 14 of 15
Revision Date 03/20/2018	Print Date 04/24/2018

that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.		
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	All components are listed or exempted.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0
-		

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>

Date of printing	:	04/24/2018
Date of issue/Date of revision	:	03/20/2018

055BU2029 BLUE



Page 15 of 15

Version Number 1.0 Print Date 04/24/2018 Revision Date 03/20/2018

of previous issue	: 0	0/00/0000
ion	: 1.	.0
abbreviations	: A B G C IA II II IN L	TE = Acute Toxicity Estimate CF = Bioconcentration Factor HS = Globally Harmonized System of Classification and Labelling of chemicals ATA = International Air Transport Association BC = Internediate Bulk Container MDG = International Maritime Dangerous Goods ogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From
		hips, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
	1	,
ences	-	
	: A B G C IA IE IN L S I V U	TE = Acute Toxicity Estimate CF = Bioconcentration Factor HS = Globally Harmonized System of Classification and Labelling of chemicals ATA = International Air Transport Association BC = Internediate Bulk Container MDG = International Maritime Dangerous Goods ogPow = logarithm of the octanol/water partition coefficient IARPOL = International Convention for the Prevention of Pollution Free

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.