GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 1 of 18 Print Date 04/25/2018

SAFETY DATA SHEET

GLOBAL BLACK TX7.3

Section 1. Identification		
GHS product identifier	:	GLOBAL BLACK TX7.3
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10279913
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

<u>PolyOne</u>

GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 2 of 18 Print Date 04/25/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10279913

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	25 - 50	9003-54-7
Carbon black	10 - 25	1333-86-4
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	1 - 3	3147-75-9
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018

Page 3 of 18 Print Date 04/25/2018

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
0		-

Over-exposure signs/symptoms

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

One

GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 4 of 18 Print Date 04/25/2018

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018	Page 5 of 18 Print Date 04/25/2018
Small spill	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits				
OSHA PEL 1989 (1989-03-01)				
PEL: Permissible Exposure Level 215 mg/m3 50 ppm				
Short-term exposure limit (STEL). A limit value beyond which				
there should be no exposure and which refers to a period of fifteen				
minutes, unless otherwise stated. 425 mg/m3 100 ppm				
OSHA PEL Z2 (1993-06-30)				
PEL: Permissible Exposure Level 100 ppm				
Ceiling-A concentration that should not be exceeded at any time				



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018

	during any part of the working day.200 ppmAcceptable Maximum Peak (AMP)600 ppmNIOSH REL (1994-06-01)600 ppmTime Weighted Average (TWA) 215 mg/m350 ppmShort-term exposure limit (STEL). A limit value beyond which there should be no exposure and which refers to a period of fifteen minutes, unless otherwise stated. 425 mg/m3100 ppmACGIH TLV (1997-05-21)TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 85 mg/m320 ppmTLV-STEL: Threshold Limit Value - Short Time Exposure Level 170 mg/m340 ppm
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	
Carbon black	OSHA PEL 1989 (1989-03-01)PEL: Permissible Exposure Level 3.5 mg/m3OSHA PEL (1993-06-30)PEL: Permissible Exposure Level 3.5 mg/m3NIOSH REL (1994-06-01)Time Weighted Average (TWA) 3.5 mg/m3Time Weighted Average (TWA)ACGIH TLV (2010-12-06)TLV-TWA: Threshold Limit Value - Time weighted average PEL:Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
2-Propenenitrile, polymer with Ethenylbenzene	
Appropriate engineering controls Environmental exposure controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to 6/18



GLOBAL BLACK TX7.3

Version Number 1.0	Page 7 of 18
Revision Date 03/21/2018	Print Date 04/25/2018

Eye/face protection	:	remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.

PolyOne

GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 8 of 18 Print Date 04/25/2018

Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Styrene						
•	LD50 Oral	Rat	2,650 mg/kg	-		
	LC50 Inhalation	Rat	2,770 ppm	4 h		
	LC50 Inhalation	Rat	11.8 Mg/l	4 h		
Remarks - Dermal: No applicable toxicity data						
2-(2-Hydroxy-5-tert-octylphen	yl)benzotriazole					
· -	LD50 Oral	Rat	1,000 mg/kg	-		



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 9 of 18 Print Date 04/25/2018

Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxi	No applicable toxicity data				
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
2-Propenenitrile, polymer with Ethenylbenzene						
	LD50 Oral	Rat	1,800 mg/kg	-		
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
-	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
Conclusion/Summary					
Skin		ixture.Not ful			
Eyes	: Mixture.Not fully tested.				
Respiratory	: Mixture.Not fully tested.				
Sensitization					
Conclusion/Summary					
Skin	: M	ixture.Not ful	lly tested.		
Respiratory	: M	ixture.Not ful	lly tested.		

Mutagenicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

:

Carcinogenicity

Conclusion/Summary



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018

Page 10 of 18 Print Date 04/25/2018

Classification			
Product/ingredient	OSHA	IARC	NTP
name			
Styrene		2B	Reasonably anticipated to be a human carcinogen.
Carbon black		2B	
2-Propenenitrile, polymer		3	
with Ethenylbenzene			
<u>Reproductive toxicity</u>			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Specific target organ toxicity Not available.	/ (single expo	<u>sure)</u>	
Specific target organ toxicity Not available.	/ (repeated ex	<u>kposure)</u>	
Aspiration hazard Not available.			
Information on likely routes exposure	of :	Not available.	
Potential acute health effects			
Eye contact	:	No known sign	ificant effects or critical hazards.
Inhalation			ificant effects or critical hazards.
Skin contact			ificant effects or critical hazards.
Ingestion			ificant effects or critical hazards.
-		-	
Symptoms related to the physical sector of the sector of t	sical, chemica		gitai thai atiti 15005
Eye contact	:	No specific dat	a.
Inhalation		No specific dat	
Skin contact		No specific dat	
Ingestion		No specific dat	
ngesuon	•	no specific dat	u.
Delayed and immediate effec	ts as well as c	chronic effects	from short and long-term exposure

Short term exposure



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018

Page 11 of 18 Print Date 04/25/2018

:	Not available. Not available.
:	Not available. Not available.
:	Mixture.Not fully tested.
: : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.
	:

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Styrene			
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 12 of 18 Print Date 04/25/2018

	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h			
Remarks - Acute - Aquatic	Acute					
plants:						
	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h			
Remarks - Acute - Aquatic	Acute					
plants:		-	-			
	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h			
	water					
Remarks - Acute - Aquatic	Chronic					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
2-(2-Hydroxy-5-tert-octylphen						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:		No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Carbon black						
Remarks - Acute - Fish:	No applicable toxicity data		•			
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h			
	water	Daphnia				
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
2-Propenenitrile, polymer with						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
GLOBAL BLACK TX7.3						
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	e polymer matrix.			
	10/10					



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 13 of 18 Print Date 04/25/2018

invertebrates.:		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethenyl-	0.35	13.49	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects		No known significant effects or critical hazards.
Other auverse effects	•	No known significant effects of critical hazarus.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 14 of 18 Print Date 04/25/2018

Section 14. Transport information U.S.DOT 49CFR
Ground/Air/Water : Not regulated for transportation. International Air
ICAO/IATA : Not classified as dangerous goods under transport regulations. International Water
IMO/IMDG : Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile
	Rutile, antimony chromium buff
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Listed
	United States - EPA Clean air act (CAA) section 112 - Accidental

ne

GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 15 of 18 Print Date 04/25/2018

release prevention - Flammable substances: Not listed **United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed **United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		Not listed
DEA List II Chemicals (Essential Chemicals)	:	not fisted

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Styrene	0 - 0.3	F, AH, CH
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	1 - 3	АН
Carbon black	10 - 25	СН
2-Propenenitrile, polymer with Ethenylbenzene	25 - 50	АН

<u>SARA 313</u>

	Product name	CAS number	%
Form R - Reporting	Rutile, antimony chromium	68186-90-3	5 - 10
requirements	buff		
	Styrene	100-42-5	0 - 0.3
Supplier notification	Styrene	100-42-5	0 - 0.3
	Rutile, antimony chromium	68186-90-3	5 - 10



GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018

Page 16 of 18 Print Date 04/25/2018

bu	ff		
SARA 313 notifications must not be d			
include copying and redistribution of	he no	otice attached to copies of the SDS sub	sequently redistributed.
State regulations			
Massachusetts	:	None of the components are listed.	
New York	:	The following components are listed:	
		Styrene	
New Jersey	:	The following components are listed:	
		2-Propenenitrile, polymer with Ethe Barium sulfate	enyibenzene
		Carbon black	
		Rutile, antimony chromium buff	
		Styrene	
Pennsylvania	:	The following components are listed:	
•		Barium sulfate	
		Carbon black	
		Rutile, antimony chromium buff	
		Styrene	
California Prop. 65			
WARNING: This product contains a c	hemi	cal known to the State of California to	cause cancer.
		All components are listed or exempted	1
United States inventory (TSCA 8b)	:	An components are listed of exempti	ed.
United States inventory (TSCA 8b) Canada inventory	:	All components are listed or exempted	
•			
Canada inventory International regulations			
Canada inventory International regulations		All components are listed or exempted	ed.
Canada inventory <u>International regulations</u> Inventory list		All components are listed or exempted	ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia		All components are listed or exempted	ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia Canada		All components are listed or exempted All components are listed or exempted All components are listed or exempted	ed. ed. ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia Canada China Europe inventory Japan		All components are listed or exempted All components are listed or exempted All components are listed or exempted Not determined. All components are listed or exempted Not determined.	ed. ed. ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia Canada China Europe inventory Japan New Zealand		All components are listed or exempted All components are listed or exempted All components are listed or exempted Not determined. All components are listed or exempted Not determined. Not determined.	ed. ed. ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia Canada China Europe inventory Japan New Zealand Philippines		All components are listed or exempted All components are listed or exempted All components are listed or exempted Not determined. All components are listed or exempted Not determined. Not determined. Not determined. Not determined.	ed. ed. ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea		All components are listed or exempted All components are listed or exempted All components are listed or exempted Not determined. All components are listed or exempted Not determined. Not determined. Not determined. Not determined. All components are listed or exempted Not determined.	ed. ed. ed.
Canada inventory <u>International regulations</u> <u>Inventory list</u> Australia Canada China Europe inventory Japan New Zealand Philippines	:	All components are listed or exempted All components are listed or exempted All components are listed or exempted Not determined. All components are listed or exempted Not determined. Not determined. Not determined. Not determined.	ed. ed. ed.

GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 17 of 18 Print Date 04/25/2018

United States

All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	04/25/2018
Date of issue/Date of revision	:	03/21/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

<u>vOne</u>

GLOBAL BLACK TX7.3

Version Number 1.0 Revision Date 03/21/2018 Page 18 of 18 Print Date 04/25/2018

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.