### TAN PVC

Version Number 1.2 Revision Date 04/25/2019

Page 1 of 17 Print Date 04/26/2019

# SAFETY DATA SHEET

#### TAN PVC

Section 1. Identification				
GHS product identifier	:	TAN PVC		
Chemical name	:	Mixture		
CAS number	:	Mixture		
Other means of identification	:	CC10281287		
Product type	:	solid		
<u>Relevant identified uses of the sub</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.		
Supplier's details	:	POLYONE CORPORATION		
		33587 Walker Road, Avon Lake, OH 44012		
		1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

### Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

#### GHS label elements

### TAN PVC

Version Number 1.2 Revision Date 04/25/2019

ne

Page 2 of 17 Print Date 04/26/2019

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10281287

#### CAS number/other identifiers

%	CAS number
5 - 10	3648-20-2
5 - 10	68515-48-0
0.3 - 1	13463-67-7
0.3 - 1	1333-86-4
	5 - 10 5 - 10 0.3 - 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### TAN PVC

Version Number 1.2 Revision Date 04/25/2019



Page 3 of 17 Print Date 04/26/2019

### **Section 4. First aid measures**

#### **Description of necessary first aid measures**

Eye contact	uppe	nediately flush eyes with plenty of water, occasionally lifting the er and lower eyelids. Check for and remove any contact lenses. medical attention if irritation occurs.
Inhalation		nove victim to fresh air and keep at rest in a position comfortable preathing. Get medical attention if symptoms occur.
Skin contact		h contaminated skin with plenty of water. Remove contaminated ning and shoes. Get medical attention if symptoms occur.
Ingestion	rest swal of w	h out mouth with water. Remove victim to fresh air and keep at in a position comfortable for breathing. If material has been llowed and the exposed person is conscious, give small quantities rater to drink. Do not induce vomiting unless directed to do so by ical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### **Potential acute health effects**

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### **Over-exposure signs/symptoms**

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### TAN PVC

Version Number 1.2 Revision Date 04/25/2019 PolyOne

Page 4 of 17 Print Date 04/26/2019

## Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ont o	nd cleaning un

Methods a	and ma	aterials	for	containment	and	cleaning up

Small spill :	Move containers from spill area. Vacuum or sweep up material a			
	place in a designated, labeled waste container. Dispose of	via a		

### TAN PVC

Version Number 1.2 Revision Date 04/25/2019 <u>PolyOne</u>

Page 5 of 17 Print Date 04/26/2019

Large spill

licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits			
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3			
Carbon black	<b>OSHA PEL 1989 (1989-03-01)</b> TWA 3.5 mg/m3			
5/17				

### TAN PVC

PolyOne.

Version Number 1.2 Revision Date 04/25/2019

Page 6 of 17 Print Date 04/26/2019

Diundecyl phthalate 1,2-Benzenedicarboxylic acid, di-C8-10-	OSHA PEL (1993-06-30)           TWA 3.5 mg/m3           NIOSH REL (1994-06-01)           TWA 3.5 mg/m3           TWA 0.1 mgPAH/m³           ACGIH TLV (2010-12-06)           TWA 3 mg/m3 Form: Inhalable fraction           None.           None.
branched alkyl esters, C9-rich	
Appropriate engineering controls:Environmental exposure controls:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures       :         Eye/face protection       :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection:Other skin protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this
	involved and should be approved by a specialist before handling this

### TAN PVC

Version Number 1.2 Revision Date 04/25/2019

**Respiratory protection** 

<u>PolyOne</u>

product.

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

:

#### Appearance

Physical state	:	solid [Pellets.]
Color	:	TAN
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
Lower and apper explosive	•	
(flammable) limits		Upper: Not available.
	:	<b>Upper:</b> Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	:	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water		Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	•	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	•	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	•	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).		
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will		
7/17				

Page 7 of 17 Print Date 04/26/2019



### TAN PVC

Version Number 1.2 Revision Date 04/25/2019 Page 8 of 17 Print Date 04/26/2019

		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure				
Titanium dioxide								
Remarks - Oral:	No applicable toxi	No applicable toxicity data						
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h				
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-				
Carbon black								
	LD50 Oral	Rat	15,400 mg/kg	-				
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data						
<b>Remarks - Dermal:</b>	No applicable toxi	No applicable toxicity data						
Diundecyl phthalate	Diundecyl phthalate							
Remarks - Oral:	No applicable toxicity data							
<b>Remarks - Inhalation:</b>	No applicable toxicity data							
<b>Remarks - Dermal:</b>	No applicable toxicity data							
1,2-Benzenedicarboxylic acid,	Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich							
	LD50 Oral	Rat	10,000 mg/kg	-				
<b>Remarks - Inhalation:</b>	No applicable toxicity data							
<b>Remarks - Dermal:</b>	No applicable toxicity data							
Conclusion/Summary	• Mixtu	re Not fully tested						

Conclusion/Summary

Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Diundecyl phthalate	Eyes - Mild irritant	Rabbit			-
1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit			-



PolyOne.

Version Number 1.2 Revision Date 04/25/2019 Page 9 of 17 Print Date 04/26/2019

acid, di-C8-10-branched	irritant			
alkyl esters, C9-rich				
<b>Conclusion/Summary</b>				
Skin		ixture.Not full		
Eyes		ixture.Not full		
Respiratory	: M	ixture.Not full	y tested.	
Sensitization				
Conclusion/Summary				
Skin	: M	ixture.Not full	v tested.	
Respiratory		ixture.Not full		
L V			, ,	
<b>Mutagenicity</b>				
Conclusion/Summary	: M	ixture.Not full	y tested.	
<u>Carcinogenicity</u>				
<b>Conclusion/Summary</b>	: M	ixture.Not full	y tested.	
<u>Classification</u>				
Product/ingredient	OSHA	IARC	NTP	
name				
Titanium dioxide		2B		
Carbon black		2B		
<u>Reproductive toxicity</u>				
<b>Conclusion/Summary</b>	: M	ixture.Not full	y tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	: M	ixture.Not full	y tested.	
Specific target organ toxicity Not available.	y (single exposu	<u>re)</u>		
<b>Specific target organ toxicity</b> Not available.	y (repeated expo	osure)		
Aspiration hazard Not available.				
Information on likely routes exposure	of : No	ot available.		

9/17



### TAN PVC

Version Number 1.2 Revision Date 04/25/2019

Page 10 of 17 Print Date 04/26/2019

#### Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

:	Not available. Not available.
:	Not available. Not available.
:	Mixture.Not fully tested.
:	No known significant effects or critical hazards. No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
	: : : : : : : : : : : : : : : : : : : :

:

Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

Fertility effects

No known significant effects or critical hazards.



Version Number 1.2 Revision Date 04/25/2019



Page 11 of 17 Print Date 04/26/2019

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure	
Titanium dioxide				
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h	
	water			
Remarks - Acute - Fish:	Acute			
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Diundecyl phthalate				
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 12 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
			21 d	



### TAN PVC

Version Number 1.2 Revision Date 04/25/2019 Page 12 of 17 Print Date 04/26/2019

	Fresh wate	er	Daphnia	
Remarks - Chronic -	Chronic			
Aquatic invertebrates.:				
1,2-Benzenedicarboxylic acid,	di-C8-10-bi	ranched alkyl esters, C9-	rich	
Remarks - Acute - Fish:	No applica	able toxicity data		
Remarks - Acute - Aquatic	No applica	able toxicity data		
invertebrates.:				
Remarks - Acute - Aquatic	No applica	able toxicity data		
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
TAN PVC				
Remarks - Acute - Aquatic	Chemicals	are not readily available	as they are bound within the	he polymer matrix.
invertebrates.:				
<b>Conclusion/Summary</b>	:	Chemicals are not read	lily available as they are bo	ound within the
		polymer matrix.		
Persistence and degradability	<u>Y</u>			
Conclusion/Summary	:	Chemicals are not read polymer matrix.	lily available as they are bo	ound within the

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			

#### Mobility in soil

:	Not available.
:	No known significant effects or critical hazards.
	:

## Section 13. Disposal considerations

<b>Disposal methods</b> : The generation of waste should be avoided or minimized w possible. Disposal of this product, solutions and any by-pro- should at all times comply with the requirements of enviror protection and waste disposal legislation and any regional l	ducts imental
--	------------------

### TAN PVC

Version Number 1.2 Revision Date 04/25/2019

olvOne.

Page 13 of 17 Print Date 04/26/2019

authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</li> </ul>
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	<b>United States - TSCA 5(a)2 - Final significant new use rules:</b> Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed

### TAN PVC

R	oly()	ne

Version Number 1.2	Page 14 of 17
Revision Date 04/25/2019	Print Date 04/26/2019
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	$\mathbf{U}_{\mathbf{r}} = \mathbf{U}_{\mathbf{r}} = $

**United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Rutile, antimony chromium buff

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
<b>DEA List II Chemicals (Essential</b>	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification	
Diundecyl phthalate	>= 5 - <= 10	EYE IRRITATION - Category 2B	
14/17			



### TAN PVC

Version Number 1.2 Revision Date 04/25/2019 Page 15 of 17 Print Date 04/26/2019

Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Titanium dioxide	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	>= 5 - <= 10	EYE IRRITATION - Category 2B

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Rutile, antimony chromium	68186-90-3	25 - 50
requirements	buff		
Supplier notification Rutile, antimony chromium		68186-90-3	25 - 50
	buff		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts New York New Jersey	::	None of the components are listed. None of the components are listed. The following components are listed: Titanium dioxide Carbon black Ethene, chloro-, homopolymer Rutile, antimony chromium buff
Pennsylvania	:	The following components are listed: Titanium dioxide
		Carbon black
		Rutile, antimony chromium buff

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, Carbon black, 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.
Carbon black	No.	No.
1,2-Benzenedicarboxylic acid, di-C8-10-	No.	No.



Version Number 1.2 Revision Date 04/25/2019 Page 16 of 17 Print Date 04/26/2019

branched alkyl esters, C9-rich		
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	04/26/2019
Date of issue/Date of revision	:	04/25/2019, 04/25/2019
Date of previous issue	:	11/20/2018

### TAN PVC



Version Number 1.2 Revision Date 04/25/2019

Page 17 of 17 Print Date 04/26/2019

Version	:	1, 1.2, 2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
e e e e e e e e e e e e e e e e e e e		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.