### **BLUE 18-4247 ABS**

Version Number 1.0 Revision Date 04/19/2018 PolyOne.

Page 1 of 17 Print Date 04/29/2018

# SAFETY DATA SHEET

#### **BLUE 18-4247 ABS**

Section 1. Identification		
GHS product identifier	:	BLUE 18-4247 ABS
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10281438
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

### BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018

Page 2 of 17 Print Date 04/29/2018

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10281438

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



## BLUE 18-4247 ABS

Version Number 1.0	Page 3 of 17
Revision Date 04/19/2018	Print Date 04/29/2018

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	: : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tentic	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Firefighting measures

## BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018



Page 4 of 17 Print Date 04/29/2018

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

### BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018



Page 5 of 17 Print Date 04/29/2018

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Styrene	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 215 mg/m3 50 ppm
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 425 mg/m3 100 ppm
	OSHA PEL Z2 (1993-06-30)
	PEL: Permissible Exposure Level 100 ppm
	Ceiling-A concentration that should not be exceeded at any time
	during any part of the working day. 200 ppm
	Acceptable Maximum Peak (AMP) 600 ppm
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 215 mg/m3 50 ppm
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen



# BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018 Page 6 of 17 Print Date 04/29/2018

	<ul> <li>minutes, unless otherwise stated. 425 mg/m3 100 ppm</li> <li>ACGIH TLV (1997-05-21)</li> <li>TLV-TWA: Threshold Limit Value - Time weighted average PEL:</li> <li>Permissible Exposure Level 85 mg/m3 20 ppm</li> <li>TLV-STEL: Threshold Limit Value - Short Time Exposure Level</li> <li>170 mg/m3 40 ppm</li> </ul>
Titanium dioxide	OSHA PEL 1989 (1989-03-01)         PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust         OSHA PEL (1993-06-30)         PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust         NIOSH REL (1994-06-01)         ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based



## **BLUE 18-4247 ABS**

Version Number 1.0 Revision Date 04/19/2018		Page 7 of 17 Print Date 04/29/2018
Other skin protection	:	on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state	:	solid [Pellets.]
Color		BLUE
Odor		Faint odor.
Odor threshold		Not available.
	:	Not available.
pH Malting point		Not available.
Melting point	•	r (of a failacit)
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT		Not available.
		<b>Dynamic:</b> Not available.
Viscosity	:	
		Kinematic: Not available.

# Section 10. Stability and reactivity

## **BLUE 18-4247 ABS**



Version Number 1.0	Page 8 of 17
Revision Date 04/19/2018	Print Date 04/29/2018

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
Remarks - Dermal:	No applicable toxi	city data		
Titanium dioxide				
Remarks - Oral:	No applicable toxi	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	• Mixtu	re Not fully tested	·	<u>.</u>

Conclusion/Summary

Mixture.Not fully tested.

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild irritant	Human			-
	Skin - Mild irritant	Rabbit			-
	Skin - Moderate irritant	Rabbit			-



## BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018 Page 9 of 17 Print Date 04/29/2018

	Eyes - Severe	Rabbit		_
	irritant	Kabbit		-
	Eyes -	Rabbit	24 hrs	
	Moderate	Rabbit	24 11 5	-
	irritant Skin - Mild	TT	72.1	
Titanium dioxide		Human	72 hrs	-
	irritant			
Conclusion/Summary			_	
Skin		lixture.Not full		
Eyes		lixture.Not full		
Respiratory	: M	lixture.Not full	y tested.	
<b>Sensitization</b>				
Conclusion/Summary				
Skin	: M	lixture.Not fully	v tested.	
Respiratory		lixture.Not fully		
	•	······	,	
<b>Mutagenicity</b>				
Conclusion/Summary	: M	lixture.Not fully	y tested.	
<b>Carcinogenicity</b>				
Conclusion/Summary	: M	lixture.Not fully	y tested.	
<u>Classification</u>				
Product/ingredient	OSHA	IARC	NTP	
nomo				
name				
Styrene		2B	Reasonably anticipated to	be a human carcinogen.
		2B 2B	Reasonably anticipated to	be a human carcinogen.
Styrene Titanium dioxide			Reasonably anticipated to	be a human carcinogen.
Styrene			Reasonably anticipated to	be a human carcinogen.
Styrene Titanium dioxide <b>Reproductive toxicity</b>		2B		be a human carcinogen.
Styrene Titanium dioxide	: M			be a human carcinogen.
Styrene Titanium dioxide <b>Reproductive toxicity</b>	: M	2B		be a human carcinogen.
StyreneTitanium dioxideReproductive toxicityConclusion/SummaryTeratogenicity		2B	y tested.	be a human carcinogen.
Styrene Titanium dioxide <u>Reproductive toxicity</u> Conclusion/Summary		2B	y tested.	be a human carcinogen.
Styrene         Titanium dioxide         Reproductive toxicity         Conclusion/Summary         Teratogenicity	: M	2B lixture.Not fully lixture.Not fully	y tested.	be a human carcinogen.

## **BLUE 18-4247 ABS**

Version Number 1.0 Revision Date 04/19/2018

<u>PolyOne</u>

Page 10 of 17 Print Date 04/29/2018

Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, ch	emic	al and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects as well	l as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	: : : : : : : : : : : : : : : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity



### **BLUE 18-4247 ABS**

Version Number 1.0 Revision Date 04/19/2018 Page 11 of 17 Print Date 04/29/2018

#### Acute toxicity estimates

Not available.

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Styrene			
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h
<b>Remarks - Acute - Aquatic</b>	Acute		
plants:			
	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h
<b>Remarks - Acute - Aquatic</b>	Acute		
plants:			
	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h
	water		
Remarks - Acute - Aquatic	Chronic		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
	11/17		



### BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018 Page 12 of 17 Print Date 04/29/2018

			Daphnia	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicat	ble toxicity data		
plants:				
Remarks - Chronic - Fish:	No applicat	ble toxicity data		
Remarks - Chronic -	No applicat	ble toxicity data		
Aquatic invertebrates.:				
BLUE 18-4247 ABS				
Remarks - Acute - Aquatic	Chemicals	are not readily available a	s they are bound within the	polymer matrix.
invertebrates.:				
<b>Conclusion/Summary</b>	:		y available as they are bour	nd within the
		polymer matrix.		
Persistence and degradability	<u>/</u>			
Conclusion/Summer		Chamicala ara not readil	r available of there are hour	d within the
Conclusion/Summary	:	polymer matrix.	y available as they are bour	ia wiunn uie
Conclusion/Summary	:	Chemicals are not readil polymer matrix.	y available as they are bour	nd within the

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethenyl-	0.35	13.49	low

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the



### BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018 Page 13 of 17 Print Date 04/29/2018

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	<b>United States - TSCA 5(a)2 - Final significant new use rules:</b> Not listed
	<b>United States - TSCA 5(a)2 - Proposed significant new use rules:</b> Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report

### **BLUE 18-4247 ABS**

R	olyO	ne.

Version Number 1.0 Revision Date 04/19/2018	Page 14 of 17 Print Date 04/29/2018
	(PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Phthalocyanine Blue

Phthalocyanine green

Acrylonitrile

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
<b>DEA List I Chemicals (Precursor</b>	:	Not listed
Chemicals)		
<b>DEA List II Chemicals (Essential</b>	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable. :

#### **Composition/information on ingredients**

Name	%	Classification
Styrene	0 - 0.3	F, AH, CH
Titanium dioxide	10 - 25	СН

#### SARA 313



## BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018

#### Page 15 of 17 Print Date 04/29/2018

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
Supplier notification	Styrene	100-42-5	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: Titanium dioxide Phthalocyanine Blue Styrene
Pennsylvania	:	The following components are listed: Titanium dioxide
		Phthalocyanine Blue
		Styrene

#### <u>California Prop. 65</u>

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.



### **BLUE 18-4247 ABS**

Version Number 1.0 Revision Date 04/19/2018 Page 16 of 17 Print Date 04/29/2018

**United States** 

All components are listed or exempted.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0
		•

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>Histor</b>		
Date of printing	:	04/29/2018
Date of issue/Date of revision	:	04/19/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

<u>vOne</u>

### BLUE 18-4247 ABS

Version Number 1.0 Revision Date 04/19/2018 Page 17 of 17 Print Date 04/29/2018

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.