AMPC 283675

Version Number 1.0 Revision Date 05/24/2018

ne

Page 1 of 17 Print Date 05/25/2018

SAFETY DATA SHEET

AMPC 283675

Section 1. Identification		
CUE and duct identifier		AMPC 283675
GHS product identifier	:	
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10283675
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018

Page 2 of 17 Print Date 05/25/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10283675

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	90 - 100	9003-54-7
Miscellaneous Compounds Glass, oxide, silver phosphate	5 - 10	18-09-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

AMPC 283675



Version Number 1.0	Page 3 of 17
Revision Date 05/24/2018	Print Date 05/25/2018

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018



Page 4 of 17 Print Date 05/25/2018

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water
4/17		

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 <u>PolyOne</u>

Page 5 of 17 Print Date 05/25/2018

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Styrene	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 215 mg/m3 50 ppm
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 425 mg/m3 100 ppm
	OSHA PEL Z2 (1993-06-30)
	PEL: Permissible Exposure Level 100 ppm
	Ceiling-A concentration that should not be exceeded at any time
	during any part of the working day. 200 ppm
	Acceptable Maximum Peak (AMP) 600 ppm
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 215 mg/m3 50 ppm

AMPC 283675



Version Number 1.0 Revision Date 05/24/2018

	
Miscellaneous Compounds Glass, oxide, silver phosphate	 Short-term exposure limit (STEL). A limit value beyond which there should be no exposure and which refers to a period of fifteen minutes, unless otherwise stated. 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 85 mg/m3 20 ppm TLV-STEL: Threshold Limit Value - Short Time Exposure Level 170 mg/m3 40 ppm NIOSH REL (2010-09-01) Time Weighted Average (TWA) Time Weighted Average (TWA) 5 mg/m3 Form: Total NIOSH REL (1994-06-01) Time Weighted Average (TWA) Form: Fibers of spec length NIOSH REL (2010-09-01) Time Weighted Average (TWA) 5 mg/m3 Form: Total NIOSH REL (2010-09-01) Time Weighted Average (TWA) 5 mg/m3 Form: Total NIOSH REL (2010-09-01) Time Weighted Average (TWA) 5 mg/m3 Form: Total NIOSH REL (2010-09-01) Time Weighted Average (TWA) 5 mg/m3 Form: Total NIOSH REL (2010-09-01) Time Weighted Average (TWA) 5 mg/m3 Form: Total ACGIH TLV (1997-05-21) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level Form: respiratble fibre TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m3 Form: Inhalable fraction
2-Propenenitrile, polymer with Ethenylbenzene	
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety
Eye/face protection :	showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the 6/17
	UTT

AMPC 283675



Version Number 1.0	Page 7 of 17
Revision Date 05/24/2018	Print Date 05/25/2018

		following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	NO PIGMENT
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 Page 8 of 17 Print Date 05/25/2018

olyOne.

octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
2-Propenenitrile, polymer with Ethenylbenzene							
	LD50 Oral	Rat	1,800 mg/kg	-			
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data						
Miscellaneous Compounds Gla	ass, oxide, silver pho	sphate					
Remarks - Oral:	No applicable toxic	No applicable toxicity data					
Remarks - Inhalation:	No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
Styrene							
	LD50 Oral	Rat	2,650 mg/kg	-			
	LC50 Inhalation	Rat	2,770 ppm	4 h			
	LC50 Inhalation Rat 11.8 Mg/l 4 h						



AMPC 283675

Version Number 1.0 Revision Date 05/24/2018

Page 9 of 17 Print Date 05/25/2018

 Remarks - Dermal:
 No applicable toxicity data

 Conclusion/Summary
 :
 Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
Styrene	Eyes - Mild	Human			-	
2	irritant					
	Skin - Mild	Rabbit			-	
	irritant					
	Skin -	Rabbit			-	
	Moderate					
	irritant					
	Eyes - Severe	Rabbit			-	
	irritant					
	Eyes -	Rabbit		24 hrs	-	
	Moderate					
	irritant					
Conclusion/Summary	1	1			1	
Skin	: M	ixture.Not fu	lly tested.			
Eyes		ixture.Not fu				
Respiratory		ixture.Not fu				
			2			
Sensitization						
Conclusion/Summary						
Skin	: M	ixture Not fu	llv tested			
Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.					
Respiratory	• 111	ixture.ivot iu	ny tested.			
Mutagenicity						
Conclusion/Summary	• M	ixture.Not fu	lly tostad			
Conclusion/Summary	: M	IXture.Not Iu	ny testeu.			
Carcinogenicity						
<u>cur emogementy</u>						
Conclusion/Summary	: M	ixture.Not fu	lly tested.			
<u>Classification</u>			2			
Product/ingredient	OSHA	IARC	NTP			
name						
2-Propenenitrile, polymer		3				
with Ethenylbenzene						
Miscellaneous		3				
Compounds Glass, oxide,						
silver phosphate						
Styrene		2B				
Stylelle		ΔD				



Target organs

Respiratory tract irritation

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 Page 10 of 17 Print Date 05/25/2018

<u>Reproductive toxicity</u>			
Conclusion/Summary	:	Mixture.Not	fully tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not	fully tested.
Specific target organ toxicit	y (single exp	osure)	
Product/ingredient name	Category		Route of exposure
Miscellaneous Compounds	Category 3		
Glass, oxide, silver			
phosphate			

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of : Not available.

exposure

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 <u>PolyOne</u>

Page 11 of 17 Print Date 05/25/2018

Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
2-Propenenitrile, polymer with	Ethenylbenzene		· · · ·
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Miscellaneous Compounds Gla	ass, oxide, silver phosphate		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			



AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 Page 12 of 17 Print Date 05/25/2018

Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:		Tto upprouoto tomorty dutu			
Styrene					
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h		
Remarks - Acute - Fish:	Acute	·			
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:		T			
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates. Crustaceans	48 h		
Remarks - Acute - Aquatic	Acute				
invertebrates.:		1			
	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h		
Remarks - Acute - Aquatic	Acute				
plants:			0.61		
	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h		
Remarks - Acute - Aquatic	Acute				
plants:	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h		
	water	Aquatic plants - Algae	90 11		
Remarks - Acute - Aquatic	Chronic				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	11 2				
AMPC 283675					
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	polymer matrix.		
invertebrates.:					
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are boun	nd within the		
.					
Persistence and degradability	<u>Y</u>				
Conclusion/Summary	: Chemicals are not readil	y available as they are boun	nd within the		
Conclusion/Summary	polymer matrix.	y available as they are both			
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are boun	nd within the		

Bioaccumulative potential



AMPC 283675

Version Number	er 1.0
Revision Date	05/24/2018

Page 13 of 17 Print Date 05/25/2018

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethenyl-	0.35	13.49	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

13/17

AMPC 283675

ŀ	olyOne.	
_		

Version Number 1.0 Revision Date 05/24/2018

Page 14 of 17 Print Date 05/25/2018

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not li
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

<u>PolyOne</u>

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 Page 15 of 17 Print Date 05/25/2018

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
2-Propenenitrile, polymer with Ethenylbenzene	90 - 100	АН
Miscellaneous Compounds Glass, oxide, silver phosphate	5 - 10	АН
Styrene	0 - 0.3	F, AH, CH

<u>SARA 313</u>

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
Supplier notification	Styrene	100-42-5	0 - 0.3
	-		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Miscellaneous Compounds Glass, oxide, silver phosphate
New York	:	The following components are listed:
		Styrene
New Jersey	:	The following components are listed:
		Styrene
		2-Propenenitrile, polymer with Ethenylbenzene
Pennsylvania	:	The following components are listed:
		Styrene

<u>California Prop. 65</u>

WARNING: This product contains a chemical known to the State of California to cause cancer.

Canada inventory	:	All components are listed or exempted.		
United States inventory (TSCA 8b)	:	All components are listed or exempted.		

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018 <u>PolyOne</u>

Page 16 of 17 Print Date 05/25/2018

International regulations

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe inventory	: All components are listed or exempted.
Japan	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

IIIStory	
Date of printing	: 05/25/2018
Date of issue/Date of revision	: 05/24/2018
Date of previous issue	: 00/00/0000
Version	: 1.0
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container

16/17

AMPC 283675

Version Number 1.0 Revision Date 05/24/2018

<u>PolyOne</u>

Page 17 of 17 Print Date 05/25/2018

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.