MATERIAL SAFETY DATA SHEET XL 0117-50 GREEN 5001

Version Number 1.0 Revision Date 03/08/2005

Page 1 of 5 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | | Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | | | | |
|--------------------------------------|---|---|--|--|--|--|
| Product name | : | XL 0117-50 GREEN 5001 | | | | |
| Product code | : | EM10008168 | | | | |
| Chemical Name | : | Mixture | | | | |
| CAS-No. | : | Mixture | | | | |
| Product Use | : | Industrial Applications | | | | |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : | Inhalation, Ingestion, Skin contact | |
|---|---|--|---|
| Acute exposure | | | |
| Inhalation Ingestion Eyes Skin | : | Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : | Refer to Section 11 for Toxicological Information. | |
| Medical Conditions Aggravated by Exposure: | : | None known. | |
| | | A FIDST AID MEASUDES | 1 |

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET XL 0117-50 GREEN 5001

| Inhalation : Move to fresh air in case of accidental inhalatic overheating or combustion. When symptoms p doubt seek medical advice. Ingestion : Do not induce vomiting without medical advice persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also u least 15 minutes. If eye irritation persists, seek Skin : Wash off with soap and plenty of water. If skin medical attention. Eyes : Not applicable Flash point : Not applicable Flammable Limits : Not applicable Jupper explosion limit : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powd Special Fire Fighting : Fulface self-contained breathing apparatus (SC Procedures Unusual Fire/Explosion : Carbon dioxide blanket, water spray, dry powd Hazards : ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during claimpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment, T be allowed to enter drains, water courses or the allowed to enter drains, water cours | Page 2 Print Date 11/17/2 |
|--|---------------------------------------|
| overheating or combustion. When symptoms produbt seek medical advice. Ingestion : Do not induce vomiting without medical advice persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also u least 15 minutes. If eye irritation persists, seek Skin : Wash off with soap and plenty of water. If skin medical attention. Eves : Not applicable Flash point : Not applicable Flash point : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powd Special Fire Fighting : Fullface self-contained breathing apparatus (SC procedures Procedures : Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a Unusual Fire/Explosion : Wear appropriate personal protection during climpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Preplastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Thandling : Take measures to prevent the build up of electrer only in areas with appropriate exhaust ventilati and | |
| Eyes : Rinse immediately with plenty of water, also u Eyes : Rinse immediately with plenty of water, also u Skin : Wash off with soap and plenty of water. If skin medical attention. 5. FIRE-FIGHTING MEASURES Flash point : Not applicable Flammable Limits Upper explosion limit Upper explosion limit : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powd Special Fire Fighting : Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a Environmental precautions : Wear appropriate personal protection during cl impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains, water courses or the allowed to renet drains. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for dispos of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrony and contamination. Keep in a dry, cool place. | |
| Ieast 15 minutes. If eye irritation persists, seek Skin : Wash off with soap and plenty of water. If skin medical attention. Image: Skin state of the s | |
| medical attention. state attention. Flash point Full face self-contained breathing apparatus (SC procedures Carbon dioxide blanket, water spray, dry powd Special Fire Fighting Procedures Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants. Unusual Fire/Explosion : Hazards : Other to prevent inhal contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) Hazards : Vox, other hazardous materials, and smoke a Other to prevent inhal contaminants. Unusual Fire/Explosion : Resonal precautions : Wear appropriate personal protection during cleimpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the ballowed to enter drai | |
| Flash point : Not applicable Flammable Limits Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powd Special Fire Fighting : Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) (NOX), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during climpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed or metal containers for disposed of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilation and contamination. Keep in a dry, cool place. | n irritation persists see |
| Flammable Limits Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powd Special Fire Fighting : Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during climpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains, water courses or the allowed to enter drains, water courses or the soft this MSDS for proper disposal methods. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. FULNUES : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilati Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| Upper explosion limit Lower explosion limit: Not applicableAutoignition temperature Suitable extinguishing media: Not applicableSpecial Fire Fighting Procedures: Fullface self-contained breathing apparatus (SC | |
| Lower explosion limit Autoignition temperature Suitable extinguishing media: Not applicable : Not applicableSpecial Fire Fighting Procedures: Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Wear appropriate personal protection during ch impervious gloves, boots and coveralls.Environmental precautions: Should not be released into the environment. T be allowed to enter drains, water courses or the allowed to enter drains, water courses or the so of this MSDS for proper disposal methods.Methods for cleaning up: Clean up promptly by sweeping or vacuum. Pa plastic, cardboard or metal containers for dispos of this MSDS for proper disposal methods.Handling: Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati Storage | |
| Autoignition temperature Suitable extinguishing media: Not applicableSpecial Fire Fighting Procedures: Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants.Unusual Fire/Explosion Hazards: Fullface self-contained breathing apparatus (CO) pressure mode should be worn to prevent inhal contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Wear appropriate personal protection during cl impervious gloves, boots and coveralls.Environmental precautions: Should not be released into the environment. The be allowed to enter drains, water courses or the allowed to enter drains, water courses or the soft his MSDS for proper disposal methods.Methods for cleaning up: Clean up promptly by sweeping or vacuum. Pa plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods.Handling: Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati Storage | |
| Suitable extinguishing media:Carbon dioxide blanket, water spray, dry powdSpecial Fire Fighting Procedures:Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants.Unusual Fire/Explosion Hazards:Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions:Wear appropriate personal protection during ch impervious gloves, boots and coveralls.Environmental precautions:Should not be released into the environment. T be allowed to enter drains, water courses or the allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispos of this MSDS for proper disposal methods.Handling:Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati StorageStorage:Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| Special Fire Fighting : Fullface self-contained breathing apparatus (SC pressure mode should be worn to prevent inhal contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cliimpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilati storage | lar foomnond |
| Procedurespressure mode should be worn to prevent inhal contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a6. ACCIDENTAL RELEASE MEASURESPersonal precautions: Wear appropriate personal protection during cl impervious gloves, boots and coveralls.Environmental precautions: Should not be released into the environment. T be allowed to enter drains, water courses or the allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispos of this MSDS for proper disposal methods.Handling: Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati StorageStorage: Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | ler, Ioamnone. |
| Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions: Wear appropriate personal protection during ch impervious gloves, boots and coveralls.Environmental precautions: Should not be released into the environment. T be allowed to enter drains, water courses or the Plastic, cardboard or metal containers for dispos of this MSDS for proper disposal methods.Methods for cleaning up: Clean up promptly by sweeping or vacuum. Pa plastic, cardboard or metal containers for dispos of this MSDS for proper disposal methods.Handling: Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati StorageStorage: Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | CBA) used in positive |
| Unusual Fire/Explosion : Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cluimpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilati Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | ation of airborne |
| Hazards (NOx), other hazardous materials, and smoke a 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cluimpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Mandling : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | · · · · · · · · · · · · · · · · · · · |
| Personal precautions : Wear appropriate personal protection during chimpervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Methoding : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilati and contamination. Keep in a dry, cool place. | |
| impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Methods for cleaning up : Take measures to prevent the build up of electron only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid and contamination. | |
| impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The allowed to enter drains, water courses or the allowed to enter drains, water courses or the plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. Methods for cleaning up : Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid and contamination. | eanup, such as |
| Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers wi | eanap, seen as |
| Methods for cleaning up : Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposof this MSDS for proper disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for disposal methods. Image: Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers wi | |
| plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| plastic, cardboard or metal containers for dispose of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | ackago all matorial in |
| of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| Handling : Take measures to prevent the build up of electr only in areas with appropriate exhaust ventilati Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| Storage : Keep containers dry and tightly closed to avoid and contamination. Keep in a dry, cool place. | |
| and contamination. Keep in a dry, cool place. | |
| 8. EXPOSURE CONTROLS / PERSONAL PROTECTIO | l moisture absorption |
| | N |
| | |
| 2/5 | |

PolyOne

MATERIAL SAFETY DATA SHEET XL 0117-50 GREEN 5001

Version Number 1.0 Revision Date 03/08/2005

products

Page 3 of 5 Print Date 11/17/2011

| Respiratory protection | : No personal respir | atory protective equipment | normally required. | | | | |
|---|--|---|---|--|--|--|--|
| Eye/Face Protection | : Safety glasses with | n side-shields. | | | | | |
| Hand protection | : Protective gloves. | | | | | | |
| Skin and body protection | : Long sleeved cloth | ning. | | | | | |
| Additional Protective Measures | : Safety shoes. | | | | | | |
| General Hygiene Considerations | | nce with good industrial hy e breaks and at the end of v | | | | | |
| Engineering measures | | with appropriate exhaust ventilation at machinery. | | | | | |
| Exposure limit(s) | | | | | | | |
| There are no known hazardous components above regulatory thresholds in this product. | | | | | | | |
| There are no known hazardo | ous components above regul | atory thresholds in this pro | oduct. | | | | |
| | ous components above regul | | oduct. | | | | |
| 9 | 9. PHYSICAL AND CHEM | MICAL PROPERTIES | | | | | |
| Form | PHYSICAL AND CHEN Solid | MICAL PROPERTIES Evaporation rate | : Not applicable | | | | |
| Form Appearance | PHYSICAL AND CHEN Solid Pellets, Slabs | MICAL PROPERTIES Evaporation rate Specific Gravity: | : Not applicable : Not determined | | | | |
| Form Appearance Color | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density | : Not applicable : Not determined : Not established | | | | |
| Form Appearance Color Odor | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure | Not applicable Not determined Not established Not applicable | | | | |
| Form Appearance Color Odor Melting point/range | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint Not determined | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density | Not applicable Not determined Not established Not applicable Not applicable | | | | |
| Form Appearance Color Odor | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure | Not applicable Not determined Not established Not applicable | | | | |
| Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint Not determined Not applicable Insoluble | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH | Not applicable Not determined Not established Not applicable Not applicable | | | | |
| Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint Not determined Not applicable | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH | Not applicable Not determined Not established Not applicable Not applicable | | | | |
| Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint Not determined Not applicable Insoluble | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH | Not applicable Not determined Not established Not applicable Not applicable | | | | |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint Not determined Not applicable Insoluble 10. STABILITY AND | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH | Not applicable Not determined Not established Not applicable Not applicable | | | | |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | PHYSICAL AND CHEN Solid Pellets, Slabs GREEN Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. | MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH | Not applicable Not determined Not established Not applicable Not applicable Not applicable | | | | |

Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET XL 0117-50 GREEN 5001

Version Number 1.0 Revision Date 03/08/2005 Page 4 of 5 Print Date 11/17/2011

| Persistence and degradability | : Not readily biodegradable. |
|-------------------------------|---|
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : Not applicable |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| | |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |
| TSCA Status | : All components of this product are listed on or exempt from the TSC. Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| Not applicable | |
| | |
| | |

PolyOne

MATERIAL SAFETY DATA SHEET XL 0117-50 GREEN 5001

| Version Number 1.0 Revision Date 03/08/2005 | | | | Prir | Page It Date 11/17 | e 5 of 7/201 |
|---|-------|---|---------------------|--------------------|-----------------------|-----------------|
| California Proposition 65 | : | This product does no | t contain a subst | ance listed by C | alifornia Prop | 65. |
| SARA Title III Section 302 Extr Not applicable | rem | ely Hazardous Substar | ice | | | |
| SARA Title III Section 313 Tox | ic C | Chemicals: | | | | |
| Not applicable Canadian Regulations: | | | | | | |
| National Pollutant Releas | se Iı | nventory (NPRI) | CAC M | XX • 1 · 0/ | | |
| Chemical Name Zinc stearate | | | CAS-No. 557-05-1 | Weight % | NPRI ID# 231 | |
| WHMIS Classification | : | Not controlled. All components of th Substances List (DSI | | | Domestic | |
| | | | | | | |
| National Inventories: | | | | | | |
| Australia AICS | : | Listed | | | | |
| China IECS | : | Listed | | | | |
| Europe EINECS | : | Listed | | | | |
| Japan ENCS | : | Not determined | | | | |
| Korea KECI | : | Listed | | | | |
| Philippines PICCS | : | Listed | | | | |
| | | 16. OTHER INFO | RMATION | | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.