MATERIAL SAFETY DATA SHEET X80000702202 Natural

Version Number 1.0 Revision Date 05/20/2008

Page 1 of 6 Print Date 1/3/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X80000702202 Natural
Product code	:	EM10015207
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X80000702202 Natural

Version Number 1.0 Revision Date 05/20/2008 Page 2 of 6 Print Date 1/3/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET X80000702202 Natural

Version Number 1.0 Revision Date 05/20/2008 Page 3 of 6 Print Date 1/3/2012

ð. 1	EXPOSURE	CONTROLS/PERSO	NAL PROTECTION		
Respiratory protection	: N	lo personal respiratory p	otective equipment norr	nally r	equired.
Eye/Face Protection	: S	afety glasses with side-s	hields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		landle in accordance with ractice. Wash hands bef			
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		ation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure typ	e	List:
Barium sulfate	10 mg/m3	Time Weighted Avera (TWA):	age		ACGIH
	5 mg/m3	PEL:	Respirable fract	tion.	OSHA Z1
	15 mg/m3	PEL:	Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES		
			Evaporation rate :	Not	applicable
Form	: Solid	1 I			determined
Form Appearance			Specific Gravity :	Not	
	: pelle : NO I	ts, Slabs SPIGMENT H	Specific Gravity : Bulk density :		established
Appearance Color Odour	: pelle : NO I : Very	ts, Slabs S PIGMENT H faint N	Specific Gravity:Bulk density:Vapour pressure:	Not Not	established applicable
Appearance Color Odour Melting point/range	: pelle : NO I : Very : Not o	ts, Slabs S PIGMENT F faint V determined V	Specific Gravity:Bulk density:Vapour pressure:Vapour density:	Not Not Not	established applicable applicable
Appearance Color Odour Melting point/range Boiling Point:	: pelle : NO I : Very : Not o : Not a	ts, Slabs S PIGMENT F faint V determined V applicable F	Specific Gravity:Bulk density:Vapour pressure:	Not Not Not	established applicable
Appearance Color Odour Melting point/range Boiling Point:	: pelle : NO I : Very : Not o	ts, Slabs S PIGMENT H faint V determined V applicable H	Specific Gravity:Bulk density:Vapour pressure:Vapour density:	Not Not Not	established applicable applicable
Appearance Color Odour Melting point/range	: pelle : NO I : Very : Not o : Not a : Insol	ts, Slabs S PIGMENT H faint V determined V applicable H	Specific Gravity : Bulk density : Vapour pressure : Vapour density : OH :	Not Not Not	established applicable applicable
Appearance Color Odour Melting point/range Boiling Point:	: pelle : NO I : Very : Not c : Not a : Insol	ts, Slabs S PIGMENT H faint V determined V applicable p uble	Specific Gravity : Bulk density : Vapour pressure : Vapour density : OH :	Not Not Not	established applicable applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: pelle : NO I : Very : Not c : Not a : Insol 10. S : S	ts, Slabs S PIGMENT H faint V determined V applicable H uble	Specific Gravity : Bulk density : Vapour pressure : Vapour density : OH :	Not Not Not	established applicable applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: pelle : NO I : Very : Not a : Not a : Insol 10. S : S n : W	ts, Slabs S PIGMENT H faint V determined V applicable p uble STABILITY AND REA table.	Specific Gravity : Bulk density : Vapour pressure : Vapour density : DH : CTIVITY	Not Not Not	established applicable applicable

PolyOne

MATERIAL SAFETY DATA SHEET X80000702202 Natural

Version Number 1.0

Revision Date 05/20/2008

Page 4 of 6 Print Date 1/3/2012

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET X80000702202 Natural

sion Date 05/20/2008	Page : Print Date 1/3/
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Extr	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regu
SARA Title III Section 313 Tox	ic Chemicals:
Unless specific chemicals are id Canadian Regulations:	entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas	entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable	entified under this section, this product is Not Applicable under this regul se Inventory (NPRI)
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification	entified under this section, this product is Not Applicable under this regul se Inventory (NPRI) : Not controlled. : All components of this product are on the Canadian Domestic
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	entified under this section, this product is Not Applicable under this regul se Inventory (NPRI) : Not controlled. : All components of this product are on the Canadian Domestic
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	 entified under this section, this product is Not Applicable under this regules se Inventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	 entified under this section, this product is Not Applicable under this regules se Inventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	 entified under this section, this product is Not Applicable under this regules se Inventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET X80000702202 Natural

Version Number 1.0 Revision Date 05/20/2008

Page 6 of 6 Print Date 1/3/2012

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.