PolvOne

# MATERIAL SAFETY DATA SHEET XGF 60-103 33 NATURAL 1

Version Number 1.1 Revision Date 05/22/2013

Page 1 of 6 Print Date 5/23/2013

OLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	XGF 60-103 33 NATURAL 1		
Product code	:	EM10015506		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET XGF 60-103 33 NATURAL 1

Version Number 1.1 Revision Date 05/22/2013 Page 2 of 6 Print Date 5/23/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit	<ul><li>not applicable</li><li>not applicable</li></ul>
Auto-ignition temperature Suitable extinguishing media	<ul><li>not applicable</li><li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li></ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET XGF 60-103 33 NATURAL 1

Version Number 1.1 Revision Date 05/22/2013 Page 3 of 6 Print Date 5/23/2013

8. EXI	POSURE CONTROLS/PERS	SONAL PROTECTIO	DN		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with sid	e-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Form Appearance	: solid : pellets, Slabs	Evapouration rate Specific Gravity	<ul><li>Not applicable</li><li>Not determined</li></ul>		
Colour	: BLACK	Bulk density	: Not established		
Odour	: very faint	Vapour pressure	: not applicable		
Melting point/range	: Not determined	Vapour density	: not applicable		
Boiling Point: Water solubility	: not applicable : insoluble	рН	: not applicable		
water solubility	. Insoluble				
	10. STABILITY AND R	EACTIVITY			
Stability	: The product is stable if stored and handled as prescribed.				
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: To avoid thermal deco	mposition, do not overl	neat.		
Incompatible Materials	: Strong acids, oxidizin	g and reducing agents			
Hazardous decomposition	: Carbon dioxide (CO2).	, carbon monoxide (CO s materials, and smoke			
products	(NOX), other hazardoù	s materials, and smoke			

PolyOne

## MATERIAL SAFETY DATA SHEET XGF 60-103 33 NATURAL 1

Version Number 1.1 Revision Date 05/22/2013 Page 4 of 6 Print Date 5/23/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	<u> </u>	Target Organ			
	12. ECOLOGIC	AL INFORMATIO	ON				
Persistence and degradabilit	y : Not readily bio	odegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.					
Additional advice	: not applicable	: not applicable					
	13. DISPOSAL	CONSIDERATIO	NS				
Product	possible recyc generator of w classification,	ling is preferred to a	disposal o e responsi lisposal ir	ibility for proper waste a accordance with			
Contaminated packaging	material has the transportation	referred when possi ne responsibility for and disposal in acco al and local regulation	proper wa				
	14. TRANSPOR	RT INFORMATIO	N				
U.S. DOT Classification	: Not regulated	for transportation.					
ICAO/IATA	: Refer to speci	cific regulation.					
IMO/IMDG (maritime)	: Refer to speci	fic regulation.					
	15. REGULATO	RY INFORMATI	ON				
US Regulations:							
OSHA Status	: Classified as h	azardous based on o	componer	its.			
TSCA Status	: All componer TSCA Invento		re listed of	n or exempt from the			

PolyOne.

## MATERIAL SAFETY DATA SHEET XGF 60-103 33 NATURAL 1

Version Number 1.1 Revision Date 05/22/2013 Page 5 of 6 Print Date 5/23/2013

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name		CA	S-No.	Weight	NPRI ID#
				percent	
Zinc stearate		55	7-05-1	0.10 - 1.00	
WHMIS Classification	:	Not controlled. All components of t Substances List (DSI			n Domestic
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
		16. OTHER INFO	RMATION	1	

P<u>olyOne</u>

# MATERIAL SAFETY DATA SHEET XGF 60-103 33 NATURAL 1

Version Number 1.1 Revision Date 05/22/2013 Page 6 of 6 Print Date 5/23/2013

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.