ne

Version Number 1.0 Revision Date 09/22/2015 Page 1 of 17 Print Date 09/23/2015

SAFETY DATA SHEET

X GV 179969#SR12499-5 Gray

Section 1. Identification		
GHS product identifier	:	X GV 179969#SR12499-5 Gray
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	EM10036436
Product type	:	solid
Relevant identified uses of the substance or mixture and uses advised againstProduct use:Industrial applications. Plastics.		
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	ACUTE TOXICITY (oral) - Category 4
GHS label elements		

Version Number 1.0 Revision Date 09/22/2015 Page 2 of 17 Print Date 09/23/2015

Hazard pictograms

Signal word Hazard statements Warning Harmful if swallowed.

Precautionary statements

General Prevention	:	Not applicable. Do not eat, drink or smoke when using this product. Wash hands
Trevention	•	thoroughly after handling.
Response	:	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

:

•

Substance/mixture:MixtureChemical name:MixtureOther means of identification:EM10036436

CAS number/other identifiers

Ingredient name	%	CAS number
Copper	60 - 100	7440-50-8
Titanium dioxide	5 - 10	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

<u>vOne</u>

Version Number 1.0 Revision Date 09/22/2015

Page 3 of 17 Print Date 09/23/2015

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	Harmful if swallowed.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
3/17		

yOne.

Version Number 1.0 Revision Date 09/22/2015 Page 4 of 17 Print Date 09/23/2015

Inhalation Skin contact	:	No specific data. No specific data.
Ingestion <u>Indication of immediate medical</u>	: attentio	No specific data. n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without
		suitable training. Evacuate surrounding areas. Keep unnecessary and

<u>PolyOne</u>

Version Number 1.0	Page 5 of 17
Revision Date 09/22/2015	Print Date 09/23/2015

For emergency responders	:	unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

ne

Version Number 1.0 Revision Date 09/22/2015 Page 6 of 17 Print Date 09/23/2015

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits				
Copper	OSHA PEL 1989 (1989-03-01) expressed as Cu				
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Fume				
	PEL: Permissible Exposure Level 1 mg/m3 Form: Dusts and mists				
	OSHA PEL (1993-06-30)				
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Fume				
	PEL: Permissible Exposure Level 1 mg/m3 Form: Dusts and mists				
	NIOSH REL (1994-06-01) expressed as Cu				
	Time Weighted Average (TWA) 1 mg/m3 Form: Dusts and mists				
	ACGIH TLV (1994-09-01)				
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:				
	Permissible Exposure Level 0.2 mg/m3 Form: Fume				
	ACGIH TLV (1994-09-01) expressed as Cu				
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:				
	Permissible Exposure Level 1 mg/m3 Form: Dusts and mists				
Titanium dioxide	OSHA PEL 1989 (1989-03-01)				
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust				
	OSHA PEL (1993-06-30)				
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust				
	ACGIH TLV (1996-05-18)				
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:				
	Permissible Exposure Level 10 mg/m3				
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker				
Appropriate engineering controls	exposure to airborne contaminants.				
Environmental exposure controls	: Emissions from ventilation or work process equipment should be				
Environmental exposure controls	checked to ensure they comply with the requirements of				
	environmental protection legislation. In some cases, fume scrubbers,				
	environmental protection registation. In some cases, funct serubbers,				

<u>'One</u>.

Version Number 1.0 Revision Date 09/22/2015 Page 7 of 17 Print Date 09/23/2015

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

P<u>olyOne</u>

Version Number 1.0 Revision Date 09/22/2015

Page 8 of 17 Print Date 09/23/2015

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
	:	Upper: Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	: : :	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	: : : : : :	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water		Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature		Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

<u>Une</u>

Version Number 1.0 Revision Date 09/22/2015 Page 9 of 17 Print Date 09/23/2015

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Copper					
	LD50 Oral	Rat	482 mg/kg	-	
Titanium dioxide					
	LC50 Inhalatic	n Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Conclusion/Summary	: Mi	xture.Not fully	tested.		
Irritation/Corrosion					
Conclusion/Summary					
Skin		xture.Not fully			
Eyes		xture.Not fully			
Respiratory	: Mi	xture.Not fully	tested.		
Sensitization					
Conclusion/Summary					
Skin					
Respiratory	: Mi	xture.Not fully	tested.		
Mutagenicity					
Conclusion/Summary	: Mi	xture.Not fully	tested.		
Carcinogenicity					
Conclusion/Summary Classification	: Mi	xture.Not fully	tested.		
Product/ingredient	OSHA	IARC	NTP		
name					
Titanium dioxide		2B			

Teratogenicity

<u>PolyOne</u>

Version Number 1.0 Revision Date 09/22/2015 Page 10 of 17 Print Date 09/23/2015

Conclusion/Summary	:	Mixture.Not fully tested.				
<u>Specific target organ toxicity (single exposure)</u> Not available.						
Specific target organ toxicity (repeation Not available.	<u>Specific target organ toxicity (repeated exposure)</u> Not available.					
Aspiration hazard Not available.						
Information on the likely routes of exposure	:	Not available.				
Potential acute health effects						
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Harmful if swallowed.				
Symptoms related to the physical, ch	nemi	cal and toxicological characteristics				
Eye contact Inhalation Skin contact Ingestion	: : :	No specific data. No specific data. No specific data. No specific data.				
Delayed and immediate effects and also chronic effects from short and long term exposure						
Short term exposure						
Potential immediate effects Potential delayed effects	:	Not available. Not available.				
Long term exposure						
Potential immediate effects Potential delayed effects	:	Not available. Not available.				
Potential chronic health effects						
Conclusion/Summary	:	Mixture.Not fully tested.				

<u>PolyOne</u>

Version Number 1.0 Revision Date 09/22/2015 Page 11 of 17 Print Date 09/23/2015

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	598.3 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Copper			
	Acute LC50 16 µg/l Fresh water	Fish - Bony Fish	96 h
	Acute LC50 9.4 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 10.3 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 7.56 µg/l Marine	Fish - Mudskipper	96 h
	water		
	Acute LC50 8.7 µg/l Fresh water	Fish - Bony Fish	96 h
	Acute EC50 3.1 µg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 2.1 µg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 4 µg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 2.5 µg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 3.2 µg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 18 µg/l Marine water	Aquatic plants - Diatom	72 h
	Acute IC50 16 µg/l Fresh water	Aquatic plants - Green	72 h
		algae	
	Acute EC50 18 µg/l Fresh water	Aquatic plants - Green	72 h
		algae	
	Acute IC50 13 µg/l Fresh water	Aquatic plants - Green	72 h



Version Number 1.0 Revision Date 09/22/2015 Page 12 of 17 Print Date 09/23/2015

		algae	
	Acute IC50 18 µg/l Marine water	Aquatic plants - Diatom	72 h
	Chronic No-observable-effect-	Fish - common carp	28 d
	concentration 1.7 µg/l Fresh water		
	Chronic No-observable-effect-	Fish - Nile tilapia	42 d
	concentration 0.8 µg/l Fresh water	1	
	Chronic No-observable-effect-	Fish - Nile tilapia	42 d
	concentration 1.2 µg/l Fresh water	_	
	Chronic No-observable-effect-	Fish - Nile tilapia	42 d
	concentration 0.8 µg/l Fresh water		
	Chronic No-observable-effect-	Fish - Nile tilapia	42 d
	concentration 0.8 µg/l Fresh water		
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d
	concentration 30.3 µg/l Fresh water	Water flea	
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d
	concentration 15 µg/l Fresh water	Water flea	
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d
	concentration 2 μ g/l Fresh water	Water flea	21.1
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d
	concentration 29.4 µg/l Fresh water Chronic No-observable-effect-	Water flea	21 d
		Aquatic invertebrates. Water flea	21 d
X GV 179969#SR12499-5 Gra	concentration 31.8 μg/l Fresh water	water nea	
	Chemicals are not readily available as	a than and have d within the	nolumon motiv
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as	s they are bound within the	porymer matrix.
Conclusion/Summary	: Chemicals are not readil	y available as they are bour	d within the
Concrusion/Summary	polymer matrix.	y available as they are boun	
	porymer maurx.		
Persistence and degradability	<u>Y</u>		
Conclusion/Summary	: Chemicals are not readily polymer matrix.	y available as they are bour	d within the
Conclusion/Summary	: Chemicals are not readily polymer matrix.	y available as they are bour	d within the

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

Version Number 1.0 Revision Date 09/22/2015

Page 13 of 17 Print Date 09/23/2015

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(e) - Substances consent order: Not listed

<u>lyOne</u>

Version Number 1.0	Page 14 of 17
Revision Date 09/22/2015	Print Date 09/23/2015

		 United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Copper United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed

DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		

DEA List II Chemicals (Essential

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Copper	7440-50-8	5,000 lb(s) 2,270 kg

: Not listed

SARA 311/312

Chemicals)

Version Number 1.0 Revision Date 09/22/2015 Page 15 of 17 Print Date 09/23/2015

Classification

Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Copper	60 - 100	F, AH
Titanium dioxide	5 - 10	СН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Copper	7440-50-8	60 - 100
requirements			
Supplier notification	Copper	7440-50-8	60 - 100

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations Massachusetts : The following components are listed: Copper Titanium dioxide New York : The following components are listed: Copper New Jersey : The following components are listed: Copper

Pennsylvania	Titanium dioxide The following components are listed: Copper

:

Titanium dioxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

		15/17
International lists	:	Australia inventory (AICS): Not determined.
International regulations		
Canada inventory	:	All components are listed or exempted.
United States inventory (TSCA 8b)	:	All components are listed or exempted.

Version Number 1.0 Revision Date 09/22/2015 Page 16 of 17 Print Date 09/23/2015

Taiwan inventory (CSNN): Not determined.
Malaysia Inventory (EHS Register): Not determined.
EINECS: All components are listed or exempted.
Japan inventory: Not determined.
China inventory (IECSC): Not determined.
Korea inventory: Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals

- Not listed
- : Not listed
- : Not listed

Section 16. Other information

History		
Date of printing	:	09/23/2015
Date of issue/Date of revision	:	09/22/2015
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

<u>PolyOne</u>

Version Number 1.0 Revision Date 09/22/2015 Page 17 of 17 Print Date 09/23/2015