

X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 1 of 17 Print Date 12/08/2015

SAFETY DATA SHEET

X GT-13563-1E

Section 1. Identification

GHS product identifier : X GT-13563-1E

Chemical name: MixtureCAS number: MixtureOther means of identification: EM10037036

Product type : solid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

ACUTE TOXICITY (oral) - Category 4

GHS label elements



X GT-13563-1E

Version Number 1.0 Page 2 of 17 Revision Date 12/07/2015 Print Date 12/08/2015

Hazard pictograms

 \diamondsuit

Signal word : Warning

Hazard statements : Harmful if swallowed.

Precautionary statements

General : Not applicable.

Prevention: Do not eat, drink or smoke when using this product. Wash hands

thoroughly after handling.

Response : IF SWALLOWED: Call a POISON CENTER or physician if you feel

unwell. Rinse mouth.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements : None known. **Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: EM10037036

CAS number/other identifiers

Ingredient name	%	CAS number
Copper	60 - 100	7440-50-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 3 of 17 Print Date 12/08/2015

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if

irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: Wash out mouth with water. Remove dentures if any. Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as

a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

Ingestion : Harmful if swallowed.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015

Page 4 of 17 Print Date 12/08/2015

Ingestion No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

No specific treatment. **Specific treatments**

Protection of first-aiders No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO₂.

None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

Special protective actions for fire-

fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 5 of 17 Print Date 12/08/2015

protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment

if released in large quantities.

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Avoid dust generation. Using a

vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill: Move containers from spill area. Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13

for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Do

not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

Advice on general occupational

hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area,

away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015

Page 6 of 17 Print Date 12/08/2015

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits		
OSHA PEL 1989 (1989-03-01) expressed as Cu		
PEL: Permissible Exposure Level 0.1 mg/m3 Form: Fume		
PEL: Permissible Exposure Level 1 mg/m3 Form: Dusts and mists		
OSHA PEL (1993-06-30)		
PEL: Permissible Exposure Level 0.1 mg/m3 Form: Fume		
PEL: Permissible Exposure Level 1 mg/m3 Form: Dusts and mists		
NIOSH REL (1994-06-01) expressed as Cu		
Time Weighted Average (TWA) 1 mg/m3 Form: Dusts and mists		
ACGIH TLV (1994-09-01)		
TLV-TWA: Threshold Limit Value - Time weighted average PEL:		
Permissible Exposure Level 0.2 mg/m3 Form: Fume		
ACGIH TLV (1994-09-01) expressed as Cu		
TLV-TWA: Threshold Limit Value - Time weighted average PEL:		
Permissible Exposure Level 1 mg/m3 Form: Dusts and mists		

Appropriate engineering controls

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Wash hands, forearms and face thoroughly after handling chemical Hygiene measures products, before eating, smoking and using the lavatory and at the end

of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 7 of 17 Print Date 12/08/2015

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state solid [Pellets.] Color NO PIGMENT Odor Not available. **Odor threshold** Not available. Not available. pН **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning** time Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.



X GT-13563-1E

Version Number 1.0 Page 8 of 17 Revision Date 12/07/2015 Print Date 12/08/2015

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure

Vapor density

Relative density

Solubility

Solubility in water

Partition coefficient: n
Not available.

Not available.

Not available.

Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Keep away from strong acids.

Oxidizer.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Copper				
	LD50 Oral	Rat	482 mg/kg	=

Conclusion/Summary: Mixture.Not fully tested.

Irritation/Corrosion



X GT-13563-1E

 Version Number 1.0
 Page 9 of 17

 Revision Date 12/07/2015
 Print Date 12/08/2015

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available.

exposure

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

Ingestion : Harmful if swallowed.



X GT-13563-1E

Version Number 1.0 Page 10 of 17 Revision Date 12/07/2015 Print Date 12/08/2015

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture. Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	612.6 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
	10/17		



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 11 of 17 Print Date 12/08/2015

Copper			
	Acute LC50 16 μg/l Fresh water	Fish - Fish	96 h
	Acute LC50 9.4 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 10.3 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 7.56 μg/l Marine water	Fish - Fish	96 h
	Acute LC50 8.7 µg/l Fresh water	Fish - Fish	96 h
	Acute EC50 3.1 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 2.1 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 4 μg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 2.5 μg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 3.2 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 1.6 μg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute LC50 0.072 μg/l Marine water	Aquatic invertebrates. Crustacean Order	48 h
	Acute EC50 1 μg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute EC50 1.6 µg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute EC50 1.6 µg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute EC50 18 μg/l Marine water	Aquatic plants - Algae	72 h
	Acute IC50 16 µg/l Fresh water	Aquatic plants - Algae	72 h
	Acute EC50 18 μg/l Fresh water	Aquatic plants - Algae	72 h
	Acute IC50 13 µg/l Fresh water	Aquatic plants - Algae	72 h
	Acute IC50 18 μg/l Marine water	Aquatic plants - Algae	72 h
	Acute EC50 1,100 μg/l Fresh water	Aquatic plants - Aquatic plants	96 h
	Acute IC50 5.4 mg/l Marine water	Aquatic plants - Aquatic plants	72 h
	Acute No-observable-effect- concentration 94 μg/l Fresh water	Aquatic plants - Algae	4 d
	Acute No-observable-effect- concentration 2.5 μg/l Marine water	Aquatic plants - Algae	3 d
	Acute No-observable-effect- concentration 3 µg/l Marine water	Aquatic plants - Algae	3 d
	Acute No-observable-effect- concentration 3.2 µg/l Fresh water	Aquatic plants - Algae	3 d



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 12 of 17 Print Date 12/08/2015

	Acute No-observable-effect- concentration 0.013 mg/l Marine water	Aquatic plants - Algae	4 d
	Acute No-observable-effect- concentration 7 mg/l Fresh water	Aquatic plants - Aquatic plants	3 d
	Chronic No-observable-effect- concentration 1.7 µg/l Fresh water	Fish - Fish	28 d
	Chronic No-observable-effect- concentration 0.8 µg/l Fresh water	Fish - Fish	42 d
	Chronic No-observable-effect- concentration 1.2 µg/l Fresh water	Fish - Fish	42 d
	Chronic No-observable-effect- concentration 0.8 µg/l Fresh water	Fish - Fish	42 d
	Chronic No-observable-effect- concentration 0.8 µg/l Fresh water	Fish - Fish	42 d
	Chronic No-observable-effect- concentration 30.3 µg/l Fresh water	Aquatic invertebrates. Daphnia	21 d
	Chronic No-observable-effect- concentration 15 µg/l Fresh water	Aquatic invertebrates. Daphnia	21 d
	Chronic No-observable-effect- concentration 2 µg/l Fresh water	Aquatic invertebrates. Daphnia	21 d
	Chronic No-observable-effect- concentration 29.4 µg/l Fresh water	Aquatic invertebrates. Daphnia	21 d
	Chronic No-observable-effect- concentration 31.8 µg/l Fresh water	Aquatic invertebrates. Daphnia	21 d
	Chronic No-observable-effect- concentration 0.02 mg/l Fresh water	Aquatic invertebrates. Crustacean Order	21 d
X GT-13563-1E			
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available a	•	e polymer matrix.

Conclusion/Summary

Chemicals are not readily available as they are bound within the polymer matrix.

Persistence and degradability

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential Mobility in soil



X GT-13563-1E

Version Number 1.0 Page 13 of 17 Revision Date 12/07/2015 Print Date 12/08/2015

Soil/water partition coefficient

(KOC)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules

IMO/IMDG (maritime) : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 14 of 17 Print Date 12/08/2015

listed

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Copper

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Listed

Not listed

Not listed

Not listed

Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Copper	7440-50-8	5,000 lb(s)
		2,270 kg

SARA 311/312



X GT-13563-1E

 Version Number 1.0
 Page 15 of 17

 Revision Date 12/07/2015
 Print Date 12/08/2015

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Copper	60 - 100	AH

SARA 313

	Product name	CAS number	%
Form R - Reporting	Copper	7440-50-8	60 - 100
requirements			
Supplier notification	Copper	7440-50-8	60 - 100

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed:

Copper

New York : The following components are listed:

Copper

New Jersey : The following components are listed:

Copper

Pennsylvania: The following components are listed:

Copper

California Prop. 65

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015

Page 16 of 17 Print Date 12/08/2015

International lists Australia inventory (AICS): All components are listed or exempted.

Taiwan inventory (CSNN): All components are listed or exempted.

Malaysia Inventory (EHS Register): Not determined. **EINECS:** All components are listed or exempted.

Japan inventory: Not determined.

China inventory (IECSC): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components

are listed or exempted.

Philippines inventory (PICCS): All components are listed or

exempted.

Chemical Weapons Convention

List Schedule I Chemicals

Chemical Weapons Convention

List Schedule II Chemicals

Chemical Weapons Convention

List Schedule III Chemicals

Not listed

Not listed

Not listed

Section 16. Other information

History

Date of printing 12/08/2015 Date of issue/Date of revision 12/07/2015 Date of previous issue 00/00/0000

Version 1.0

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.



X GT-13563-1E

Version Number 1.0 Revision Date 12/07/2015 Page 17 of 17 Print Date 12/08/2015

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.