OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 1 of 14 Print Date 02/26/2016

SAFETY DATA SHEET

OnForce LFT AM-40LGF/001 Black UV

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	OnForce LFT AM-40LGF/001 Black UV Mixture Mixture EM10037414 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/14



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 2 of 14 Print Date 02/26/2016

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10037414

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0	Page 3 of 14
Revision Date 02/25/2016	Print Date 02/26/2016

		inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	: : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 4 of 14 Print Date 02/26/2016

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 5 of 14 Print Date 02/26/2016

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits
Carbon black		OSHA PEL 1989 (1989-03-01)
		PEL: Permissible Exposure Level 3.5 mg/m3
		OSHA PEL (1993-06-30)
		PEL: Permissible Exposure Level 3.5 mg/m3
		NIOSH REL (1994-06-01)
		Time Weighted Average (TWA) 3.5 mg/m3
		Time Weighted Average (TWA)
		ACGIH TLV (2010-12-06)
		TLV-TWA: Threshold Limit Value - Time weighted average PEL:
		Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker
		exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be
		checked to ensure they comply with the requirements of
		environmental protection legislation. In some cases, fume scrubbers,



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0	Page 6 of 14
Revision Date 02/25/2016	Print Date 02/26/2016

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 7 of 14 Print Date 02/26/2016

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 8 of 14 Print Date 02/26/2016

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black			<u>.</u>	
	LD50 Oral	Rat	15,400 mg/	kg -
Conclusion/Summary	: Mi	xture.Not fully		
Invitation (Connection				
Irritation/Corrosion				
Conclusion/Summary				
Skin	: Mi	xture.Not fully	tested.	
Eyes	: Mi	xture.Not fully	tested.	
Respiratory	: Mi	xture.Not fully	tested.	
<u>Sensitization</u>				
Conclusion/Summary				
Skin	: Mi	xture.Not fully	tested.	
Respiratory		xture.Not fully		
<u>Mutagenicity</u>				
Conclusion/Summary	: Mi	xture.Not fully	tested.	
Carcinogenicity				
Conclusion/Summary Classification	: Mi	xture.Not fully	tested.	
Product/ingredient name	OSHA	IARC	NTP	
Carbon black		2B		
<u>Reproductive toxicity</u>				
Conclusion/Summary	: Mi	xture.Not fully	tested.	
Teratogenicity				
Conclusion/Summary	: Mi	xture.Not fully	tested.	
Specific target organ toxici Not available.	ty (single exposur	<u>e)</u>		
<u>Specific target organ toxici</u> Not available.	ty (repeated expo	<u>sure)</u>		



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 9 of 14 Print Date 02/26/2016

Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	ical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and	also	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
refunty clicus	•	NO KNOWN Significant critecis of critical hazards.

Numerical measures of toxicity



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 10 of 14 Print Date 02/26/2016

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black			
	Acute EC50 37.563 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
OnForce LFT AM-40LGF/001	Black UV		
Remarks - Acute - Aquatic	Chemicals are not readily availabl	e as they are bound within the	e polymer matrix.
invertebrates.:		-	
Conclusion/Summary	: Chemicals are not rea	dily available as they are bou	nd within the
-	polymer matrix.		
Persistence and degradability Conclusion/Summary Conclusion/Summary	: Chemicals are not rea polymer matrix.	ndily available as they are bound in the state of the sta	
Bioaccumulative potential <u>Mobility in soil</u> Soil/water partition coefficie (KOC)	nt : Not available.		

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local
------------------	---	---



OnForce LFT AM-40LGF/001 Black UV

Version Numbe	er 1.0
Revision Date	02/25/2016

Page 11 of 14 Print Date 02/26/2016

authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0	Page 12 of 14
Revision Date 02/25/2016	Print Date 02/26/2016

Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		NT - 11 - 1
Clean Air Act Section 602 Class II	:	Not listed
Substances		Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	•	Not listed
Chemicals)	•	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
Carbon black	0.3 - 1	СН

<u>SARA 313</u>

Not applicable.

State regulations		
Massachusetts	:	The following components are listed:
		Glass, oxide
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Carbon black
		12/14



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0	Page 13 of 14
Revision Date 02/25/2016	Print Date 02/26/2016

Pennsylvania	:	The following components are listed: Carbon black
California Prop. 65 WARNING: This product contains a cl	hemi	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	Not determined.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. Malaysia Inventory (EHS Register): Not determined.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

History		
Date of printing	:	02/26/2016
Date of issue/Date of revision	:	02/25/2016
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL 73/78 = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine



OnForce LFT AM-40LGF/001 Black UV

Version Number 1.0 Revision Date 02/25/2016 Page 14 of 14 Print Date 02/26/2016

pollution) UN = United Nations Not available.

•

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.