

#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 1 of 18 Print Date 10/26/2016

# SAFETY DATA SHEET

#### X GV 204940#SR-18494 Blue

## **Section 1. Identification**

**GHS product identifier** : X GV 204940#SR-18494 Blue

Chemical name: MixtureCAS number: MixtureOther means of identification: EM10039873

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

ACUTE TOXICITY (oral) - Category 4

Percentage of the mixture consisting of ingredient(s) of unknown

toxicity: 46 %

#### **GHS** label elements



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Page 2 of 18 Revision Date 10/25/2016 Print Date 10/26/2016

Hazard pictograms

 $\diamondsuit$ 

Signal word : Warning

**Hazard statements** : Harmful if swallowed.

**Precautionary statements** 

**General** : Not applicable.

**Prevention**: Do not eat, drink or smoke when using this product. Wash hands

thoroughly after handling.

**Response** : IF SWALLOWED: Call a POISON CENTER or physician if you feel

unwell. Rinse mouth.

**Storage** : Not applicable.

**Disposal**: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

**Supplemental label elements** : None known. **Hazards not otherwise classified** : None known.

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: EM10039873

#### **CAS** number/other identifiers

Ingredient name	%	CAS number
Copper	25 - 50	7440-50-8
Titanium dioxide	1 - 3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 3 of 18 Print Date 10/26/2016

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if

irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If

unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as

a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Ingestion

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

**Ingestion** : Harmful if swallowed.



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Page 4 of 18 Revision Date 10/25/2016 Print Date 10/26/2016

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

In case of fire, use water spray (fog), foam, dry chemical or  $CO_2$ .

None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 5 of 18 Print Date 10/26/2016

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal

protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

**Environmental precautions**: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment

if released in large quantities.

#### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Avoid dust generation. Using a

vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13

for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures**: Put on appropriate personal protective equipment (see Section 8). Do

not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.



### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 6 of 18 Print Date 10/26/2016

# Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3
Copper	OSHA PEL 1989 (1989-03-01) expressed as Cu
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Fume
	<b>PEL: Permissible Exposure Level</b> 1 mg/m3 Form: Dusts and mists
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Fume
	<b>PEL: Permissible Exposure Level</b> 1 mg/m3 Form: Dusts and mists
	NIOSH REL (1994-06-01) expressed as Cu
	Time Weighted Average (TWA) 1 mg/m3 Form: Dusts and mists
	ACGIH TLV (1994-09-01)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 0.2 mg/m3 Form: Fume
	ACGIH TLV (1994-09-01) expressed as Cu
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:



# X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 7 of 18 Print Date 10/26/2016

		Permissible Exposure Level 1 mg/m3 Form: Dusts and mists
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
<b>Body protection</b>	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 8 of 18 Print Date 10/26/2016

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Pellets.]

Color : BLUE

Odor Not available. **Odor threshold** Not available. Not available. рH **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. Not available. **Burning rate Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure

Vapor density

Relative density

Solubility

Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

**Possibility of hazardous reactions**: Under normal conditions of storage and use, hazardous reactions will

not occur.



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Page 9 of 18 Revision Date 10/25/2016 Print Date 10/26/2016

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

**Hazardous decomposition** : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### **Acute toxicity**

products

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Copper		•		
	LD50 Oral	Rat	482 mg/kg	-

**Conclusion/Summary** : Mixture. Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

#### **Sensitization**

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

#### Carcinogenicity



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Page 10 of 18 Revision Date 10/25/2016 Print Date 10/26/2016

**Conclusion/Summary** : Mixture.Not fully tested.

Classification

Product/ingredient	OSHA	IARC	NTP
name			
Titanium dioxide		2B	

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

#### **Specific target organ toxicity (single exposure)**

Not available.

#### **Specific target organ toxicity (repeated exposure)**

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of

Not available.

exposure

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

**Ingestion** : Harmful if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**



### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 11 of 18 Print Date 10/26/2016

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

#### **Acute toxicity estimates**

Route	ATE value
Oral	1,354.3 mg/kg

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	



# X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 12 of 18 Print Date 10/26/2016

		T	T
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
	A	Crustaceans	40.1
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
	A . LOCO 11 /LE 1	Crustaceans	40.1
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h
	Acute LC30 13.4 mg/1 Fresh water	Crustaceans	46 11
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
	Acute EC50 27.8 High Fresh water	Daphnia	40 11
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
	Acute EC50 13.3 Hig/11 Tesh water	Daphnia	40 11
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	40 11
Copper	water	Барина	
Сорры	Acute LC50 16 μg/l Fresh water	Fish - Fish	96 h
	Acute LC50 9.4 μg/l Fresh water	Fish - Fish	96 h
	Acute LC50 10.3 μg/l Fresh water	Fish - Fish	96 h
	Acute LC50 7.56 μg/l Marine	Fish - Fish	96 h
	water	1 1511 - 1 1511	70 II
	Acute LC50 8.7 μg/l Fresh water	Fish - Fish	96 h
	Acute EC50 3.1 µg/l Fresh water	Aquatic invertebrates.	48 h
	redic Leso 3.1 μg/11 resit water	Daphnia	40 II
	Acute EC50 2.1 µg/l Fresh water	Aquatic invertebrates.	48 h
	Tieute 2000 2.1 µg/111esii watei	Daphnia	10 11
	Acute EC50 2.5 µg/l Fresh water	Aquatic invertebrates.	48 h
	Troute 2000 210 pg/111031 water	Daphnia	.01
	Acute EC50 3.2 µg/l Fresh water	Aquatic invertebrates.	48 h
	, and the second	Daphnia	
	Acute EC50 1.6 μg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 0.072 μg/l Marine	Aquatic invertebrates.	48 h
	water	Crustaceans	
	Acute EC50 1 µg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute EC50 1.6 µg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute EC50 1.6 μg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 3.1 µg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 18 μg/l Marine water	Aquatic plants - Algae	72 h
	Acute IC50 16 µg/l Fresh water	Aquatic plants - Algae	72 h
	Acute EC50 18 μg/l Fresh water	Aquatic plants - Algae	72 h
	Acute IC50 13 µg/l Fresh water	Aquatic plants - Algae	72 h



### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 13 of 18 Print Date 10/26/2016

	Acute IC50 18 μg/l Marine water	Aquatic plants - Algae	72 h
	Acute EC50 1,100 µg/l Fresh water	Aquatic plants -	96 h
	Tieute Eeso 1,100 µg/111esii watei	Aquatic plants	70 H
	Acute IC50 5.4 mg/l Marine water	Aquatic plants -	72 h
		Aquatic plants	,
	Acute NOEC 2.5 μg/l Marine water	Aquatic plants - Algae	3 d
	Acute NOEC 3 µg/l Marine water	Aquatic plants - Algae	3 d
	Acute NOEC 3.2 μg/l Fresh water	Aquatic plants - Algae	3 d
	Acute NOEC 0.013 mg/l Marine	Aquatic plants - Algae	4 d
	water		
	Acute NOEC 7 mg/l Fresh water	Aquatic plants -	3 d
		Aquatic plants	
	Acute EC10 0.032 mg/l Marine	Aquatic plants - Algae	4 d
	water		
	Chronic NOEC 1.7 µg/l Fresh	Fish - Fish	28 d
	water		
	Chronic NOEC 0.8 µg/l Fresh	Fish - Fish	42 d
	water		
	Chronic NOEC 1.2 µg/l Fresh	Fish - Fish	42 d
	water		
	Chronic NOEC 0.8 µg/l Fresh	Fish - Fish	42 d
	water	F: 1 F: 1	42.1
	Chronic NOEC 0.8 µg/l Fresh	Fish - Fish	42 d
	water	A	21 1
	Chronic NOEC 30.3 µg/l Fresh	Aquatic invertebrates.	21 d
	Water	Daphnia	21 d
	Chronic NOEC 15 µg/l Fresh water	Aquatic invertebrates. Daphnia	21 0
	Chronic NOEC 2 µg/l Fresh water	Aquatic invertebrates.	21 d
	Chrome NODE 2 µg/11 resh water	Daphnia	21 u
	Chronic NOEC 29.4 µg/l Fresh	Aquatic invertebrates.	21 d
	water	Daphnia	21 u
	Chronic NOEC 31.8 µg/l Fresh	Aquatic invertebrates.	21 d
	water	Daphnia Daphnia	
	Chronic NOEC 0.02 mg/l Fresh	Aquatic invertebrates.	21 d
	water	Crustaceans	
X GV 204940#SR-18494 Blue		1	П
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	polymer matrix.
invertebrates.:	•	•	= •

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

#### Persistence and degradability

**Conclusion/Summary** 

: Chemicals are not readily available as they are bound within the



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Page 14 of 18
Revision Date 10/25/2016 Print Date 10/26/2016

polymer matrix.

**Conclusion/Summary**: Chemicals are not readily available as they are bound within the

polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

#### Mobility in soil

**Soil/water partition coefficient** 

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

<u>United States - RCRA Acute hazardous waste "P" List:</u> Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# **Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 15 of 18 Print Date 10/26/2016

IMO/IMDG (maritime) : Consult mode specific transport rules

listed

# Section 15. Regulatory information

U.S. Federal regulations

**United States - TSCA 12(b) - Chemical export notification:** None of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed
United States - TSCA 4(a) - ITC Priority list: Not listed
United States - TSCA 4(a) - Proposed test rules: Not listed
United States - TSCA 4(f) - Priority risk review: Not listed
United States - TSCA 5(a)2 - Final significant new use rules: Not

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

**United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Copper

Phthalocyanine Blue

Zinc stearate

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Listed

Not listed

**Substances** 

Clean Air Act Section 602 Class II : Not listed



### X GV 204940#SR-18494 Blue

Version Number 1.0 Page 16 of 18 Print Date 10/26/2016 Revision Date 10/25/2016

**Substances** 

Not listed **DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** Not listed

Chemicals)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Copper	7440-50-8	5,000 lb(s)
		2,270 kg

#### **SARA 311/312**

Classification Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	Classification
Copper	25 - 50	AH

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting	Copper	7440-50-8	25 - 50
requirements			
Supplier notification	Copper	7440-50-8	25 - 50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts The following components are listed:

Titanium dioxide

Copper

Barium sulfate

**New York** The following components are listed:

**New Jersey** The following components are listed:

Titanium dioxide Phthalocyanine Blue

Copper



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016

Page 17 of 18 Print Date 10/26/2016

Barium sulfate

The following components are listed: Pennsylvania

Phthalocyanine Blue

Titanium dioxide

Copper

Barium sulfate

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

All components are listed or exempted. **United States inventory (TSCA 8b)**:

**Canada inventory** All components are listed or exempted.

**International regulations** 

**International lists** Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined. **EINECS:** All components are listed or exempted.

**Japan inventory:** Not determined.

China inventory (IECSC): Not determined.

**Korea inventory:** All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

Not listed

**Chemical Weapons Convention** 

Not listed

**List Schedule II Chemicals Chemical Weapons Convention** 

Not listed

**List Schedule III Chemicals** 

# Section 16. Other information

**History** 

**Date of printing** 10/26/2016 Date of issue/Date of revision 10/25/2016 Date of previous issue 00/00/0000

Version 1.0

**Key to abbreviations** ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor



#### X GV 204940#SR-18494 Blue

Version Number 1.0 Revision Date 10/25/2016 Page 18 of 18 Print Date 10/26/2016

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.